

Please cite the Published Version

Canty, SWJ, Preziosi, RF and Rowntree, JK (2018) Dichotomy of mangrove management: A review of research and policy in the Mesoamerican reef region. Ocean and Coastal Management, 157. pp. 40-49. ISSN 0964-5691

DOI: https://doi.org/10.1016/j.ocecoaman.2018.02.011

Publisher: Elsevier

Downloaded from: https://e-space.mmu.ac.uk/620475/

Usage rights: Creative Commons: Attribution-Noncommercial-No Derivative Works 4.0

Additional Information: This is an Author Accepted Manuscript of a paper accepted for publication in Ocean and Coastal Management, published by and copyright Elsevier.

Enquiries:

If you have questions about this document, contact openresearch@mmu.ac.uk. Please include the URL of the record in e-space. If you believe that your, or a third party's rights have been compromised through this document please see our Take Down policy (available from https://www.mmu.ac.uk/library/using-the-library/policies-and-guidelines)

1	Dichotomy of mangrove management: A review of research and policy in the
2	Mesoamerican reef region.
3	Steven W. J. Canty ^{a,b} , Preziosi Richard F. ^b , Rowntree, Jennifer ^b
4	^a Smithsonian Marine Station, Marine Conservation Program, 701 Seaway Drive, Fort
5	Pierce, Florida 34949, USA
6	^b Manchester Metropolitan University, School of Science and the Environment, John
7	Dalton East, Manchester M1 5GD, UK.

8 Abstract

9 Mangroves are declining globally at faster rates than tropical forests and coral reefs, 10 with primary threats including, aquaculture, agriculture and climate change. Mangroves 11 provide ecosystem services to coastal communities of Mexico, Belize, Guatemala and 12 Honduras, which comprise the Mesoamerican Reef (MAR) ecoregion. Over the past two 13 decades mangroves within the MAR have declined. Current estimates of mangrove 14 cover in the region suggest that mangroves cover 239,176 ha of the MAR, equivalent to 15 1.7% of the world's mangroves. Concerted efforts to manage, conserve and protect 16 mangrove forest are apparent in all four countries. Comprehensive laws that prohibit the 17 cutting and clearing of mangroves have been implemented in Mexico, Guatemala and 18 Honduras. Belize has a permitting system to regulate mangrove alterations. In addition, 19 a total of seven international and regional agreements have been ratified. Across the 20 ecoregion, forty-three protected areas have been designated that contain mangroves, 21 providing protection to 111,396 ha of mangroves (47% of the total). However, our 22 findings suggest a lack of transparency in the governance framework, a disconnect 23 between management and research, and geopolitical differences have all played a role

in reducing management efficacy. A key finding of our study reveals a distinct division in the perceived major threats to mangroves between Ramsar site managers and researchers. Ramsar site managers identify anthropogenic disturbances as key threats, while in contrast, the bulk of research focuses on natural disturbances. To promote the inclusion of evidence-based research within mangrove management plans, greater efforts to connect these important stakeholders are required.

30 Keywords: Mangroves, Management, Conservation, Research foci, Mesoamerica,
31 Threats.

32 Introduction

33 Mangroves are a diverse group of halophytic plant species, which form highly 34 productive forests in the area between mean sea level and the highest spring tide mark 35 along tropical and sub-tropical coastlines and estuaries (Tomlinson, 1994). Once 36 perceived as mosquito infested wastelands, mangroves have now been recognized as 37 highly productive and ecologically important ecosystems. Providing ecosystem services 38 to marine and terrestrial environments, and human societies (Gilman et al., 2008; 39 Nagelkerken et al., 2008), which are valued at US\$9,900–35,900 ha⁻¹yr⁻¹ (Costanza et 40 al., 1997; Sathirithai and Barbier, 2001; Barbier, Hacker, Kennedy, Kock, Stier, 2011). 41 Some of the most important mangrove ecosystem services include: coastline protection 42 (in particular storm, hurricane and tsunami protection); waste water treatment; 43 production of extractable materials; and provision of cultural sites (Rönnbäck, Crona 44 and Ingwall, 2007; Warren-Rhodes et al., 2011). Despite the known value of these 45 forests, mangroves are highly threatened. Deforestation estimates suggest mangrove 46 cover has declined by 30-86% since the mid 1990's (Duke et al., 2007), and mangroves

47 continue to decline globally at unprecedented rates (FAO, 2007). Globally the main 48 threats to mangrove forests include: coastal development; logging for timber and fuel; 49 aquaculture; salt extraction; and agriculture (Valiela, Bowen and York, 2001; Alongi, 50 2002; Rönnbäck, Crona and Ingwall, 2007). The additional threats of climate change, 51 e.g. sea-level rise, are also of concern (Schaeffer-Novelli et al., 2016; Short et al., 52 2016). Understanding if or how mangroves can adapt to such changes is of particular 53 relevance to already threatened ecosystems, e.g. in the Caribbean (Godoy and De 54 Lacerda, 2015; Sasmito et al., 2016).

55 The majority (over 70%) of mangroves are located within developing countries (Giri et 56 al., 2011), where limited resources and capacity can inhibit effective management. At 57 the international level, a number of treaties and conventions afford some protection to 58 mangroves (Macintosh and Ashton, 2002), for example: the Ramsar Convention (1974); 59 the Cartagena Convention (1983); and the International Tropical Timber Agreement 60 (2011). However, few of these treaties provide any effective legal protection and none of 61 them address the conservation, preservation, or management of a particular mangrove 62 species (Polidoro et al., 2010). National legislation pertaining to management 63 in the 1960's was primarily focused on mangrove exploitation (Carter, Schmidt and 64 Hirons, 2015). However, over the past five decades management has progressed and 65 has led to the integration of mangroves into coastal zone management plans (Carter, 66 Schmidt and Hirons, 2015).

67 Common tools for the preservation and management of mangrove and other marine 68 ecosystems include: marine protected areas (MPA's); nature reserves; wilderness 69 areas; national monuments and national parks. Since 1974, increasing protection has

70 been provided through Ramsar site designation. To date, 281 Ramsar sites (12.5% of 71 all Ramsar sites) are intertidal forested wetlands, which includes mangrove forests 72 (www.ramsar.org). Although increased recognition of mangroves in management plans 73 is encouraging, the majority of plans associated with MPA's and Ramsar sites are 74 based on generalized characteristics and threats, with limited reference to prior 75 scientific research. In fact, there appears to be no effective mechanism for creating links 76 between management activities for, and scientific research on, mangroves, thus 77 research is rarely incorporated into management plans. Similar observations have been 78 made in the management of coral reef ecosystems, where a mere 14% of information 79 cited in management plans for the reefs of Australia, Kenya and Belize was primary 80 research (Cvitanovic et al., 2014). In this case, research was deemed to be inaccessible 81 to managers due to, long publication times, subscription only access to research and 82 poor articulation of management implications of the research (Cvitanovic et al., 2014). 83 Yet, for effective management to take place, evidence based decision-making is critical 84 (Christensen et al., 1996; Ruckelshaus et al., 2008).

In this article we use the Mesoamerican reef (MAR) ecoregion as a case study, to examine the current status of mangroves, the legislation implemented to protect, manage and conserve mangroves, and review peer-reviewed scientific outputs from the region. The aim of this paper is to understand the current management paradigms within the MAR and identify threats to mangroves within the region. We compare the foci of management strategies and research programs in order to determine where overlap occurs and where there are gaps in the knowledge base.

92 Methods

93 Study area

94 We have chosen to focus on the Mesoamerican Reef (MAR) ecoregion because the 95 majority of mangrove research is concentrated in South-East Asia, where larger and 96 more diverse stands of mangroves are located (Saenger, 2002). Much less is known 97 about these ecosystems in Latin America and the Caribbean (but see, Ellison and 98 Farnsworth, 1997; Núñez-Farfán et al., 2002; Ellison, 2004). The MAR ecoregion 99 extends over 1000 km from the Yucatan peninsula, Mexico (21.56°N; 087.09°W) to the 100 east coast of Honduras (14.97°N; 083.16°W), encompassing the Caribbean coastlines, 101 open-ocean, networks of cays, and offshore banks of Mexico, Belize, Guatemala and 102 Honduras (Kramer and Kramer, 2002) (Figure 1). It is home to the largest barrier reef in 103 the western hemisphere and supports the livelihoods of approximately two million 104 people (Kramer and Kramer, 2002), of particular importance are the fishing (Box and 105 Canty, 2010) and tourism industries (Doiron and Weissenberger, 2014). Considerable 106 attention has been given to coral reefs in the region, however seagrass and mangrove 107 ecosystems have often been overlooked. In this review we consider the entire 108 Honduran north shore as part of the MAR ecoregion, due to potentially high levels of 109 connectivity between the Honduran east coast and the MAR (Butler et al., 2011; 110 Truelove et al., 2015; Chollett et al., 2017). The boundaries of the ecoregion were 111 originally defined by the presence of several physiogeographic boundaries, these 112 include the Gulf of Mexico, strong oceanic currents between the Yucatan penninsular, 113 Mexico and south west Cuba, the shallow waters of the Nicaraguan rise, Honduras, in 114 addition to a number of terrestrial environmental variables, e.g. rainfall. The ecoregion 115 was officially declared in 1997 as part of the Tulum agreement, where all four countires

came together recognizing the importance of the region and the need to jointly managea shared marine resource (Kramer and Kramer, 2002).

118 Mangrove cover estimations

119 First, we estimated mangrove forest cover for each country across the region. The three 120 true mangrove species: Rhizophora mangle; Avicennia germinans and Laguncularia 121 racemosa are considered as part of the mangrove forest system in all four countries. 122 However, the mangrove associate Conocarpus erectus (Buttonwood mangrove) is only 123 defined as part of the mangrove forest in Guatemala and Honduras. Regardless of a 124 country's definition of the mangrove complex, mangrove cover estimates herein include 125 all four species. Country specific estimates of mangrove cover were taken from the 126 most recent estimates available (Mexico (Rodríguez-Zúñiga et al., 2013), imagery from 127 2010; Belize (Cherrington et al., 2010), imagery from 2010; Guatemala (MARN, 2013), 128 imagery from 2010; and Honduras (Carrasco and Caviedes, 2014), imagery from 2008-129 2010).




Figure 1. Map of the Mesoamerican Reef Eco-region. Solid line highlights the area included within the study, the official boundary of the MAR (dotted line) does not include the eastern north shore of Honduras.

134 Mangrove management plans

To ascertain the level of management and protection directly focused on mangroves in each country, we first reviewed national environmental legislation, using Google searches and accessing management plans. We subsequently identified which international and regional conventions and agreements relating to mangroves each country has signed or ratified. Within the Caribbean, protected areas that contain mangroves include Ramsar sites and Marine Protected Areas (MPAs). Ramsar sites

141 that contain mangroves were identified through the American Ramsar Secretariat (Pers. 142 Comms.) and the Ramsar website (www.ramsar.org). The Healthy Reefs for Healthy 143 People Initiative (HRI: www.healthyreefs.org) provides the names of all of the MPAs 144 within the MAR, which have marine territory, and provides the associated management 145 plan. If a managent plan was not available on the HRI website a wider web search was 146 conducted, if after the search we did not identify a management plan we assumed that 147 one did not exist or is not publicly available. Web searches (in English and Spanish), 148 were used to identify management plans for each of the named protected areas. 149 Management plans for protected areas, where available, were downloaded and 150 searched using the keywords mangroves (mangr*) in English, and manglar (mangl*) in 151 Spanish to find explicit references to the management of mangroves. It must be noted 152 that the most recent management plans were used in this review and that management 153 plans within the region are generally designed for a five-year period. In many cases the 154 management period had expired, but we assume that current management strategies 155 are based on the most recent plans.

156 Scientific literature review

To determine the focus of scientific research on mangroves in the MAR, peer-reviewed scientific publications were searched for using the Boolean search methodology. Multiple combinations of the following keywords (and their equivalents in Spanish) were used in the search: 'Mangrove'; '*Rhizophora*'; '*Avicennia*'; '*Laguncularia*'; '*Conocarpus*'; 'Mesoamerica'; 'MBRS'; 'MAR'; 'Caribbean'; 'Mexico'; 'Belize'; 'Guatemala'; and 'Honduras'. Only articles published from 1997 to date were used, as this date coincides with the declaration of the MAR as an ecoregion by all four countries, and therefore to

164 the direct management of the ecoregion. Books or book sections were not used, as we 165 could not be sure of the peer-review process, and reviews were not included. 166 Methodologies of articles were examined to ensure that research occurred in at least 167 one of the four MAR countries and within the boundaries of the MAR ecoregion, as we 168 delimited it. A total of 81 peer-reviewed publications (see supplementary materials for a 169 full list of publications) were identified and the research undertaken in each country was 170 tallied. Where research occurred in multiple countries in a single paper, each country 171 received a tally.

172 Identification of threats

173 A fine scale analysis of articles that were identified to focus on threats to managroves 174 was conducted to categorize the type of threat. Eight different threats were identified, a 175 total of 29 times, and each threat was categorized as either natural or anthropogenic 176 disturbances. Natural disturbances were: hurricanes; sea-level change; light gaps; 177 seismic activity; tsunamis; and subsidence. Anthropogenic disturbances were: 178 commercial development and deforestation. Threats identified were tallied and a 179 proportion of each threat category was calculated based on the total number of threats 180 identified.

A list of threats to Ramsar sites was obtained from the American Ramsar Secretariat. The threats were identified by future managers of Ramsar sites from a list of 51 options supplied by Ramsar (see supplementary materials for the full list of threats and their definitions) during the Ramsar site application process. The list of threats provided was pre-defined, and as a result not all threats reported may be relevant to the protected area, e.g. in Guatemala 'agriculture and aquaculture' was a reported threat. However,

aquaculture is currently not present in the Guatemalan Caribbean, in contrast
agriculture is present and is considered a threat to mangroves.

189 Thirty-seven different threats were identified by Ramsar managers, across the four 190 countries, a total of 236 times, with a maximum of twenty-two at a single site. We 191 categorized threats as either natural disturbances or anthropogenic disturbances. 192 Natural disturbances were: storms and flooding; fire and fire suppression; problematic 193 native species; invasive and other problematic species and genes; climate change and 194 severe weather; and invasive non-native/alien species. Anthropogenic disturbances 195 were: biological resource use; human settlements (non-agricultural); tourism and 196 recreation areas; housing and urban areas; fishing and harvesting aquatic resources; 197 natural system modifications; agriculture and aguaculture; pollution; logging and wood 198 harvesting; human intrusions and disturbances; hunting and collecting terrestrial 199 animals; vegetation clearance/land conversion; recreational and tourism activities; 200 gathering terrestrial plants; transportation and service corridors; water regulation; 201 household sewage; livestock farming and ranching; urban waste water; agriculture and 202 forestry effluents; drainage; dams and water management/use; energy production and 203 mining; unspecified development; wood and pulp plantations; mining and quarrying; 204 industrial and military effluents; water abstraction; garbage and solid waste; shipping 205 lanes; and air-borne pollutants. Individual threats that were reported were tallied as 206 either natural or anthropogenic disturbances, a proportion of each threat category was 207 calculated from the combined number of threats identified.

208 Results

209 Mangrove cover

210 Mangrove cover in the MAR is estimated at 239,176 ha, cover has declined across the 211 region since the 1990's, where mangroves covered approximately 350,000 ha (Figure 212 2), a loss of over 110,000 ha in a twenty-year period. Proportional cover of mangroves 213 in the MAR region varies considerably between and within the four countries. The 214 majority of mangrove cover within the MAR is located along the Yucatan Peninsula, 215 Campeche and Quintana Roo regions of Mexico (53.5%; 128,049 ha; Figure 2), 216 however Mexico has significantly greater mangrove cover in the Gulf of Mexico and on 217 the Pacific coastlines. Belize is the only country to have its entire coastline in the MAR, 218 and approximately one third of mangrove cover of the MAR is found in Belize (31.2%; 219 74,684 ha; Figure 2). Only a small fraction of the total mangrove cover of the region is located in Guatemala (0.5%; 1,170 ha; Figure 2), the majority of Guatemalan 220 221 mangroves are located on the Pacific coast. Despite the size of its coastline, mangrove 222 cover in Honduras is a small proportion of the MAR total (14.7%; 35,273 ha; Figure 2). 223 Mangrove cover in Honduras is almost equally divided between the Caribbean and 224 Pacific coasts.




Figure 2 Mangrove cover within the MAR region. (a) Historical (Kramer and Kramer, 2002) and recent estimations of mangrove cover. (b) Total mangrove cover in each of the four MAR countries, with hectares of protected and unprotected mangrove highlighted. (Mexico (Rodríguez-Zúñiga *et al.*, 2013); Belize (Cherrington *et al.*, 2010); Guatemala (MARN, 2013); Honduras (Carrasco and Caviedes, 2014). *Some data from Honduras is from 2008.

231 Legislation and management

232 Comprehensive legislation exists within the region to protect mangroves. In Mexico, 233 Guatemala and Honduras, mangroves are property of the state and stringent laws exist 234 which prohibit the removal and cutting of mangroves and prevent changes in land use 235 (Table 1). In contrast, the majority of Belizean mangroves are privately owned and only 236 30% are state owned. However, national legislation in Belize is applicable to all 237 mangroves regardless of ownership. Within Belize, the cutting and clearance of 238 mangroves is controlled by a permitting system, however the dredging and landfill of 239 mangroves is only permitted under exceptional circumstances.

240 At the international level, the four countries of the MAR have ratified a total of seven 241 international conventions and agreements to promote the management and sustainable 242 use of marine and wetland resources (Table 1). The most important of these for 243 mangroves is the Ramsar (wetlands) convention. Geopolitical differences influence 244 regional cooperation, e.g. Mexico, a North American country, is excluded from Central 245 American agreements, and Belize with a British rather than Spanish colonial heritage 246 exhibits preferences with Caribbean Community agreements. All four countries are 247 parties of the two main international conventions that are relevant to environmental 248 protection: the Cartagena convention and Ramsar convention (Table 1). Honduras is 249 the only country not to have ratified the Cartagena convention, but is a signatory to the 250 convention. Additionally, all four countries ratified the Tulum declaration and the 251 subsequent Mesoamerican barrier reef system project (www.mbrs.doe.gov.bz).

252 We identified a total of 43 protected areas in the MAR which have mangroves within 253 their borders (Table 2), and estimate that just under half (46.6%; 111,396 ha) of the 254 mangroves in the MAR are within the boundaries of a protected area. Over two thirds 255 (31) of the protected areas have management plans (Table 2), although implementation 256 of these plans may vary. The majority of management plans had no specific 257 management strategies for mangroves, other than a reference to the national 258 legislation, in the few instances where strategies were stated they were related to 259 mangrove restoration, e.g. Shipstern Conservation and Management Area, Belize.

260 In Mexico, mangroves are the responsibility of the Department of Ecology and 261 Environment, and the Institute for Flora, Fauna and Culture within the Secretariat of the 262 Environment and Natural Resources. In addition, the National Commission for Natural

Protected Areas (CONANP) assumes responsibility for mangroves when they are located within a protected area. CONANP may co-manage protected areas with a local non-governmental organization (NGO). We identified 13 protected areas that contain mangroves in Mexico, these areas provide protection to approximately 80% (100,764 ha) of Mexican mangroves forests in the MAR (Table 2; Figure 2).

268 In Belize, the Forestry Department within the Ministry of Agriculture and Fisheries is 269 responsible for managing Belizean mangroves. The Coastal Zone Management 270 Authority and Institute and Fisheries Department may also assume a management role. 271 NGO's co-manage a number of protected areas in Belize and therefore assume a direct 272 role in the management of mangroves. Private protected areas are increasingly popular, 273 and these areas are coordinated by the Belize Association of Private Protected Areas. 274 We were not able to identify any private protected areas that provided protection to 275 mangroves. Only a small proportion (12.9%) of the total mangrove cover of Belize is 276 located within the 15 protected areas (Table 2; Figure 2).

Mangrove Legislat	ion	Mexico	Belize	Guatemala	Honduras	
		General Wildlife Act 2000, Article 60.	Forestry Act 1989, Article 52. Forests Act Chapter 213, revised in 2003	Forestry Act 1996, Article 35.	Fisheries Act 1959, Article 52. The removal and cutting o mangroves is prohibited.	
Legislation		It is prohibited to remove, transplant, prune or conduct any work or activity that may affect the integrality of the hydrological flow	Dredging and landfill is strictly prohibited unless there is significant benefit to the general population.	Change of land use of mangrove ecosystems is prohibited.		
		of mangroves.	Three types of permits can be issued for the alteration of mangroves, depending on the area of mangrove to be altered. Permits can be denied.	By-law Resolution No. 01.25.98, Article 15 allows family consumption to a maximum of 5m ³ .yr ⁻¹		
State ownership of r		100%	30%	100%	100%	
Government Agen	cies					
	Ministry	Secretariat of the Environment and Natural Resources	Ministry of Agriculture and Fisheries	Ministry of the Environment and Natural Resources	Secretariat of Energy, Natural Resources, Natural Environment and Mines	
Government	Department Department of Ecology and Environment; Institute for Flora, Fauna and Culture		Department of Forestry	National Forest Institute	Fisheries department	
hierarchy for the management of mangroves	External departments		Coastal Zone Management Authority and Institute; Department of Fisheries	National Council for Protected Areas	Institute for Conservation and Forest Development, Protected Areas and Wildlife	
	Other Agencies	National Commission for Protected Natural Areas		National Council for Protected Areas	Local Municipal Environment Units	
	Non-government organizations	e.g. Comunidad y Biodiversidad Asociacion Civil; Amigos de Sian Ka'an	e.g. Belize Association of Private Protected Areas; Toledo Institute for Development Environment	e.g. Fundación para el Ecodesarrollo y la Conservación	e.g. Bay Island Conservation Association; Roatan Marine Park	
International and R	Regional Agreements					
Cartagena Convention (*Signatory only)		1985	1999	1989	1983*	
Wetlands Convention (Ramsar ²)		1986	1998	1990	1993	
Tulum Agreement		1995	1995	1995	1995	
Mesoamerican Barrier Reef System Project		1997	1997	1997	1997	
Central American Po Conservation and R	olicy for the ational Use of Wetlands	N/A	2002	2002	2002	
Ramsar Regional Initiative for the Integral Management and Wise use of Mangroves and Coral Reefs		2009	-	2009	2009	
Ramsar Caribbean Wetlands Initiative		_	2009	-	_	

Table 2. Protected areas of the Mesoamerican	Reef ecoregion with mangroves within their borders.

Table 2. Protected areas of the Mesoamerican Reef ecoregion	MPA	Ramsar	Management	-
	/NP	site	plan	Reference
Mexico (n=13)				
Área de Protección de Fauna y Flora Yum Balam	Х	Х	Y	(CONANP, 2013)
Parque Nacional Isla Contoy	Х	Х	Y	(SEMARNAT & CONANP, 2015b)
Manglares de Nichupte		Х	Y	(SEMARNAT & CONANP, 2014)
Parque Nacional Arrecifes de Puerto Morelos	Х	Х	Y	(SEMARNAP, 2000a)
Manglares y humedales del norte de la isla Cozumel		Х	Y	(SEMARNAT, 2014)
Parque Marino Nacional Arrecifes de Cozumel	Х	Х	Y	(SEMARNAP, 1998a)
Playa Tortuguera X'Cacel-X'Cacelito		Х	-	
Reserva de la Biósfera de Sian Ka´an	Х	Х	Y	(SEMARNAT & CONANP, 2015a)
Reserva de la Biósfera Banco Chinchorro	Х	Х	Y	(SEMARNAP, 2000b)
Parque Nacional Arrecifes de Xcalak	Х	Х	Y	(CONANP, 2004)
Parque Marino Nacional Punta Occidental Isla Mujeres,	v		Y	(SEMARNAP, 1998b)
Punta Cancun y Punta Nizuc	Х		ř	
Área Marina y Costera Protegida Actam Chuleb	Х		-	
Zona Sujeta de Conservación Ecologica Santuario Manati	х			
Bahia Chetumal	^		-	
Total:	10	10	10	
Belize (n=14)				
Bacalar Chico National Park and Marine Reserve	Х		Y	(BFD, 2004)
Laughing Bird Caye National Park	Х		Y	(BFoD, 2010)
Payne's Creek National Park	Х		-	
Sarstoon-Temash National Park	Х	Х	Y	
Shipstern Conservation & Management Area	Х		Y	(PACT, 2016)
Corozal Bay Wildlife Sanctuary	Х		-	
Swallow Caye Wildlife Sanctuary	Х		-	
Half Moon Caye Natural Monument	Х		Y	(BAS, 2007)
Caye Caulker Marine Reserve	Х		Y	(BCZMIA & BFD, 2004)
Gladden Spit and Silk Cayes Marine Reserve	Х		Y	(BFD, 2010a)
Glover's Reef Marine Reserve	Х		Y	(BFD, 2007)
Hol Chan Marine Reserve	Х		Y	(BFD, 2002)
Port Honduras Marine Reserve	Х		Y	(BFD, 2012a)
Sapodilla Cayes Marine Reserve	Х		Y	(BFD, 2010b)
South Water Caye Marine Reserve	Х		Ŷ	(BFD, 2009)
Turneffe Atoll Marine Reserve	<u>X</u>		Y	(BFD, 2012b)
Total:	15	1	12	
Guatemala (n=2)	V	V	V	(000140.0000)
Reserva de usos multiples rio Sartsun	X	X	Y	(CONAP, 2009)
Punta de Manabique	<u> </u>	<u>X</u>	Y	(CONAP, 2011)
Total:	2	2	2	
Honduras (n=13)	V	V		
Parque Nacional Sistema de Humidales de Cuyamel – Omoa	X	X	-	(105, 2012-)
Parque Nacional Jeannette Kawas	X	X	Y	(ICF, 2012a)
Refugia de Vida Silvestre Punto Izopo	Х	X X	Y	(ICF, 2012b)
Sistema Humedales Laguna de Zambuco		X	-	(ICE 2011)
Refugio de Vida Silvestre Cuero y Salado (Barras de Cuero y Salado)	Х	Х	Y	(ICF, 2011)
Parque Nacional de las islas de la Bahia	Х		Y	(IHT y ICF, 2015)
•	^			
Zona de Proteccion Especial Marina Turtle Harbour – Rock Harboury el Sistema de Humedales de la Isla de Utila	Х	Х	Y	(IHT y ICF, 2012)
	v			
Zona de Protección Especial Marina Sandy Bay West End Parque Nacional Port Royal	X X		-	
Monumento Natural Marino Archipielago Cayos Cochinos	X		Ŷ	(CMCC, 2009)
Refugio de Vida Silvestre Laguna de Guaimoreto	X		I	
Reserva de la Biósfera del Rio Platano	x		Ý	(ICF, 2013)
Laguna de Bacalar	~	х	-	
Total:	11	7	- 7	
Grand totals 43	38	18	31	
Granu (Oldis 40	30	10	31	


Mangroves in Guatemala are the responsibility of the National Forest Institute within the Ministry of the Environment and Natural Resources. The National Council for Protected Areas (CONAP) has a role in mangrove management when mangroves are located in protected areas (Table 1). Protected areas are co-managed by CONAP and local NGO's and these organizations assume the day to day responsibilities of the protected areas. The majority of mangroves within Guatemala (88.2%) are located within the two protected areas (Table 2; Figure 2).

284 The responsibility of mangroves in Honduras resides with the Department of Fisheries 285 under the Secretariat of Energy, Natural Resources, Natural Environment and Mines, 286 and local municipal environmental units have a role in mangrove management within 287 their jurisdiction. Within protected areas, mangroves receive additional management 288 from the Conservation and Forest Development, Protection and Wildlife Institute and 289 local NGO's. The NGO's assume the day-to-day responsibilities of the protected areas. 290 A total of 13 protected areas have been declared that have mangroves within their 291 boundaries, however limited mangrove cover data is available, which precludes an 292 accurate estimation of mangrove coverage within Honduran protected areas (Table 2).


293 Threats to mangroves

A total of 81 peer-reviewed articles focusing on mangroves were identified within the MAR region. The majority of the research was conducted in Belize (68.2%), the remaining studies were conducted in Mexico (22.0%) and Honduras (9.8%). No peerreviewed primary mangrove research identified from Guatemala. Of the 81 peerreviewed articles identified, 15 of these address threats to mangroves (Ellison and Farnsworth, 1997; Feller *et al.*, 1999; Cahoon *et al.*, 2003; Piou *et al.*, 2006; Mckee,

300 Cahoon and Feller, 2007; McKee, Rooth and Feller, 2007; Taylor et al., 2007; 301 Vaneslow, Kolb and Fickert, 2007; Granek and Ruttenberg, 2007; Carrillo-Bastos, 302 Elizalde-Rendón, Erika Marcela Torrescano Valle and Flores Ortiz, 2008; Islebe et al., 303 2009; Macintyre et al., 2009; Mckee and Vervaeke, 2009; Hirales-Cota et al., 2010; 304 McCloskey and Liu, 2013), a total of 8 different threats were classified. A total of 37 305 different threats, were identified from the 20 Ramsar sites, the majority of which were 306 anthropogenic (90.7%), e.g. 'logging', 'aquaculture and coastal development' (Figure 3). 307 The majority of peer-reviewed mangrove research from the MAR region has focused on 308 natural disturbances (71.4%) of mangrove systems (Figure 3). These trends are not just 309 a regional trend, but hold for each of the individual countries, where researchers and 310 managers foci are on natural and anthropogenic disturbances, respectively (Figure 3). 311 Primary research interests include hurricanes and sea-level change. and Ramsar 312 managers across the region are concerned with deforestation, agriculture, and 313 development.



314



318 **Discussion**

319 Despite the stringent national legislation and international agreements which provide 320 protection to mangrove forests, and the additional protection provided by the 43 321 protected areas (which contain mangroves), mangrove cover in the MAR declined by 322 over 110,000 ha from 1990-2010, with an esimtated current cover of 239,176 ha, 323 equivalent to 1.7% of the world's mangroves (Giri et al., 2011). The greatest losses 324 were observed in Mexico and Honduras. The decline in mangrove cover suggests a 325 problem with enforcement. We suggest a lack of resources for enforcement, 326 transparency within the governance framework, and lack of political will as potential 327 reasons for the failure in the enforcement of mangrove legislation. The number of 328 organizations responsible for the management and protection of mangroves in each 329 country varies and causes confusion, with the exact role of each party unclear. Each 330 country has a specific government department responsible for mangrove protection, 331 with additional oversight from external agencies and non-government organizations 332 (NGO's) when mangroves are located in protected areas. It must be noted that such 333 discrepancies are not unique to mangrove systems or to this region (Rife et al., 2013). 334 Limited national budgets of the four countries reduce governmental institutional 335 capacity, which has resulted in civil society in the form of NGO's filling the void in the 336 management of protected areas. NGO's assume an important role as co-managers of 337 protected areas, fulfilling the day-to-day management duties. However, a lack of 338 authoritative power and a lack of human capacity to physically patrol often large and 339 remote areas, inhibits the ability of NGO's to enforce environmental legislation (Cudney-340 Bueno et al., 2009; Rife et al., 2013). In essence many of the protected areas in each of 341 the four countries could be considered "paper parks", as they provide no greater 342 protection or management to mangroves than national legislation (Rife et al., 2013). It is 343 important not to be too critical of these institutions, however, all of which are operating 344 on limited resources. The focus should be on how to support and build capacity of these 345 organizations to allow them to improve mangroves and natural resource management 346 efficacy.

Geopolitical interests of the different countries have reduced collaborative efforts of mangrove protection. Despite the four countries sharing an ecoregion, significant geopolitical divisions exist. This is exemplified by Belize ratifying a separate Ramsar initiative to the other three countries. The paradox is that despite having the same or very similar objectives, the four countries are not working together to achieve these goals. A lack of collaboration and harmonization in how management strategies are

353 developed and implemented can reduce mangrove protection, especially in forests that 354 straddle international borders (McCallum, Vasilijević and Cuthill, 2015). Belize is the 355 only country where all of mangroves are within the boundaries of the MAR. In contrast 356 Mexico and Guatemala have significantly greater mangrove cover on other coastlines, 357 and a little more than half of the mangrove cover of Honduras is concentrated within the 358 Gulf of Fonseca, on the Pacific coast. Threats to mangroves may vary significantly on 359 the different coasts, and therefore influence how national mangrove legislation is 360 developed, and how governments prioritize limited management resources. Regardless, 361 greater collaborative efforts, such as the Mesoamerican Barrier Reef System Project, 362 need to be established to promote the protection of marine resources, and facilitate 363 transboundary initiatives that recognize that ecological populations do not align with 364 geopolitical boundaries. There is a high probability that mangrove forests within the 365 region are connected as recent studies have shown high levels of ecological 366 connectivity in the MAR region for lobster, fish and corals (Butler et al., 2011; Truelove 367 et al., 2015; Chollett et al., 2017).

368 Evidence based decision-making has been well documented as an important 369 component of resource management (Christensen et al., 1996; Ruckelshaus et al., 370 2008). However, in the papers we reviewed there appears to be no discernible link 371 between researcher recommendations and resource manager decision-making or 372 actions. Concluding statements within articles may make some reference to 373 conservation or management, but usually included no advice on how to apply research 374 findings directly to management. Additionally, our study identified a disconnection 375 between Ramsar site managers and the scientific community. Managers were primarily

focused on localized anthropogenic threats (e.g. Macintyre *et al.*, (2009)), while researchers focused on natural disturbances, such as hurricane events (Vaneslow, Kolb and Fickert, 2007) and the impact of sea-level change (Mckee, Cahoon and Feller, 2007). Both anthropogenic and natural threats have either had, or have, the potential to negatively affect mangrove cover, but the different foci of researchers and managers is likely to hinder progress in mitigating threats from either source.

382 It is crucial that researchers and managers increase their communication and work 383 together to understand the full complexity of the threats to mangrove forests. Combining 384 these different priorities could bring important benefits. For example, the identification of 385 areas of mangrove forests resilient to climate change can focus management efforts 386 and create local priority conservation zones where anthropogenic disturbances should 387 be minimized. Both groups are focusing on important issues, however the assumed lack 388 of dialogue between stakeholders precludes the integration of science into mangrove 389 management plans. Cvitanovic et al. (2014) have reported similar disconnects in the 390 management of coral dominant marine protected areas. They proposed knowledge 391 brokers, boundary organizations, knowledge co-production and management-orientated 392 summaries in research articles as potential solutions to provide managers access to 393 scientific outputs. The HRI program has put some of these in place within the MAR 394 primarily focused on coral reefs, but these could be adapted to facilitate greater 395 communications between managers to promote science lead mangrove management. 396 addition, In discussion forums exist, such as the mangrove list 397 (majordomo@essun1.murdoch.edu.au). Listserves provide a forum where individuals

398 can pose questions to experts in an array of different fields and can provide useful399 dialogue between praticioners and researchers.

400 These potential solutions provide important links between peer-reviewed conservation 401 science and conservation managers, but the dichotomy of researcher and manager foci 402 must also be addressed. Combining current research interests of natural disturbances 403 with local management concerns of anthropogenic stresses, in particular the 404 understanding of local drivers of deforestation, is critical. However, if institutional 405 capacity is lacking, then the implementation of management strategies will always be 406 problematic. Building capacity within and among government departments and NGO's 407 to ensure the effective enforcement of legislation and promote links with the scientific 408 community to facilitate science-based decision-making is vital for the management of 409 mangroves in the MAR, and elsewhere. It is important that managers have access to 410 and make use of current research, especially when developing management plans 411 (Adeel and Pomeroy, 2002; Iftekhar and Islam, 2004; Schmitt and Duke, 2015). There is 412 also an onus on researchers to increase the availability of their research to 413 management authorities, not just government agencies, potentially through regional 414 online archives or data repositories. Additionally, researchers should engage managers 415 prior to conducting their research to foster a dialogue that can promote mangrove 416 management and conservation efforts. Promoting public awareness to garner political 417 will is also important, and a greater understanding of the ecosystem services provided 418 by mangroves to local communities and their inclusion in management has the potential 419 to increase the protection and conservation of mangroves (Shunula, 2002; Sudtongkong 420 and Webb, 2008; Datta, Chattopadhyay and Guha, 2012).

We propose the following recommendations to promote management of mangroveswithin the region:

(1) Coordinated and detailed mapping projects in Belize and Honduras to provide more
recent estimates of mangrove cover that can be used to set baselines from which
management actions can be monitored and assessed;

426 (2) The implementation of a systematic, harmonized, mangrove monitoring protocol
 427 throughout the region that will facilitate comparisons of mangrove forest status;

(3) A program of work to increase understanding of the connectivity of mangrove
populations throughout and beyond the MAR ecoregion, which can then be used to
identify areas where greater collaborations are needed;

(4) The creation of a repository of scientific literature of the region to which researchers
can submit their research, making it available for practitioners in the region and
providing another step towards an increased dialogue between managers and the
scientific community.

Our proposals require coordination and management of resources and information across the MAR. The HRI program already brings together stakeholders from across the region, but at present is heavily coral reef focused. Mangrove coverage was an key indicator within the original HRI guide (McField and Kramer, 2007), and therefore could become part of the biennially produced report card, which provides stakeholders an update on the status of marine resources. Our suggestion is that the network of contacts and collaborations within this program could be used to facilitate more

442 coordinated monitoring and assessment of mangroves and seagrass ecosystems in the443 region.

444 Conclusion

445 The stringent national legislation and international agreements which should provide 446 protection to mangrove forests within the MAR are ineffective. A number of local 447 anthropogenic stressors threaten mangrove forests, and despite comprehensive 448 legislation, mangrove cover has declined in all four countries. Capacity building of 449 government and non-government institutions is required, as a lack of capacity has 450 reduced environmental regulation enforcement. Local anthropogenic stressors are of 451 greatest concern to managers of protected areas, whilst scientific research is focused 452 on natural disturbances, primarily climate change. These different focuses can be 453 advantageous if they can be linked effectively. For example, the identification of climate 454 change resilient mangrove forests can channel mangrove management efforts to 455 maximize effectiveness of limited resources. Greater understanding of drivers of local 456 anthropogenic threats to mangroves is required to provide managers with the necessary 457 tools to reduce these threats and promote mangrove forests and the ecosystem 458 services they provide. To promote successful management, we suggest the 459 reinforcement of institutional capacity, enhance links between government departments 460 and civil society and increase science-based decision-making within protected areas 461 management plans.

462 **Acknowledgements**

- 463 This is Smithsonian Marine Station at Ft. Pierce, Florida, Contribution No. 1081. We
- 464 thank Dr. Melanie McField, Marisol Rueda, Anan Giro and Ian Drysdale for their insights
- 465 on each of the four countries. SWJC received funding from the Summit Foundation.

466 **References**

- 467 Adeel, Z. and Pomeroy, R. (2002) 'Assessment and management of mangrove
- 468 ecosystems in developing countries', *Trees*, 16(2–3), pp. 235–238. doi:
- 469 10.1007/s00468-002-0168-4.
- 470 Alongi, D. M. (2002) 'Present state and future of the worlds mangrove forests',
- 471 *Environmental Conservation*, 29(3), pp. 331–349. doi: 10.1017/s0376892902000231.
- 472 Barbier, Edward B.; Hacker, Sally D.; Kennedy, Chris; Kock, Evamaria W.; Stier, A. C.
- 473 and B. R. S. (2011) 'The value of estuarine and coastal ecosystem services', *Ecological*
- 474 *Monographs*, 81(2), pp. 169–193. doi: 10.1890/10-1510.1.
- 475 BAS (2007) Half Moon Caye and Blue Hole Natural Monuments Management Plan.
- 476 BCZMIA & BFD (2004) 'Caye Caulker Forest and Marine Reserve Integrated
- 477 Management Plan', Belize Coastal Zone Management Institute/Authority and Belize
- 478 *Fisheries Department*, p. 191.
- 479 BFD (2002) 'Hol Chan Marine Reserve Management Plan', Belize Fisheries
- 480 *Department*, p. 172.
- 481 BFD (2004) 'The Revised Bacalar Chico National Park & Marine Reserve Management
- 482 Plan', *Belize Fisheries Department*, p. 209.
- 483 BFD (2007) 'Management Plan Glover 's Reef Marine Reserve World Heritage Site',
- 484 Belize Fisheries Department, p. 167.
- 485 BFD (2009) 'Management Plan South Water Caye Marine Reserve World Heritage

- 486 Site', Belize Fisheries Department.
- 487 BFD (2010a) 'Gladden Spit and Silk Cayes Marine Reserve Management Plan', Belize
- 488 Fisheries Department, p. 221.
- 489 BFD (2010b) 'Sapodilla Cayes Marine Reserve Management Plan', Belize Fisheries
- 490 *Department*, p. 238. Available at:
- 491 http://docs.lib.noaa.gov/noaa_documents/CoRIS/Sapodilla-Cayes-Mgmt-Plan_2011-
- 492 16.pdf.
- 493 BFD (2012a) 'Management plan Port Honduras Marine Reserve', *Belize Fisheries*
- 494 *Department*, 0, p. 212.
- 495 BFD (2012b) 'Turneffe Atoll Marine Reserve Management Plan', Belize Fisheries
- 496 *Department*, p. 293.
- 497 BFoD (2010) 'Laughing Bird Caye National Park Management Plan', *Belize Forestry*498 *Department*, p. 225.
- 499 Box, S. and Canty, S. (2010) 'The Long and Short Term Economic Drivers of
- 500 Overexploitation in Honduran Coral Reef Fisheries Due to Their Dependence on Export
- 501 Markets', *Proceedings of the 63rd Gulf and Caribbean Fisheries Institute*, 63, pp. 43–51.
- 502 Butler, M. J. et al. (2011) 'Behavior constrains the dispersal of long-lived spiny lobster
- 503 larvae', Marine Ecology Progress Series, 422(Clarke 1933), pp. 223–237. doi:
- 504 10.3354/meps08878.
- 505 Cahoon, D. R. *et al.* (2003) 'Mass tree mortality leads to mangrove peat collapse at Bay
- 506 Islands, Honduras after Hurricane Mitch', *Journal of Ecology*, 91(6), pp. 1093–1105. doi:
- 507 10.1046/j.1365-2745.2003.00841.x.
- 508 Carrasco, J. C. and Caviedes, V. (2014) Diagnóstico de los Ecosistemas Marino -

- 509 Costeros y de Agua Dulce de Honduras.
- 510 Carrillo-Bastos, A., Elizalde-Rendón, Erika Marcela Torrescano Valle, N. and Flores
- 511 Ortiz, G. (2008) 'Adaptacion ante disturbios naturales, manglar de Puerto Morelos,
- 512 Quitana Roo, Mexico', *Foresta Veracruzana*, 10(1), pp. 31–38.
- 513 Carter, H., Schmidt, S. and Hirons, A. (2015) 'An International Assessment of Mangrove
- 514 Management: Incorporation in Integrated Coastal Zone Management', *Diversity*, 7(2),
- 515 pp. 74–104. doi: 10.3390/d7020074.
- 516 Cherrington, E. A. et al. (2010) Forest Cover and Deforestation in Belize: 1980-2010,
- 517 Water Center for the Humid Tropics of Latin America and the Caribbean. Panama City.
- 518 Chollett, I. et al. (2017) 'A case for redefining the boundaries of the Mesoamerican Reef
- 519 Ecoregion', Coral Reefs. Springer Berlin Heidelberg, pp. 1–8. doi: 10.1007/s00338-017-
- 520 1595-4.
- 521 Christensen, N. L. et al. (1996) 'The Report of the Ecological Society of America
- 522 Committee on the Scientific Basis for Ecosystem Management', *Ecological Applications*,
- 523 6(3), pp. 665–691.
- 524 CMCC (2009) Plan de Manejo Pesquero del Monumento Natural de Cayos Cochinos,
- 525 Honduras. Edited by S. Andraka, C. Bouroncle, and C. García-Sáez.
- 526 CONANP (2004) 'Programa de Manejo Parque Nacional Arrecifes de Xcalak.',
- 527 Comisión Nacional de Áreas Naturales Protegidas, p. 162. doi:
- 528 10.1017/CBO9781107415324.004.
- 529 CONANP (2013) 'Programa de Manejo Yum Balam', Comisión Nacional de Áreas
- 530 Naturales Protegidas, p. 154.
- 531 CONAP (2009) 'Plan Maestro 2010-2014 Área de Uso Múltiple Río Sarstun', Consejo

- 532 Nacional de Áreas Protegida, p. 142. Available at:
- 533 http://www.conap.gob.gt/phocadownload/Centro_Documentacion/planes_maestros/plan
- 534 maestro rio sarstun 200709.pdf.
- 535 CONAP (2011) 'Plan de Conservación de Area Refugio de Vida Silvestre Punta de
- 536 Manabique', Consejo Nacional de Áreas Protegida.
- 537 Costanza, R. et al. (1997) 'The value of the world's ecosystem services and natural
- 538 capital', *Nature*, 387(6630), pp. 253–260. doi: 10.1038/387253a0.
- 539 Cudney-Bueno, R. et al. (2009) 'Governance and effects of marine reserves in the Gulf
- of California, Mexico', Ocean and Coastal Management, 52(3–4), pp. 207–218. doi:
- 541 10.1016/j.ocecoaman.2008.12.005.
- 542 Cvitanovic, C. et al. (2014) 'Utility of primary scientific literature to environmental
- 543 managers: An international case study on coral-dominated marine protected areas',
- 544 Ocean and Coastal Management. Elsevier Ltd, 102(PA), pp. 72–78. doi:
- 545 10.1016/j.ocecoaman.2014.09.003.
- 546 Datta, D., Chattopadhyay, R. N. and Guha, P. (2012) 'Community based mangrove
- 547 management: A review on status and sustainability', *Journal of Environmental*
- 548 *Management*. Elsevier Ltd, 107, pp. 84–95. doi: 10.1016/j.jenvman.2012.04.013.
- 549 Doiron, S. and Weissenberger, S. (2014) 'Sustainable dive tourism: Social and
- 550 environmental impacts The case of Roatan, Honduras', *Tourism Management*
- 551 *Perspectives*. Elsevier Ltd, 10(April), pp. 19–26. doi: 10.1016/j.tmp.2013.12.003.
- 552 Duke, N. C. et al. (2007) 'A World Without Mangroves?', Science, 317(5834), pp. 41-
- 553 **42**.
- 554 Ellison, A. M. (2004) 'Wetlands of Central America', Wetlands Ecology and

- 555 *Management*, 12, pp. 3–55. doi: 10.1023/B:WETL.0000016809.95746.b1.
- 556 Ellison, A. M. and Farnsworth, E. J. (1997) 'Simulated sea level change alters anatomy,
- 557 physiology, growth and reproduction of red mangrove (Rhizophora mangle L.)',
- 558 *Oecologia*, 112(4), pp. 435–446.
- 559 FAO (2007) 'The world's mangroves 1980-2005', FAO Forestry Paper, 153, p. 89. doi:
- 560 **978-92-5-105856-5**.
- 561 Feller, I. C. et al. (1999) 'Effects of Nutrient Enrichment on within-Stand Cycling in a
- 562 Mangrove Forest', *Ecology*, 80(7), pp. 2193–2205.
- 563 Gilman, E. L. et al. (2008) 'Threats to mangroves from climate change and adaptation
- options: A review', Aquatic Botany, 89(2), pp. 237–250. doi:
- 565 10.1016/j.aquabot.2007.12.009.
- 566 Giri, C. et al. (2011) 'Status and distribution of mangrove forests of the world using earth
- 567 observation satellite data', *Global Ecology and Biogeography*, 20(1), pp. 154–159. doi:
- 568 10.1111/j.1466-8238.2010.00584.x.
- 569 Godoy, M. D. P. and De Lacerda, L. D. (2015) 'Mangroves response to climate change:
- 570 A review of recent findings on mangrove extension and distribution', Anais da Academia
- 571 Brasileira de Ciencias, 87(2), pp. 651–667. doi: 10.1590/0001-3765201520150055.
- 572 Granek, E. F. and Ruttenberg, B. I. (2007) 'Protective capacity of mangroves during
- 573 tropical storms: a case study from "Wilma" and "Gamma" in Belize', *Marine Ecology*
- 574 *Progress Series*, 343, pp. 101–105. doi: 10.3354/meps07141.
- 575 Hirales-Cota, M. et al. (2010) 'Drivers of mangrove deforestation in Mahahual-Xcalak,
- 576 Quintana Roo, southeast Mexico', *Ciencias Marinas*, 36(2), pp. 147–159.
- 577 ICF (2011) 'Plan de Manejo Refugio de Vida Silvestre Barras de Cuero y Salado',

- 578 Instituto Nacional de Conservacion y Desarrollo Forestal, Areas Protegidas y Vida
 579 Silvestre, p. 208.
- 580 ICF (2012a) 'Plan de Manejo del Parque Nacional Blanca Jeannette Kawas Fernandez',
- 581 Instituto Nacional de Conservacion y Desarrollo Forestal, Areas Protegidas y Vida
- 582 Silvestre, p. 251. Available at:
- 583 http://www.galapagospark.org/documentos/DPNG_plan_de_manejo_10_5.1.pdf.
- 584 ICF (2012b) 'Plan de Manejo Parque Nacional Punta Izopo', Instituto Nacional de
- 585 Conservacion y Desarrollo Forestal, Areas Protegidas y Vida Silvestre.
- 586 ICF (2013) 'Plan de Conservación de la Reserva del Hombre y la Biósfera del Río
- 587 Plátano', Instituto Nacional de Conservacion y Desarrollo Forestal, Areas Protegidas y
- 588 Vida Silvestre, p. 99.
- 589 Iftekhar, M. S. and Islam, M. R. (2004) 'Managing mangroves in Bangladesh: A strategy
- analysis', Journal of Coastal Conservation, 10(1), p. 139. doi: 10.1652/1400-
- 591 0350(2004)010[0139:MMIBAS]2.0.CO;2.
- 592 IHT y ICF (2012) 'Plan de Manejo del Refugio de Vida Silvestre Turtle Harbour',
- 593 Instituto Hondureño de Turismo y Instituto Nacional de Conservacion y Desarrollo
- 594 Forestal, Areas Protegidas y Vida Silvestre.
- 595 IHT y ICF (2015) 'Plan de Manejo del Parque Nacional Marino Islas de la Bahia',
- 596 Instituto Hondureño de Turismo y Instituto Nacional de Conservacion y Desarrollo
- 597 Forestal, Areas Protegidas y Vida Silvestre, p. 160. doi:
- 598 10.1017/CBO9781107415324.004.
- 599 Islebe, G. A. et al. (2009) 'Efectos del impacto del Huracn Dean en la vegetacion del
- sureste de Quinatan Roo, Mexico', *Foresta Veracruzana*, 11(1), pp. 1–6.

- Kramer, P. A. and Kramer, P. R. (2002) *Ecoregional conservation planning for the*
- 602 *Mesoamerican Caribbean reef*. Edited by M. McField. Washington D.C.
- 603 Macintosh, D. J. and Ashton, E. C. (2002) A Review of Mangrove Biodiversity
- 604 Conservation and Management.
- Macintyre, I. G. et al. (2009) 'Decimating mangrove forests for commercial development
- in the Pelican Cays, Belize: Long-term ecological loss for short-term gain?',
- 607 *Smithsonian Contributions to the Marine Sciences*, (38), pp. 281–290.
- 608 MARN (2013) Estudio de la cobertura de mangle en la República de Guatemala.
- 609 Guatemala: MARN. vi +54p.
- 610 McCallum, J. W., Vasilijević, M. and Cuthill, I. (2015) 'Assessing the benefits of
- 611 Transboundary Protected Areas: A questionnaire survey in the Americas and the
- 612 Caribbean', *Journal of Environmental Management*, 149, pp. 245–252. doi:
- 613 10.1016/j.jenvman.2014.10.013.
- McCloskey, T. A. and Liu, K. (2013) 'Sedimentary History of Mangrove Cays in Turneffe
- 615 Islands, Belize: Evidence for Sudden Environmental Reversals', *Journal of Coastal*
- 616 *Research*, 29(4), pp. 971–983. doi: 10.2112/JCOASTRES-D-12-00156.1.
- 617 McField, M. and Kramer, P. (2007) Healthy Reefs for Healthy People A Guide to
- 618 Indicators of Reef Health and Social Well-being in the Mesoamerican Reef Region. With
- 619 contributions by M. Gomez and M. McPherson.
- Mckee, K. L., Cahoon, D. R. and Feller, I. C. (2007) 'Caribbean mangroves adjust to
- rising sea level through biotic controls on change in soil elevation', *Global Ecology and*
- 622 *Biogeography*, 16(5), pp. 545–556. doi: 10.1111/j.1466-8238.2007.00317.x.
- McKee, K. L., Rooth, J. E. and Feller, I. C. (2007) 'Mangrove recruitment after forest

- 624 disturbance is facilitated by herbaceous species in the Caribbean', *Ecological*
- 625 Applications, 17(6), pp. 1678–1693. doi: 10.1890/06-1614.1.
- 626 Mckee, K. L. and Vervaeke, W. C. (2009) 'Impacts of Human Disturbance on Soil
- 627 Erosion Potential and Habitat Stability of Mangrove-Dominated Islands in the Pelican
- 628 Cays and Twin Cays Ranges, Belize', *Smithsonian Contribution to the Marine Sciences*,
- 629 (April).
- 630 Nagelkerken, I. *et al.* (2008) 'The habitat function of mangroves for terrestrial and
- marine fauna: A review', *Aquatic Botany*, 89(2), pp. 155–185. doi:
- 632 10.1016/j.aquabot.2007.12.007.
- 633 Núñez-Farfán, J. et al. (2002) 'Genetic divergence among Mexican populations of red
- 634 mangrove (Rhizophora mangle): geographic and historic effects', *Evolutionary Ecology*
- 635 *Research*, 4, pp. 1049–1064.
- 636 PACT (2016) Management Plan Shipstern Nature Reserve 2011-2016.
- 637 Piou, C. *et al.* (2006) 'Zonation patterns of Belizean offshore mangrove forests 41 years
- 638 after a catastrophic hurricane', *Biotropica*, 38(3), pp. 365–374. doi: 10.1111/j.1744-
- 639 7429.2006.00156.x.
- 640 Polidoro, B. A. et al. (2010) 'The loss of species: mangrove extinction risk and
- 641 geographic areas of global concern.', *PloS one*, 5(4), p. e10095. doi:
- 642 10.1371/journal.pone.0010095.
- Rife, A. N. *et al.* (2013) 'When good intentions are not enough ... Insights on networks of
- ⁶⁴⁴ "paper park" marine protected areas', *Conservation Letters*, 6(3), pp. 200–212. doi:
- 645 10.1111/j.1755-263X.2012.00303.x.
- 646 Rodríguez-Zúñiga, M. T. et al. (2013) Manglares de Mexico. Extension, distribution, y

- 647 *monitoreo.*, *Comision Nacional para el Conocimiento y Uso de la Biodiversidad*. Mexico648 D.F.
- Rönnbäck, P., Crona, B. and Ingwall, L. (2007) 'The return of ecosystem goods and
- 650 services in replanted mangrove forests: perspectives from local communities in Kenya',
- 651 *Environmental Conservation*, 34(4), pp. 313–324. doi: 10.1017/S0376892907004225.
- 652 Ruckelshaus, M. et al. (2008) 'Marine Ecosystem-based Management in Practice:
- 653 Scientific and Governance Challenges', *BioScience*, 58(1), p. 53. doi:
- 654 10.1641/B580110.
- 655 Saenger, P. (2002) *Mangrove Ecology, Silviculture and Conservation*. Edited by Ist.
- 656 Kluwer Academic Publishers.
- 657 Sasmito, S. D. et al. (2016) 'Can mangroves keep pace with contemporary sea level
- rise? A global data review', *Wetlands Ecology and Management*. Springer Netherlands,
- 659 24(2), pp. 263–278. doi: 10.1007/s11273-015-9466-7.
- 660 Sathirithai, S. and Barbier, E. B. (2001) 'Valuing mangrove conservation in southern
- 661 Thailand', *Contemporary Economic Policy*, 19(2), pp. 109–122.
- 662 Schaeffer-Novelli, Y. et al. (2016) 'Climate changes in mangrove forests and salt
- 663 marshed', *Braxilian Journal of Oceanography*, 64, pp. 37–52.
- 664 Schmitt, K. and Duke, N. C. (2015) 'Mangorve Management, Assessment and
- Monitoring', *Tropical Forestry Handbook*, pp. 1–29. doi: 10.1111/btp.12004.
- 666 SEMARNAP (1998a) 'Programa de Manejo Parque Marino Nacional Arrecifes de
- 667 Cozumel, Quintana Roo', Secretaría de Medio Ambiente, Recursos Naturales y Pesca,
- 668 p. 164. doi: 10.1017/CBO9781107415324.004.
- 669 SEMARNAP (1998b) 'Programa de manejo parque marino nacional costa occidental de

- 670 Isla Mujeres, Punta Cancun y Punta Nizuc', *Secretaría de Medio Ambiente, Recursos*
- 671 *Naturales y Pesca*, p. 161.
- 672 SEMARNAP (2000a) 'Programa de Manejo Parque Nacional Arrecife de Puerto
- 673 Morelos', Secretaría de Medio Ambiente, Recursos Naturales y Pesca, p. 225.
- 674 SEMARNAP (2000b) 'Programa de Manejo Reserva de la Biosfera banco Chinchorro',
- 675 Secretaría de Medio Ambiente, Recursos Naturales y Pesca.
- 676 SEMARNAT (2014) 'Programa de manejo de la reserva estatal selvas y humedales de
- 677 Cozumel', Secretaría de Medio Ambiente y Recursos Naturales.
- 678 SEMARNAT & CONANP (2014) 'Programa de Manejo: Area de Proteccion de Flora y
- 679 Fauna, Manglares de Nichupte', Secretaría de Medio Ambiente y Recursos Naturales y
- 680 Comisión Nacional de Áreas Naturales Protegidas, p. 142.
- 681 SEMARNAT & CONANP (2015a) 'Programa de Manejo Complejo Sian Ka'an: Reserva
- de la Biosfera Sian Ka'an, Área de Protección de Flora y Fauna Uaymil y Reserva de la
- Biosfera Arrecifes de Sian Ka´an', Secretaría de Medio Ambiente y Recursos Naturales
- 684 *y Comisión Nacional de Áreas Naturales Protegidas*, p. 481. doi:
- 685 10.1017/CBO9781107415324.004.
- 686 SEMARNAT & CONANP (2015b) 'Programa de Manejo Parque Nacional Isla Contoy',
- 687 Secretaría de Medio Ambiente y Recursos Naturales y Comisión Nacional de Áreas
- 688 *Naturales Protegidas*, p. 220.
- 689 Short, F. T. et al. (2016) 'Impacts of climate change on submerged and emergent
- 690 wetland plants', *Aquatic Botany*. Elsevier B.V., 135, pp. 3–17. doi:
- 691 10.1016/j.aquabot.2016.06.006.
- 692 Shunula, J. (2002) 'Public awareness, key to mangrove management and conservation:

- 693 The case of Zanzibar', *Trees*, 16, pp. 209–212. doi: 10.1007/s00468-001-0147-1.
- 694 Sudtongkong, C. and Webb, E. L. (2008) 'Outcomes of state- vs. community-based
- 695 mangrove management in Southern Thailand', *Ecology and Society*, 13(2). doi:
- 696 10.5539/mas.v3n5p179.
- 697 Taylor, D. S. et al. (2007) 'Mangrove removal in the Belize cays: effects on mangrove-
- associated fish assemblages in the intertidal and subtidal', *Bulletin of Marine Science*,
- 699 80(3), pp. 879–890.
- Tomlinson, P. B. (1994) *The botany of mangroves*. Cambridge University Press.
- 701 Truelove, N. K. et al. (2015) 'Genetic evidence from the spiny lobster fishery supports
- ⁷⁰² international cooperation among Central American marine protected areas',
- 703 *Conservation Genetics*, 16(2), pp. 347–358. doi: 10.1007/s10592-014-0662-4.
- Truelove, N. K. et al. (2015) 'Genetic evidence from the spiny lobster fishery supports
- ⁷⁰⁵ international cooperation among Central American marine protected areas',
- 706 *Conservation genetics*, 16, pp. 347–358. doi: 10.1007/s10592-014-0662-4.
- Valiela, I., Bowen, J. L. and York, J. K. (2001) 'Mangrove Forests: One of the World's
- Threatened Major Tropical Environments', *BioScience*, 51(10), pp. 807–815.
- Vaneslow, K. A., Kolb, M. and Fickert, T. (2007) 'Destruction and Regeneration of
- 710 Terrestrial, Littoral and Marine Ecosystems on the Island of Guanaja/Honduras Seven
- 711 Years after Hurricane Mitch', *Erdkunde*, 61(4), pp. 358–371.
- 712 Warren-Rhodes, K. et al. (2011) 'Mangrove ecosystem services and the potential for
- carbon revenue programmes in Solomon Islands', *Environmental Conservation*, 38(4),
- 714 pp. 485–496. doi: 10.1017/S0376892911000373.
- 715