

Please cite the Published Version

Okbay, Aysu, Beauchamp, Jonathan P, Fontana, Mark Alan, Lee, James J, Pers, Tune H, Rietveld, Cornelius A, Turley, Patrick, Chen, Guo-Bo, Emilsson, Valur, Meddens, S Fleur W, Oskarsson, Sven, Pickrell, Joseph K, Thom, Kevin, Timshel, Pascal, de Vlaming, Ronald, Abdellaoui, Abdel, Ahluwalia, Tarunveer S, Bacelis, Jonas, Baumbach, Clemens, Bjornsdottir, Gyda, Brandsma, Johannes H, Pina Concas, Maria, Derringer, Jaime, Furlotte, Nicholas A, Galesloot, Tessel E, Girotto, Giorgia, Gupta, Richa, Hall, Leanne M, Harris, Sarah E, Hofer, Edith, Horikoshi, Momoko, Huffman, Jennifer E, Kaasik, Kadri, Kalafati, Ioanna P, Karlsson, Robert, Kong, Augustine, Lahti, Jari, Lee, Sven J van der, deLeeuw, Christiaan, Lind, Penelope A, Lindgren, Karl-Oskar, Liu, Tian, Mangino, Massimo, Marten, Jonathan, Mihailov, Evelin, Miller, Michael B, van der Most, Peter J, Oldmeadow, Christopher, Payton, Antony, Pervjakova, Natalia, Peyrot, Wouter J, Qian, Yong, Raitakari, Olli, Rueedi, Rico, Salvi, Erika, Schmidt, Börge, Schraut, Katharina E, Shi, Jianxin, Smith, Albert V, Poot, Raymond A, St Pourcain, Beate, Teumer, Alexander, Thorleifsson, Gudmar, Verweij, Niek, Vuckovic, Dragana, Wellmann, Juergen, Westra, Harm-Jan, Yang, Jingyun, Zhao, Wei, Zhu, Zhihong, Alizadeh, Behrooz Z, Amin, Najaf, Bakshi, Andrew, Baumeister, Sebastian E, Biino, Ginevra, Bønnelykke, Klaus, Boyle, Patricia A, Campbell, Harry, Cappuccio, Francesco P, Davies, Gail, De Neve, Jan-Emmanuel, Deloukas, Panos, Demuth, Ilja, Ding, Jun, Eibich, Peter, Eisele, Lewin, Eklund, Niina, Evans, David M, Faul, Jessica D, Feitosa, Mary F, Forstner, Andreas J, Gandin, Ilaria, Gunnarsson, Bjarni, Halldórsson, Bjarni V, Harris, Tamara B, Heath, Andrew C, Hocking, Lynne J, Holliday, Elizabeth G, Homuth, Georg, Horan, Michael A, Hottenga, Jouke-Jan, de Jager, Philip L, Joshi, Peter K, Jugessur, Astanand, Kaakinen, Marika A, Kähönen, Mika, Kanoni, Stavroula, Keltigangas-Järvinen, Liisa, Kiemeney, Lambertus ALM, Kolcic, Ivana, Koskinen, Seppo, Kraja, Aldi T, Kroh, Martin, Kutalik, Zoltan, Latvala, Antti, Launer, Lenore J, Lebreton, Maël P, Levinson, Douglas F, Lichtenstein, Paul, Lichtner, Peter, Liewald, David CM, Cohort Study, LifeLines, Loukola, Anu, Madden, Pamela A, Mägi, Reedik, Mäki-Opas, Tomi, Marioni, Riccardo E, Marques-Vidal, Pedro, Meddens, Gerardus A, McMahon, George, Meisinger, Christa, Meitinger, Thomas, Milaneschi, Yusplitri, Milani, Lili, Montgomery, Grant W, Myhre, Ronny, Nelson, Christopher P, Nyholt, Dale R, Ollier, William ER, Palotie, Aarno, Paternoster, Lavinia, Pedersen, Nancy L, Petrovic, Katja E, Porteous, David J, Räikkönen, Katri, Ring, Susan M, Robino, Antonietta, Rostapshova, Olga, Rudan, Igor, Rustichini, Aldo, Salomaa, Veikko, Sanders, Alan R, Sarin, Antti-Pekka, Schmidt, Helena, Scott, Rodney J, Smith, Blair H, Smith, Jennifer A, Staessen, Jan A, Steinhagen-Thiessen, Elisabeth, Strauch, Konstantin, Terracciano, Antonio, Tobin, Martin D, Ulivi, Sheila, Vaccargiu, Simona, Quaye, Lydia, van Rooij, Frank JA, Venturini, Cristina, Vinkhuyzen, Anna AE, Völker, Uwe, Völzke, Henry, Vonk, Judith M, Vozzi, Diego, Waage, Johannes, Ware, Erin B, Willemsen, Gonneke, Attia, John R, Bennett, David A, Berger, Klaus, Bertram, Lars, Bisgaard, Hans, Boomsma, Dorret I, Borecki, Ingrid B, Bültmann, Ute, Chabris, Christopher F, Cucca, Francesco, Cusi, Daniele, Deary, Ian J, Dedoussis, George V, van Duijn, Cornelia M, Eriksson, Johan G, Franke, Barbara, Franke, Lude, Gasparini, Paolo, Gejman, Pablo V, Gieger, Christian, Grabe, Hans-Jörgen, Gratten, Jacob, Groenen, Patrick JF, Gudnason, Vilmundur, van der Harst, Pim, Hayward, Caroline, Hinds, David A, Hoffmann, Wolfgang, Hyppönen, Elina, Iacono, William G, Jacobsson, Bo, Järvelin, Marjo-Riitta, Jöckel, Karl-Heinz, Kaprio, Jaakko, Kardia, Sharon LR, Lehtimäki, Terho, Lehrer, Steven F, Magnusson, Patrik KE, Martin, Nicholas G, McGue, Matt, Metspalu, Andres, Pendleton, Neil, Penninx, Brenda WJH, Perola, Markus, Pirastu, Nicola, Pirastu, Mario, Polasek, Ozren, Posthuma, Danielle, Power, Christine, Province, Michael A, Samani, Nilesh J, Schlessinger, David, Schmidt, Reinhold, Sørensen, Thorkild IA, Spector, Tim D, Stefansson, Kari, Thorsteinsdottir, Unnur, Thurik, A Roy, Timpson, Nicholas J, Tiemeier, Henning, Tung, Joyce Y, Uitterlinden, André G, Vitart, Veronique, Vollenweider, Peter, Weir, David R, Wilson, James F, Wright, Alan F, Conley, Dalton C, Krueger, Robert F, Davey Smith, George, Hofman, Albert, Laibson, David I, Medland, Sarah E, Meyer, Michelle N, Yang, Jian, Johannesson, Magnus, Visscher, Peter M, Esko, Tõnu, Koellinger, Philipp D, Cesarini, David and Benjamin, Daniel J (2016) Genome-wide association study identifies 74 loci associated with educational attainment. Nature, 533 (7604). pp. 539-542. ISSN 0028-0836

DOI: https://doi.org/10.1038/nature17671

Publisher: Nature Research

Version: Accepted Version

Downloaded from: https://e-space.mmu.ac.uk/625249/

Additional Information: This is an Accepted Manuscript of an article published in Nature.

Enquiries:

If you have questions about this document, contact openresearch@mmu.ac.uk. Please include the URL of the record in e-space. If you believe that your, or a third party's rights have been compromised through this document please see our Take Down policy (available from https://www.mmu.ac.uk/library/using-the-library/policies-and-guidelines)

1 2

3

4

5

Title: Genome-wide association study identifies 74 loci associated with educational attainment

Authors: All authors and their affiliations appear at the end of the paper

Summary: Educational attainment (EA) is strongly influenced by social and other 6 environmental factors, but genetic factors are also estimated to account for at least 20% of the 7 variation across individuals¹. We report the results of a genome-wide association study 8 (GWAS) for EA that extends our earlier discovery sample^{1,2} of 101,069 individuals to 293,723 9 individuals, and a replication in an independent sample of 111,349 individuals from the UK 10 Biobank. We now identify 74 genome-wide significant loci associated with number of years of 11 schooling completed. Single-nucleotide polymorphisms (SNPs) associated with educational 12 attainment are disproportionately found in genomic regions regulating gene expression in the 13 fetal brain. Candidate genes are preferentially expressed in neural tissue, especially during the 14 prenatal period, and enriched for biological pathways involved in neural development. Our 15 findings demonstrate that, even for a behavioral phenotype that is mostly environmentally 16 determined, a well-powered GWAS identifies replicable associated genetic variants that 17 suggest biologically relevant pathways. Because EA is measured in large numbers of 18 individuals, it will continue to be useful as a proxy phenotype in efforts to characterize the 19 genetic influences of related phenotypes, including cognition and neuropsychiatric disease. 20

21

22 Main Text:

We study educational attainment (EA), which is measured in all main analyses as the number of years of schooling completed (*EduYears*, N = 293,723, mean = 14.33, SD = 3.61; Supplementary Information sections 1.1-1.2). All genome-wide association studies (GWAS) were performed at the cohort level in samples restricted to individuals of European descent whose EA was assessed at or above age 30. A uniform set of quality-control (QC) procedures was applied to the cohort-level summary statistics. In our GWAS meta-analysis of ~9.3M SNPs
from the 1000 Genomes Project, we used sample-size weighting and applied a single round of
genomic control at the cohort level.

Our meta-analysis identified 74 approximately independent genome-wide significant loci. For each locus, we define the "lead SNP" as the SNP in the genomic region that has the smallest *P*-value (Supplementary Information section 1.6.1). Fig. 1 shows a Manhattan plot with the lead SNPs highlighted. The three SNPs that reached genome-wide significance in the discovery stage of our previous GWAS meta-analysis of EA¹ are also highlighted. The quantile-quantile (Q-Q) plot of the meta-analysis (Extended Data Fig. 1) exhibits inflation ($\lambda_{GC} = 1.28$), as expected under polygenicity³.

Extended Data Fig. 2 shows the estimated effect sizes of the lead SNPs. The estimates range from 0.014 to 0.048 standard deviations per allele (2.7 to 9.0 weeks of schooling), with incremental R^2 in the range 0.01% to 0.035%.

To quantify the amount of population stratification in the GWAS estimates that remains even after the stringent controls used by the cohorts (Supplementary Information section 1.4), we used LD Score regression⁴. The regression results indicate that ~8% of the observed inflation in the mean χ^2 is due to bias rather than polygenic signal (Extended Data Fig. 3a), suggesting that stratification effects are small in magnitude. We also found evidence that the genetic association signals taken as a whole replicate reliably in several within-family analyses (Supplementary Information section 2 and Extended Data Fig. 3b).

To further test the robustness of our findings, we examined the within-sample and out-ofsample replicability of SNPs reaching genome-wide significance (Supplementary Information sections 1.7-1.8). We found that SNPs identified in the previous EA meta-analysis replicated in the new cohorts included here, and conversely, that SNPs reaching genome-wide

1 significance in the new cohorts replicated in the old cohorts. For the out-of-sample replication analyses of our 74 lead SNPs, we used the interim release of the U.K. Biobank ⁵ (UKB) (N =2 111,349). As shown in Extended Data Fig. 4, 72 out of the 74 lead SNPs have a consistent sign 3 $(P = 1.47 \times 10^{-19})$, 52 are significant at the 5% level $(P = 2.68 \times 10^{-50})$, and 7 reach genome-wide 4 significance in the U.K. Biobank dataset ($P = 1.41 \times 10^{-42}$). For comparison, the corresponding 5 expected numbers, assuming each SNP's true effect size is its estimated effect adjusted for the 6 winner's curse, are 71.4, 40.3, and 0.6. (Supplementary Information section 1.8.2). We also 7 find out-of-sample replicability of our overall GWAS results: the genetic correlation between 8 9 *EduYears* in our meta-analysis sample and in the UKB data is 0.95 (s.e. = 0.021; Supplementary Table 1.14). 10

It is known that EA, cognitive performance, and many neuropsychiatric phenotypes are 11 phenotypically correlated, and several studies of twins find that the phenotypic correlations 12 partly reflect genetic overlap⁶⁻⁸ (Supplementary Information section 3.3.4). Here, we 13 investigate genetic correlation using our GWAS results for EduYears and published GWAS 14 results for 14 other phenotypes, using bivariate Linkage-Disequilibrium (LD) Score 15 regression⁹. First, we estimated genetic correlations with *EduYears*. As shown in Fig. 2, on 16 average, alleles associated with greater EA are also associated with increased cognitive 17 performance ($P = 9.9 \times 10^{-50}$) and intracranial volume ($P = 1.2 \times 10^{-6}$), increased risk of bipolar 18 disorder ($P = 7 \times 10^{-13}$), decreased risk of Alzheimer's ($P = 4 \times 10^{-4}$), and lower neuroticism (P19 = 2.8×10^{-8}). We also found positive, statistically significant, but very small, genetic 20 correlations with height ($P = 5.2 \times 10^{-15}$) and risk of schizophrenia ($P = 3.2 \times 10^{-4}$). 21

Second, we examined whether our 74 lead SNPs are jointly associated with each phenotype (Extended Data Fig. 5 and Supplementary Information section 3.3.1). We reject the null hypothesis of no enrichment at P < 0.05 for 10 of the 14 phenotypes (all the exceptions are subcortical brain structures). Third, for each phenotype, we tested (in the published GWAS results) each of our 74 lead SNPs or proxy for association at a significance threshold of 0.05/74. We found a total of 25 SNPs meeting this threshold for any of these phenotypes (but only one reaching genome-wide significance). While these results provide suggestive evidence that some of these SNPs may be associated with other phenotypes, further testing of these associations in independent cohorts is required (Supplementary Tables 3.2-3.4, Extended Data Fig. 6).

7 To consider potential biological pathways, we first tested whether SNPs in particular regions of the genome are implicated by our GWAS results. Unlike what has been found for other 8 9 phenotypes, SNPs in regions that are DNase I hypersensitive in the fetal brain are more likely to be associated with EduYears by a factor of ~5 (95% confidence interval 2.89–7.07; Extended 10 Data Fig. 7). Moreover, the 15% of SNPs residing in regions associated with histones marked 11 12 in the central nervous system (CNS) explain 44% of the heritable variation (Extended Data Fig. 8a and Supplementary Table 4.4.2). This enrichment factor of ~3 for CNS ($P = 2.48 \times 10^{-16}$) is 13 greater than that of any of the other nine tissue categories in this analysis. 14

Given that our findings disproportionately implicate SNPs in regions regulating brain-specific gene expression, we examined whether genes located near *EduYears*-associated SNPs show elevated expression in neural tissue. We tested this hypothesis using data on mRNA transcript levels in the 37 adult tissues assayed by the Genotype-Tissue Expression Project (GTEx)¹⁰. Remarkably, the 13 GTEx tissues that are components of the CNS—and only those 13 tissues—show significantly elevated expression levels of genes near *EduYears*-associated SNPs (FDR < 0.05; Extended Data Fig. 8b and Supplementary Table 4.5.2).

To investigate possible functions of the candidate genes from the GWAS associated loci, we examined the extent of their overlap with groups of genes ("gene sets") whose products are known or predicted to participate in a common biological process¹¹. We found 283 gene sets significantly enriched by the candidate genes identified in our GWAS (FDR < 0.05;

Supplementary Table 4.5.1). To facilitate interpretation, we used a standard procedure¹¹ to 1 group the 283 gene sets into "clusters" defined by degree of gene overlap. The resulting 34 2 clusters, shown in Fig. 3, paint a coherent picture, with many clusters corresponding to stages 3 4 of neural development: the proliferation of neural progenitor cells and their specialization (the cluster npBAF complex), the migration of new neurons to the different layers of the cortex 5 (forebrain development, abnormal cerebral cortex morphology), the projection of axons from 6 neurons to their signaling targets (axonogenesis, signaling by Robo receptor), the sprouting of 7 8 dendrites and their spines (*dendrite*, *dendritic spine organization*), and neuronal signaling 9 and synaptic plasticity throughout the lifespan (voltage-gated calcium channel complex, synapse part, synapse organization). 10

Many of our results implicate candidate genes and biological pathways that are active during distinct stages of prenatal brain development. To directly examine how the expression levels of candidate genes identified in our GWAS vary over the course of development, we used gene expression data from the BrainSpan Developmental Transcriptome¹². As shown in Extended Data Fig. 9, these candidate genes exhibit above-baseline expression in the brain throughout life but especially higher expression levels in the brain during prenatal development (1.36 times higher prenatally than postnatally, $P = 6.02 \times 10^{-8}$).

A summary overview of some promising candidate genes for follow-up work is provided inTable 1.

We constructed polygenic scores¹³ to assess the joint predictive power afforded by the GWAS results (Supplementary Information section 5.2). Across our two holdout samples, the mean predictive power of a polygenic score constructed from all measured SNPs is 3.2% (P = 1.18×10^{-39} ; Supplementary Table 5.2 and Supplementary Information section 5).

Studies of genetic analyses of behavioral phenotypes have been prone to misinterpretation, such as characterizing identified associated variants as "genes for education." Such

1 characterization is not correct for many reasons: EA is primarily determined by environmental 2 factors, the explanatory power of the individual SNPs is small, the candidate genes may not be causal, and the genetic associations with EA are mediated by multiple intermediate 3 phenotypes¹⁴. To illustrate this last point, we studied mediation of the association between the 4 all-SNPs polygenic score and EduYears in two of our cohorts. We found that cognitive 5 performance can statistically account for 23-42% of the association (P < 0.001) and the 6 personality trait "openness to experience" for approximately 7% (P < 0.001; Supplementary 7 8 Information section 6).

9 It would also be a mistake to infer from our findings that the genetic effects operate independently of environmental factors. Indeed, a recent meta-analysis of twin studies found 10 that genetic influences on EA are heterogeneous across countries and birth cohorts¹⁵. We 11 12 conducted exploratory analyses in the Swedish Twin Registry to illustrate how environmental factors may amplify or dampen the impact of genetic influences (Supplementary Information 13 section 7). We found that the predictive power of the all-SNPs polygenic score is heterogeneous 14 15 by birth cohort, with smaller explanatory power in younger cohorts (Extended Data Fig. 10; see also Supplementary Information section 7.4 for discussion of the contrast between these 16 results and findings from a seminal twin study that estimated EA heritability by birth cohort¹⁶). 17 18

- 19 **Methods:** All methods are described in the Supplementary Information.
- 20
- 21

22 **References:**

23 24	1.	Rietveld, C. A. <i>et al.</i> GWAS of 126,559 individuals identifies genetic variants associated with educational attainment. <i>Science</i> 340 , 1467–1471 (2013).
25 26	2.	Rietveld, C. A. <i>et al.</i> Replicability and robustness of GWAS for behavioral traits. <i>Psychol. Sci.</i> 25 , 1975–1986 (2014).
	2	

Yang, J. *et al.* Genomic inflation factors under polygenic inheritance. *Eur. J. Hum. Genet.* 19, 807–812 (2011).

1 2	4. Bulik-Sullivan, B. K. <i>et al.</i> LD Score regression distinguishes confounding from polygenicity in genome-wide association studies. <i>Nat. Genet.</i> 47 , 291–295 (2015).				
3 4 5	5. Sudlow, C. <i>et al.</i> UK Biobank: An open access resource for identifying the causes of a wide range of complex diseases of middle and old age. <i>PLoS Med.</i> 12 , e1001779 (2015).				
6 7 8	6.	6. Fowler, T., Zammit, S., Owen, M. J. & Rasmussen, F. A population-based study of shared genetic variation between premorbid IQ and psychosis among male twin pairs and sibling pairs from Sweden. <i>Arch. Gen. Psychiatry</i> 69 , 460–466 (2012).			
9 10 11	7.	7. Tambs, K., Sundet, J. M., Magnus, P. & Berg, K. Genetic and environmental contributions to the covariance between occupational status, educational attainment, and IQ: a study of twins. <i>Behav. Genet.</i> 19 , 209–222 (1989).			
12 13 14	8.	 Thompson, L. A., Detterman, D. K. & Plomin, R. Associations between cognitive abilities and scholastic achievement: Genetic overlap but environmental differences. <i>Psychol. Sci.</i> 2, 158–165 (1991). 			
15 16	9.	9. Bulik-Sullivan, B. <i>et al.</i> An atlas of genetic correlations across human diseases and traits. <i>Nat. Genet.</i> 47 , 1236–1241 (2015).			
17 18	10.	Ardlie, K. G. <i>et al.</i> The Genotype-Tissue Expression (GTEx) pilot analysis: Multitissue gene regulation in humans. <i>Science</i> 348 , 648–660 (2015).			
19 20	11.	Pers, T. H. <i>et al.</i> Biological interpretation of genome-wide association studies using predicted gene functions. <i>Nat. Commun.</i> 6 , 5890 (2015).			
21 22	12.	2. Allen Institute for Brain Science. BrainSpan atlas of the developing human brain. (2015). at http://www.brainspan.org/			
23 24	13.	13. Purcell, S. M. <i>et al.</i> Common polygenic variation contributes to risk of schizophrenia and bipolar disorder. <i>Nature</i> 460 , 748–752 (2009).			
25 26 27	14. Krapohl, E. <i>et al.</i> The high heritability of educational achievement reflects many genetically influenced traits, not just intelligence. <i>Proc. Natl. Acad. Sci. U. S. A.</i> 111 , 15273–15278 (2014).				
28 29 30	15. Branigan, A. R., McCallum, K. J. & Freese, J. Variation in the heritability of educational attainment: An international meta-analysis. <i>Northwest. Univ. Inst. Policy Res. Work. Pap.</i> 92 , 109–140 (2013).				
31 32 33	16.	Heath, A. C. <i>et al.</i> Education policy and the heritability of educational attainment. <i>Nature</i> 314, 734–736 (1985).			
34					
35	Supp	lementary Information is linked to the online version of the paper at			
36	www.nature.com/nature.				
37					

Acknowledgements This research was carried out under the auspices of the Social Science 1 Genetic Association Consortium (SSGAC). The SSGAC seeks to facilitate studies that 2 investigate the influence of genes on human behavior, well-being, and social-scientific 3 outcomes using large genome-wide association study meta-analyses. The SSGAC also 4 provides opportunities for replication and promotes the collection of accurately measured, 5 harmonized phenotypes across cohorts. The SSGAC operates as a working group within the 6 7 CHARGE consortium. This research has also been conducted using the UK Biobank Resource. This study was supported by funding from the Ragnar Söderberg Foundation (E9/11), the 8 9 Swedish Research Council (421-2013-1061), The Jan Wallander and Tom Hedelius Foundation, an ERC Consolidator Grant (647648 EdGe), the Pershing Square Fund of the 10 Foundations of Human Behavior, and the NIA/NIH through grants P01-AG005842, P01-11 12 AG005842-20S2, P30-AG012810, and T32-AG000186-23 to NBER, and R01-AG042568 to USC. We thank Samantha Cunningham, Nishanth Galla and Justin Rashtian for research 13 assistance. A full list of acknowledgments is provided in the supplementary materials. 14

15

Author contributions Study Design and Management: D.J.B., D.C., T.E., M.J., P.D.K. and 16 P.M.V. Quality Control and Meta Analysis: A.O., G.B.C., T.E, M.A.F., C.A.R. and T.H.P. 17 Stratification: P.T., J.P.B., C.A.R. and J.Y. Genetic Overlap: J.P.B, M.A.F., P.T. Biological 18 Annotation: J.J.L, T.E., J.H.B., J.K.B., J.P.B., L.F., V.E., L.F., G.A.M, M.A.F., S.F.W.M., 19 20 G.A.M., T.H.P., J.K.P., P.Timshel, R.A.P., R.d.V. and H.J.W. Prediction and Mediation: J.P.B., M.A.F. and J.Y. G×E: D.Conley, S.F.L., K.O.L., S.O. and K.T. Replication in UKB: 21 M.A.F. and C.A.R. SSGAC Advisory Board: D.Conley, T.E., A.H., R.F.K., D.I.L., S.E.M., 22 M.N.M., G.D.S. and P.M.V. All authors contributed to and critically reviewed the manuscript. 23 Authors not listed above contributed to the recruitment, genotyping, or data processing for the 24

contributing components of the meta-analysis. For a full list of author contributions, see
 Supplementary Information section 8.

3

can be downloaded from the 4 Author Information Results SSGAC website (http://ssgac.org/Data.php). Data for our analyses come from many studies and organizations, 5 some of which are subject to a MTA, and are listed in the Supplementary Information. Reprints 6 and permissions information is available at www.nature.com/reprints. The authors declare no 7 competing financial interests. Correspondence and requests for materials should be addressed 8 D.J.B. (daniel.benjamin@gmail.com), 9 to D.C. (dac12@nyu.edu), P.D.K. (p.d.koellinger@vu.nl), or P.M.V. (peter.visscher@uq.edu.au). 10

1 Table 1 | Selected candidate genes implicated by bioinformatics analyses. Fifteen candidate genes implicated most consistently across various analyses. To assemble this list, 2 3 each gene in a DEPICT-defined locus (Supplementary Information section 4.5) was assigned 4 a score equal to the number of criteria it satisfies out of ten (see Supplementary Table 4.1 for details). The DEPICT prioritization P-value was used as the tiebreaker. "SNP": the SNP in 5 the gene's locus with the lowest *P*-value in the *EduYears* meta-analysis. "Syndromic": which, 6 if any, of three neuropsychiatric disorders have been linked to de novo mutations in the gene 7 (Supplementary Information section 4.6). "Top-ranking gene sets": DEPICT reconstituted 8 9 gene sets of which the gene is a top-20 member (Supplementary Table 4.5.1). The three most significant gene sets are shown if more than three are available. ID, intellectual disability; 10 ASD, autism spectrum disorder; SCZ, schizophrenia. 11

Gene	SNP	Syndromic	Score	Top-ranking gene sets
TBR1	rs4500960	ID, ASD	6	Developmental biology, decreased brain size,
			-	abnormal cerebral cortex morphology
MEF2C	rs7277187	ID, ASD	5	ErbB signaling pathway, abnormal sternum
				ossification, regulation of muscle cell
				differentiation
ZSWIM6	rs61160187	—	5	Transcription factor binding, negative
				regulation of signal transduction, PI3K events
				in ErbB4 signaling
BCL11A	rs2457660	ASD	5	Dendritic spine organization, abnormal
				hippocampal mossy fiber morphology,
				SWI/SNF-type complex
CELSR3	rs11712056	SCZ	5	Dendrite morphogenesis, dendrite
				development, abnormal hippocampal mossy
				fiber morphology
MAPT	rs192818565	ID	5	Dendrite morphogenesis, abnormal
				hippocampal mossy fiber morphology,
				abnormal axon guidance
SBNO1	rs7306755	SCZ	5	Protein serine/threonine phosphatase complex
NBAS	rs12987662	_	5	_
NBEA	rs9544418	SCZ	4	Developmental biology, signaling by Robo
				receptor, dendritic shaft
SMARCA2	rs1871109	ID	4	_
MAP4	rs11712056	ASD	4	Developmental biology, signaling by Robo
				receptor, SWI-SNF-type complex
LINC00461	rs10061788	_	4	Decreased brain size, abnormal cerebral cortex
				morphology, abnormal hippocampal mossy
				fiber morphology
POU3F2	rs9320913	_	4	Dendrite morphogenesis, developmental
				biology, decreased brain size
RAD54L2	rs11712056	SCZ	4	Decreased brain size, SWI/SNF-type complex.
				nBAF complex
PLK2	rs2964197	_	4	Negative regulation of signal transduction,
			•	PI3K events in ErbB4 signaling

1 Authors:

2	Aysu Okbay ^{1,2,3,*} , Jonathan P. Beauchamp ^{4,*} , Mark A. Fontana ^{5,*} , James J. Lee ^{6,*} , Tune H.
3	Pers ^{7,8,9,10,*} , Cornelius A. Rietveld ^{1,2,3,*} , Patrick Turley ^{4,*} , Guo-Bo Chen ¹¹ , Valur
4	Emilsson ^{12,13} , S. Fleur W. Meddens ^{14,3,15} , Sven Oskarsson ¹⁶ , Joseph K. Pickrell ¹⁷ , Kevin
5	Thom ¹⁸ , Pascal Timshel ^{19,8} , Ronald de Vlaming ^{1,2,3} , Abdel Abdellaoui ²⁰ , Tarunveer S.
6	Ahluwalia ^{21,9,22} , Jonas Bacelis ²³ , Clemens Baumbach ^{24,25} , Gyda Bjornsdottir ⁹⁵ , Johannes H.
7	Brandsma ²⁶ , Maria Pina Concas ²⁷ , Jaime Derringer ²⁸ , Nicholas A. Furlotte ²⁹ , Tessel E.
8	Galesloot ³⁰ , Giorgia Girotto ³¹ , Richa Gupta ³² , Leanne M. Hall ^{33,34} , Sarah E. Harris ^{35,36} , Edith
9	Hofer ^{37,38} , Momoko Horikoshi ^{39,40} , Jennifer E. Huffman ⁴¹ , Kadri Kaasik ⁴² , Ioanna P.
10	Kalafati ⁴³ , Robert Karlsson ⁴⁴ , Augustine Kong ⁹⁵ , Jari Lahti ^{42,45} , Sven J. van der Lee ² ,
11	Christiaan de Leeuw ^{14,46} , Penelope A. Lind ⁴⁷ , Karl-Oskar Lindgren ¹⁶ , Tian Liu ⁴⁸ , Massimo
12	Mangino ^{49,50} , Jonathan Marten ⁴¹ , Evelin Mihailov ¹¹⁴ , Michael B. Miller ⁶ , Peter J. van der
13	Most ⁵¹ , Christopher Oldmeadow ^{52,53} , Antony Payton ^{54,55} , Natalia Pervjakova ^{56,114} , Wouter J.
14	Peyrot ⁵⁷ , Yong Qian ⁵⁸ , Olli Raitakari ⁵⁹ , Rico Rueedi ^{60,61} , Erika Salvi ⁶² , Börge Schmidt ⁶³ ,
15	Katharina E. Schraut ⁶⁴ , Jianxin Shi ⁶⁵ , Albert V. Smith ^{66,67} , Raymond A. Poot ²⁶ , Beate St
16	Pourcain ^{68,69} , Alexander Teumer ⁷⁰ , Gudmar Thorleifsson ⁹⁵ , Niek Verweij ⁷¹ , Dragana
17	Vuckovic ³¹ , Juergen Wellmann ⁷² , Harm-Jan Westra ^{73,74,8} , Jingyun Yang ^{75,76} , Wei Zhao ⁷⁷ ,
18	Zhihong Zhu ¹¹ , Behrooz Z. Alizadeh ^{51,78} , Najaf Amin ² , Andrew Bakshi ¹¹ , Sebastian E.
19	Baumeister ^{70,79} , Ginevra Biino ⁸⁰ , Klaus Bønnelykke ²¹ , Patricia A. Boyle ^{75,81} , Harry
20	Campbell ⁶⁴ , Francesco P. Cappuccio ⁸² , Gail Davies ^{35,83} , Jan-Emmanuel De Neve ⁸⁴ , Panos
21	Deloukas ^{85,86} , Ilja Demuth ^{87,88} , Jun Ding ⁵⁸ , Peter Eibich ^{89,90} , Lewin Eisele ⁶³ , Niina Eklund ⁵⁶ ,
22	David M. Evans ^{68,184} , Jessica D. Faul ⁹¹ , Mary F. Feitosa ⁹² , Andreas J. Forstner ^{93,94} , Ilaria
23	Gandin ³¹ , Bjarni Gunnarsson ⁹⁵ , Bjarni V. Halldórsson ^{95,96} , Tamara B. Harris ⁹⁷ , Andrew C.
24	Heath ⁹⁸ , Lynne J. Hocking ⁹⁹ , Elizabeth G. Holliday ^{52,53} , Georg Homuth ¹⁰⁰ , Michael A.
25	Horan ¹⁰¹ , Jouke-Jan Hottenga ²⁰ , Philip L. de Jager ^{102,103,8} , Peter K. Joshi ⁶⁴ , Astanand

1	Jugessur ¹⁰⁴ , Marika A. Kaakinen ¹⁰⁵ , Mika Kähönen ^{106,107} , Stavroula Kanoni ⁸⁵ , Liisa
2	Keltigangas-Järvinen ⁴² , Lambertus A.L.M. Kiemeney ³⁰ , Ivana Kolcic ¹⁰⁸ , Seppo Koskinen ⁵⁶ ,
3	Aldi T. Kraja ⁹² , Martin Kroh ⁸⁹ , Zoltan Kutalik ^{109,60,61} , Antti Latvala ³² , Lenore J. Launer ¹¹⁰ ,
4	Maël P. Lebreton ^{15,111} , Douglas F. Levinson ¹¹² , Paul Lichtenstein ⁴⁴ , Peter Lichtner ¹¹⁸ , David
5	C.M. Liewald ^{35,83} , LifeLines Cohort Study ¹¹³ , Anu Loukola ³² , Pamela A. Madden ⁹⁸ , Reedik
6	Mägi ¹¹⁴ , Tomi Mäki-Opas ⁵⁶ , Riccardo E. Marioni ^{35,115,11} , Pedro Marques-Vidal ¹¹⁶ , Gerardus
7	A. Meddens ¹¹⁷ , George McMahon ⁶⁸ , Christa Meisinger ²⁵ , Thomas Meitinger ¹¹⁸ , Yusplitri
8	Milaneschi ⁵⁷ , Lili Milani ¹¹⁴ , Grant W. Montgomery ¹¹⁹ , Ronny Myhre ¹⁰⁴ , Christopher P.
9	Nelson ^{33,34} , Dale R. Nyholt ^{120,119} , William E.R. Ollier ⁵⁴ , Aarno Palotie ^{121,8,122,123,124,125} ,
10	Lavinia Paternoster ⁶⁸ , Nancy L. Pedersen ⁴⁴ , Katja E. Petrovic ³⁷ , David J. Porteous ³⁶ , Katri
11	Räikkönen ^{42,45} , Susan M. Ring ⁶⁸ , Antonietta Robino ¹²⁶ , Olga Rostapshova ^{4,127} , Igor Rudan ⁶⁴ ,
12	Aldo Rustichini ¹²⁸ , Veikko Salomaa ⁵⁶ , Alan R. Sanders ^{129,130} , Antti-Pekka Sarin ^{124,131} , Helena
13	Schmidt ^{132,37} , Rodney J. Scott ^{133,53} , Blair H. Smith ¹³⁴ , Jennifer A. Smith ⁷⁷ , Jan A.
14	Staessen ^{135,136} , Elisabeth Steinhagen-Thiessen ⁸⁷ , Konstantin Strauch ^{137,138} , Antonio
15	Terracciano ¹³⁹ , Martin D. Tobin ¹⁴⁰ , Sheila Ulivi ¹²⁶ , Simona Vaccargiu ²⁷ , Lydia Quaye ⁴⁹ ,
16	Frank J.A. van Rooij ^{2,141} , Cristina Venturini ^{49,50} , Anna A.E. Vinkhuyzen ¹¹ , Uwe Völker ¹⁰⁰ ,
17	Henry Völzke ⁷⁰ , Judith M. Vonk ⁵¹ , Diego Vozzi ¹²⁶ , Johannes Waage ^{21,22} , Erin B. Ware ^{77,142} ,
18	Gonneke Willemsen ²⁰ , John R. Attia ^{52,53} , David A. Bennett ^{75,76} , Klaus Berger ⁷¹ , Lars
19	Bertram ^{143,144} , Hans Bisgaard ²¹ , Dorret I. Boomsma ²⁰ , Ingrid B. Borecki ⁹² , Ute Bultmann ¹⁴⁵ ,
20	Christopher F. Chabris ¹⁴⁶ , Francesco Cucca ¹⁴⁷ , Daniele Cusi ^{62,148} , Ian J. Deary ^{35,83} , George V.
21	Dedoussis ⁴³ , Cornelia M. van Duijn ² , Johan G. Eriksson ^{149,45} , Barbara Franke ¹⁵⁰ , Lude
22	Franke ¹⁵⁵ , Paolo Gasparini ^{31,126,151} , Pablo V. Gejman ^{129,130} , Christian Gieger ²⁴ , Hans-Jörgen
23	Grabe ^{152,153} , Jacob Gratten ¹¹ , Patrick J.F. Groenen ¹⁵⁴ , Vilmundur Gudnason ^{12,67} , Pim van der
24	Harst ^{71,155,156} , Caroline Hayward ^{41,157} , David A. Hinds ²⁹ , Wolfgang Hoffmann ⁷⁰ , Elina
25	Hyppönen ^{158,159,160} , William G. Iacono ⁶ , Bo Jacobsson ^{23,104} , Marjo-Riitta Järvelin ^{161,162,163,164} ,

1	Karl-Heinz Jöckel ⁶³ , Jaakko Kaprio ^{32,124,56} , Sharon L.R. Kardia ⁷⁷ , Terho Lehtimäki ^{165,166} ,
2	Steven F. Lehrer ^{167,168} , Patrik K.E. Magnusson ⁴⁴ , Nicholas G. Martin ¹⁶⁹ , Matt McGue ⁶ ,
3	Andres Metspalu ^{114,170} , Neil Pendleton ^{171,172} , Brenda W.J.H. Penninx ⁵⁷ , Markus Perola ^{56,114} ,
4	Nicola Pirastu ³¹ , Mario Pirastu ²⁷ , Ozren Polasek ^{173,64} , Danielle Posthuma ^{14,174} , Christine
5	Power ¹⁶⁰ , Michael A. Province ⁹² , Nilesh J. Samani ^{33,34} , David Schlessinger ⁵⁸ , Reinhold
6	Schmidt ³⁷ , Thorkild I.A. Sørensen ^{175,9,68} , Tim D. Spector ⁴⁹ , Kari Stefansson ^{95,67} , Unnur
7	Thorsteinsdottir ^{95,67} , A. Roy Thurik ^{1,176,177,3} , Nicholas J. Timpson ⁶⁸ , Henning Tiemeier ^{2,178,179} ,
8	Joyce Y. Tung ²⁹ , André G. Uitterlinden ^{180,2} , Veronique Vitart ⁴¹ , Peter Vollenweider ¹¹⁶ , David
9	R. Weir ⁹¹ , James F. Wilson ^{64,41} , Alan F. Wright ⁴¹ , Dalton C. Conley ^{181,182} , Robert F.
10	Krueger ⁶ , George Davey Smith ⁶⁸ , Albert Hofman ² , David I. Laibson ⁴ , Sarah E. Medland ⁴⁷ ,
11	Michelle N. Meyer ¹⁸³ , Jian Yang ^{11,184} , Magnus Johannesson ¹⁸⁵ , Peter M. Visscher ^{11,184,#} ,
12	Tõnu Esko ^{114,7,186,8,#} , Philipp D. Koellinger ^{14,15,3,#} , David Cesarini ^{18,187,#} , Daniel J.
13	Benjamin ^{188,189,#}
14	

- ^{*}These authors contributed equally.
- [#]Designed and oversaw the study.

¹ Department of Applied Economics, Erasmus School of Economics, Erasmus University Rotterdam, 3062 PA, Rotterdam, The Netherlands

² Department of Epidemiology, Erasmus Medical Center, Rotterdam, 3015 GE, The

Netherlands

³ Erasmus University Rotterdam Institute for Behavior and Biology, Rotterdam 3062 PA, The Netherlands

- ⁴ Department of Economics, Harvard University, Cambridge, MA 02138, USA
- ⁵ Department of Economics, University of Michigan, Ann Arbor, MI 48109-1220, USA

⁶ Department of Psychology, University of Minnesota Twin Cities, Minneapolis, MN 55455, USA

⁷ Division of Endocrinology and Center for Basic and Translational Obesity Research, Boston Children's Hospital, Boston, MA 2116, USA

⁸ Program in Medical and Population Genetics, Broad Institute of MIT and Harvard,

Cambridge, MA 02142, USA

⁹ The Novo Nordisk Foundation Center for Basic Metabolic Research, Section of Metabolic Genetics, University of Copenhagen, Faculty of Health and Medical Sciences, Copenhagen, 2100, Denmark

¹⁰ Statens Serum Institut, Department of Epidemiology Research, Copenhagen, DK 2300, Denmark

¹¹ Queensland Brain Institute, The University of Queensland, Brisbane, QLD 4072, Australia

¹² Icelandic Heart Association, Kopavogur, 201, Iceland

¹³ Faculty of Pharmaceutical Sciences, University of Iceland, 107 Reykjavík, Iceland

¹⁴ Department of Complex Trait Genetics, VU University, Center for Neurogenomics and Cognitive Research, Amsterdam, 1081 HV, The Netherlands

¹⁵ Amsterdam Business School, University of Amsterdam, Amsterdam, 1018 TV, The Netherlands

¹⁶ Department of Government, Uppsala University, Uppsala, 751 20, Sweden

¹⁷ New York Genome Center, New York, NY 10013, USA

¹⁸ Department of Economics, New York University, New York, NY 10012, USA

¹⁹ Center for Biological Sequence Analysis, Department of Systems Biology, Technical

University of Denmark Lyngby, 2800, Denmark

²⁰ Department of Biological Psychology, VU University Amsterdam, Amsterdam, 1081 BT,The Netherlands

²¹ COPSAC, Copenhagen Prospective Studies on Asthma in Childhood, Herlev and Gentofte Hospital, University of Copenhagen, Copenhagen, 2820, Denmark

²² Steno Diabetes Center, Gentofte, 2820, Denmark

²³ Department of Obstetrics and Gynecology, Institute of Clinical Sciences, Sahlgrenska

Academy, Gothenburg, SE 416 85, Sweden

²⁴ Research Unit of Molecular Epidemiology, Helmholtz Zentrum München, German

Research Center for Environmental Health, Neuherberg, 85764, Germany

²⁵ Institute of Epidemiology II, Helmholtz Zentrum München, German Research Center for

Environmental Health, Neuherberg, 85764, Germany

²⁶ Department of Cell Biology, Erasmus Medical Center Rotterdam, 3015 CN, The Netherlands

²⁷ Istituto di Ricerca Genetica e Biomedica U.O.S. di Sassari, National Research Council of Italy, Sassari, 07100, Italy

²⁸ Psychology, University of Illinois, IL 61820, Champaign, USA

²⁹ 23andMe, Inc., Mountain View, CA 94041, USA

³⁰ Radboud Institute for Health Sciences, Radboud University Medical Center, Nijmegen,
6500 HB, The Netherlands

³¹ Department of Medical, Surgical and Health Sciences, University of Trieste, Trieste,
34100, Italy

³² Department of Public Health, University of Helsinki, Helsinki, FI-00014, Finland

³³ Department of Cardiovascular Sciences, University of Leicester, LE3 9QP, UK

³⁴ NIHR Leicester Cardiovascular Biomedical Research Unit, Glenfield Hospital, Leicester, LE3 9QP, UK

³⁵ Centre for Cognitive Ageing and Cognitive Epidemiology, University of Edinburgh, Edinburgh, EH8 9JZ, UK ³⁶ Centre for Genomic and Experimental Medicine, Institute of Genetics and Molecular Medicine, University of Edinburgh, Edinburgh, EH4 2XU, UK

³⁷ Department of Neurology, General Hospital and Medical University Graz, Graz, 8036, Austria

³⁸ Institute for Medical Informatics, Statistics and Documentation, General Hospital and Medical University Graz, Graz, 8036, Austria

³⁹ Oxford Centre for Diabetes, Endocrinology & Metabolism, University of Oxford, Oxford, OX3 7LE, UK

⁴⁰ Wellcome Trust Centre for Human Genetics, University of Oxford, OX50rd, OX3 7BN, UK

⁴¹ MRC Human Genetics Unit, Institute of Genetics and Molecular Medicine, University of Edinburgh, Edinburgh, EH4 2XU, UK

⁴² Institute of Behavioural Sciences, University of Helsinki, Helsinki, FI-00014, Finland

⁴³ Nutrition and Dietetics, Health Science and Education, Harokopio University, Athens,

17671, Greece

⁴⁴ Department of Medical Epidemiology and Biostatistics, Karolinska Institutet, Stockholm,

171 77, Sweden

⁴⁵ Folkhälsan Research Centre, Helsingfors, FI-00014, Finland

⁴⁶ Institute for Computing and Information Sciences, Radboud University Nijmegen,

Nijmegen, 6525 EC, The Netherlands

⁴⁷ Quantitative Genetics, QIMR Berghofer Medical Research Institute, Brisbane, QLD 4029,

Australia

⁴⁸ Lifespan Psychology, Max Planck Institute for Human Development, Berlin, 14195,

Germany

⁴⁹ Department of Twin Research and Genetic Epidemiology, King's College London, London,SE1 7EH, UK

⁵⁰ NIHR Biomedical Research Centre, Guy's and St. Thomas' Foundation Trust, London, SE1 7EH, UK

⁵¹ Department of Epidemiology, University of Groningen, University Medical Center Groningen, Groningen, 9700 RB, The Netherlands

⁵² Public Health Stream, Hunter Medical Research Institute, New Lambton, NSW 2305, Australia

⁵³ Faculty of Health and Medicine, University of Newcastle, Newcastle, NSW 2300, Australia
 ⁵⁴ Centre for Integrated Genomic Medical Research, Institute of Population Health, The
 University of Manchester, Manchester, M13 9PT, UK

⁵⁵ School of Psychological Sciences, The University of Manchester, Manchester, M13 9PL, UK

⁵⁶ Department of Health, THL-National Institute for Health and Welfare, Helsinki, FI-00271, Finland

⁵⁷ Psychiatry, VU University Medical Center & GGZ inGeest, Amsterdam, 1081 HL, The Netherlands

58 Laboratory of Genetics, National Institute on Aging, Baltimore, MD 21224, USA

⁵⁹ Research Centre of Applied and Preventive Cardiovascular Medicine, University of Turku, Turku, 20521, Finland

⁶⁰ Department of Medical Genetics, University of Lausanne, Lausanne, 1005, Switzerland

⁶¹ Swiss Institute of Bioinformatics, Lausanne, 1015, Switzerland

⁶² Department Of Health Sciences, University of Milan, Milano, 20142, Italy

⁶³ Institute for Medical Informatics, Biometry and Epidemiology, University Hospital of Essen, Essen, 45147, Germany

⁶⁴ Centre for Global Health Research, The Usher Institute for Population Health Sciences and Informatics, University of Edinburgh, Edinburgh, EH8 9AG, UK ⁶⁵ Division of Cancer Epidemiology and Genetics, National Cancer Institute, Bethesda, MD 20892-9780, USA

⁶⁶ Icelandic Heart Association, Kopavogur, 201, Iceland

⁶⁷ Faculty of Medicine, University of Iceland, Reykjavik, 101, Iceland

⁶⁸ MRC Integrative Epidemiology Unit, University of Bristol, Bristol, BS8 2BN, UK

69 School of Oral and Dental Sciences, University of Bristol, Bristol, BS1 2LY, UK

⁷⁰ Institute for Community Medicine, University Medicine Greifswald, Greifswald, 17475,

Germany

⁷¹ Department of Cardiology, University Medical Center Groningen, University of

Groningen, Groningen, 9700 RB, The Netherlands

⁷² Institute of Epidemiology and Social Medicine, University of Muenster, Muenster, 48149,Germany

⁷³ Divisions of Genetics and Rheumatology, Department of Medicine, Brigham and Women's

Hospital, Harvard Medical School, MA 02115, Boston, USA

74 Partners Center for Personalized Genetic Medicine, Boston, MA 02115, USA

⁷⁵ Rush Alzheimer's Disease Center, Rush University Medical Center, Chicago, IL 60612,USA

⁷⁶ Department of Neurological Sciences, Rush University Medical Center, Chicago, IL60612, USA

⁷⁷ Department of Epidemiology, University of Michigan, Ann Arbor, MI 48109, USA

⁷⁸ Department of Gastroenterology and Hepatology, University of Groningen, University

Medical Center Groningen, Groningen, 9713 GZ, The Netherlands

⁷⁹ Institute of Epidemiology and Preventive Medicine, University of Regensburg,

Regensburg, D-93053, Germany

⁸⁰ Institute of Molecular Genetics, National Research Council of Italy, Pavia, 27100, Italy

⁸¹ Department of Behavioral Sciences, Rush University Medical Center, Chicago, IL 60612, USA

⁸² Warwick Medical School, University of Warwick, Coventry, CV4 7AL, UK

⁸³ Department of Psychology, University of Edinburgh, Edinburgh, EH8 9JZ, UK

⁸⁴ Saïd Business School, University of Oxford, Oxford, OX1 1HP, UK

85 William Harvey Research Institute, Barts and The London School of Medicine and

Dentistry, Queen Mary University of London, London, EC1M 6BQ, UK

⁸⁶ Princess Al-Jawhara Al-Brahim Centre of Excellence in Research of Hereditary Disorders

(PACER-HD), King Abdulaziz University, Jeddah, 21589, Saudi Arabia

⁸⁷ The Berlin Aging Study II; Research Group on Geriatrics, Charité – Universitätsmedizin Berlin, Germany, Berlin, 13347, Germany

⁸⁸ Institute of Medical and Human Genetics, Charité-Universitätsmedizin, Berlin, Berlin,
13353, Germany

⁸⁹ German Socio- Economic Panel Study, DIW Berlin, Berlin, 10117, Germany

⁹⁰ Health Economics Research Centre, Nuffield Department of Population Health, University of Oxford, OX5 7LF, UK

⁹¹ Survey Research Center, Institute for Social Research, University of Michigan, Ann Arbor, MI 48109, USA

⁹² Department of Genetics, Division of Statistical Genomics, Washington University School of Medicine, St. Louis, MO 63018, USA

⁹³ Institute of Human Genetics, University of Bonn, Bonn, 53127, Germany

⁹⁴ Department of Genomics, Life and Brain Center, University of Bonn, Bonn, 53127, Germany

95 deCODE Genetics/Amgen Inc., Reykjavik, IS-101, Iceland

⁹⁶ Institute of Biomedical and Neural Engineering, School of Science and Engineering,

Reykjavik University, Reykjavik 101, Iceland

⁹⁷ Laboratory of Epidemiology, Demography, National Institute on Aging, National Institutes of Health, Bethesda, MD 20892-9205, United States

⁹⁸ Department of Psychiatry, Washington University School of Medicine, St. Louis, MO63110, USA

⁹⁹ Division of Applied Health Sciences, University of Aberdeen, Aberdeen, AB25 2ZD, UK
 ¹⁰⁰ Interfaculty Institute for Genetics and Functional Genomics, University Medicine
 Greifswald, Greifswald, 17475, Germany

¹⁰¹ Manchester Medical School, The University of Manchester, Manchester, 9PT, UK

¹⁰² Program in Translational NeuroPsychiatric Genomics, Departments of Neurology &

Psychiatry, Brigham and Women's Hospital, Boston, MA 02115, USA

¹⁰³ Harvard Medical School, Boston, MA 02115, USA

¹⁰⁴ Department of Genes and Environment, Norwegian Institute of Public Health, Oslo, N-0403, Norway

¹⁰⁵ Department of Genomics of Common Disease, Imperial College London, London, W120NN, UK

¹⁰⁶ Department of Clinical Physiology, Tampere University Hospital, Tampere, 33521, Finland

¹⁰⁷ Department of Clinical Physiology, University of Tampere, School of Medicine, Tampere,33014, Finland

¹⁰⁸ Public Health, Medical School, University of Split, 21000 Split, Croatia

¹⁰⁹ Institute of Social and Preventive Medicine, Lausanne University Hospital (CHUV),

Lausanne, 1010, Switzerland

¹¹⁰ Neuroepidemiology Section, National Institute on Aging, National Institutes of Health,Bethesda, MD 20892-9205, USA

¹¹¹ Amsterdam Brain and Cognition Center, University of Amsterdam, 1018 XA, Amsterdam, The Netherlands

¹¹² Department of Psychiatry and Behavioral Sciences, Stanford University, Stanford, CA94305-5797, USA

¹¹³ LifeLines Cohort Study, University of Groningen, University Medical Center Groningen, Groningen, 9713 BZ, The Netherlands

¹¹⁴ Estonian Genome Center, University of Tartu, Tartu, 51010, Estonia

¹¹⁵ Medical Genetics Section, Centre for Genomic and Experimental Medicine, Institute of

Genetics and Molecular Medicine, University of Edinburgh, Edinburgh, EH4 2XU, UK

¹¹⁶ Department of Internal Medicine, Internal Medicine, Lausanne University Hospital

(CHUV), Lausanne, 1011, Switzerland

¹¹⁷ Tema BV, 2131 HE Hoofddorp, The Netherlands

¹¹⁸ Institute of Human Genetics, Helmholtz Zentrum München, German Research Center for Environmental Health, Neuherberg, 85764, Germany

¹¹⁹ Molecular Epidemiology, QIMR Berghofer Medical Research Institute, Brisbane, QLD4029, Australia

¹²⁰ Institute of Health and Biomedical Innovation, Queensland Institute of Technology,

Brisbane, QLD 4059, Australia

¹²¹ Analytic and Translational Genetics Unit, Department of Medicine, Massachusetts GeneralHospital, Boston, MA 02114, USA

¹²² The Stanley Center for Psychiatric Research, Broad Institute of MIT and Harvard, Cambridge, MA 02142, USA. ¹²³ Psychiatric & Neurodevelopmental Genetics Unit, Department of Psychiatry,

Massachusetts General Hospital, Boston, MA 02114, USA

¹²⁴ Institute for Molecular Medicine Finland (FIMM), University of Helsinki, Helsinki,

00014, Finland

¹²⁵ Department of Neurology, Massachusetts General Hospital, Boston, MA 02114, USA

¹²⁶ Medical Genetics, Institute for Maternal and Child Health IRCCS "Burlo Garofolo",

Trieste, 34100, Italy

¹²⁷ Social Impact, Arlington, VA 22201, USA

¹²⁸ Department of Economics, University of Minnesota Twin Cities, Minneapolis, MN 55455,

USA

¹²⁹ Department of Psychiatry and Behavioral Sciences, NorthShore University HealthSystem,Evanston, IL 60201-3137, USA

¹³⁰ Department of Psychiatry and Behavioral Neuroscience, University of Chicago, Chicago,

IL 60637, USA

¹³¹ Public Health Genomics Unit, National Institute for Health and Welfare, Helsinki 00300, Finland

¹³² Research Unit for Genetic Epidemiology, Institute of Molecular Biology and

Biochemistry, Center of Molecular Medicine, General Hospital and Medical University,

Graz, Graz, 8010, Austria

¹³³ Information Based Medicine Stream, Hunter Medical Research Institute, New Lambton,

NSW 2305, Australia

¹³⁴ Medical Research Institute, University of Dundee, Dundee, DD1 9SY, UK

¹³⁵ Research Unit Hypertension and Cardiovascular Epidemiology, Department of

Cardiovascular Science, University of Leuven, Leuven, 3000, Belgium

¹³⁶ R&D VitaK Group, Maastricht University, Maastricht, 6229 EV, The Netherlands

¹³⁷ Institute of Genetic Epidemiology, Helmholtz Zentrum München, German Research
Center for Environmental Health, Neuherberg, 85764, Germany
¹³⁸ Institute of Medical Informatics, Biometry and Epidemiology, Chair of Genetic
Epidemiology, Ludwig Maximilians-Universität, Munich, 81377, Germany
¹³⁹ Department of Geriatrics, Florida State University College of Medicine, Tallahassee, FL
32306, USA

¹⁴⁰ Department of Health Sciences and Genetics, University of Leicester, LE1 7RH,UK

¹⁴¹ Department of Internal Medicine, Erasmus Medical Center, Rotterdam, 3015 GE, The Netherlands

¹⁴² Research Center for Group Dynamics, Institute for Social Research, University of Michigan, Ann Arbor, MI 48104, USA

¹⁴³ Platform for Genome Analytics, Institutes of Neurogenetics & Integrative and
Experimental Genomics, University of Lübeck, Lübeck, 23562, Germany
¹⁴⁴ Neuroepidemiology and Ageing Research Unit, School of Public Health, Faculty of
Medicine, The Imperial College of Science, Technology and Medicine, London SW7 2AZ,
UK

¹⁴⁵ Department of Health Sciences, Community & Occupational Medicine, University of
Groningen, University Medical Center Groningen, Groningen, 9713 AV, The Netherlands
¹⁴⁶ Department of Psychology, Union College, Schenectady, NY 12308, USA
¹⁴⁷ Istituto di Ricerca Genetica e Biomedica (IRGB), Consiglio Nazionale delle Ricerche, c/o
Cittadella Universitaria di Monserrato, Monserrato, Cagliari, 9042, Italy
¹⁴⁸ Institute of Biomedical Technologies, Italian National Research Council, Segrate
(Milano), 20090, Italy

¹⁴⁹ Department of General Practice and Primary Health Care, University of Helsinki,Helsinki, 00014, Finland

¹⁵⁰ Departments of Human Genetics and Psychiatry, Donders Centre for Neuroscience,

Nijmegen, 6500 HB, The Netherlands

¹⁵¹ Sidra, Experimental Genetics Division, Sidra, Doha 26999, Qatar

¹⁵² Department of Psychiatry and Psychotherapy, University Medicine Greifswald,

Greifswald, 17475, Germany

¹⁵³ Department of Psychiatry and Psychotherapy, HELIOS-Hospital Stralsund, Stralsund,18437, Germany

¹⁵⁴ Econometric Institute, Erasmus School of Economics, Erasmus University Rotterdam, Rotterdam, 3062 PA, The Netherlands

¹⁵⁵ Department of Genetics, University Medical Center Groningen, University of Groningen,Groningen. 9700 RB, The Netherlands

¹⁵⁶ Durrer Center for Cardiogenetic Research, ICIN-Netherlands Heart Institute, Utrecht,

1105 AZ, The Netherlands

 ¹⁵⁷ Generation Scotland, Centre for Genomics and Experimental Medicine, Institute of Genetics and Molecular Medicine, University of Edinburgh, Edinburgh, EH4 2XU, UK
 ¹⁵⁸ Centre for Population Health Research, School of Health Sciences and Sansom Institute, University of South Australia, SA5000, Adelaide, Australia

¹⁵⁹ South Australian Health and Medical Research Institute, Adelaide, SA5000, Australia

¹⁶⁰ Population, Policy and Practice, UCL Institute of Child Health, London, WC1N 1EH, UK

¹⁶¹ Department of Epidemiology and Biostatistics, MRC-PHE Centre for Environment &

Health, School of Public Health, Imperial College London, London, W2 1PG, UK

¹⁶² Center for Life Course Epidemiology, Faculty of Medicine, University of Oulu, Oulu, FI-

90014, Finland

¹⁶⁵ Fimlab Laboratories, Tampere, 33520, Finland

¹⁶⁶ Department of Clinical Chemistry, University of Tampere, School of Medicine, Tampere,

33014, Finland

¹⁶⁷ Economics, NYU Shanghai, 200122, Pudong, China

¹⁶⁸ Policy Studies, Queen's University, Kingston, K7L3N6, Canada

¹⁶⁹ Genetic Epidemiology, QIMR Berghofer Medical Research Institute, Brisbane, QLD

4029, Australia

¹⁷⁰ Institute of Molecular and Cell Biology, University of Tartu, Tartu, 51010, Estonia

¹⁷¹ Centre for Clinical and Cognitive Neuroscience, Institute Brain Behaviour and Mental

Health, Salford Royal Hospital, Manchester, M6 8HD, UK

¹⁷² Manchester Institute Collaborative Research in Ageing, University of Manchester,

Manchester, M13 9PL, UK

¹⁷³ Faculty of Medicine, University of Split, Croatia, Split 21000, Croatia

¹⁷⁴ Department of Clinical Genetics, VU Medical Centre, Amsterdam, 1081 HV, The Netherlands

¹⁷⁵ Institute of Preventive Medicine, Bispebjerg and Frederiksberg Hospitals, The Capital Region, Frederiksberg, 2000, Denmark

¹⁷⁶ Montpellier Business School, Montpellier, 34080, France

¹⁷⁷ Panteia, Zoetermeer, 2715 CA, The Netherlands

¹⁷⁸ Department of Psychiatry, Erasmus Medical Center, Rotterdam, 3015 GE, The Netherlands

¹⁷⁹ Department of Child and Adolescent Psychiatry, Erasmus Medical Center, Rotterdam,3015 GE, The Netherlands

¹⁶³ Unit of Primary Care, Oulu University Hospital, Oulu, 90029 OYS, Finland

¹⁶⁴ Biocenter Oulu, University of Oulu, FI-90014 Oulu, Finland

¹⁸⁰ Department of Internal Medicine, Erasmus Medical Center, Rotterdam, 3015 GE, The Netherlands

¹⁸¹ Department of Sociology, New York University, New York, NY 10012, USA

¹⁸² School of Medicine, New York University, NY 10016, New York, USA

¹⁸³ Bioethics Program, Union Graduate College - Icahn School of Medicine at Mount Sinai,

Schenectady, NY 12308, USA

¹⁸⁴ The University of Queensland Diamantina Institute, The Translational Research Institute,

Brisbane, QLD 4102, Australia

¹⁸⁵ Department of Economics, Stockholm School of Economics, Stockholm, 113 83, Sweden

¹⁸⁶ Department of Genetics, Harvard Medical School, Boston, MA 02115, USA

¹⁸⁷ Research Institute for Industrial Economics, Stockholm, 10215, Sweden

¹⁸⁸ Department of Economics, Cornell University, Ithaca, NY 14853, USA

¹⁸⁹ Center for Economic and Social Research, University of Southern California, Los

Angeles, CA 90089-3332, USA

1	Figure 1 Manhattan plot for <i>EduYears</i> associations (<i>N</i> = 293,723). The <i>x</i> -axis is
2	chromosomal position, and the y-axis is the significance on a $-\log_{10}$ scale. The black line
3	shows the genome-wide significance level (5×10^{-8}). The red x's are the 74 approximately
4	independent genome-wide significant associations ("lead SNPs"). The black dots labeled
5	with rs numbers are the 3 Rietveld et al. ¹ SNPs.
6	
7	
8	Figure 2 Genetic correlations between EduYears and other traits. Results from bivariate
9	Linkage-Disequilibrium (LD) Score regressions9: estimates of genetic correlation with brain
10	volume, neuropsychiatric, behavioral, and anthropometric phenotypes using published GWAS
11	summary statistics. The error bars show the 95% confidence intervals.
12	
13	
14	Figure 3 Overview of biological annotation. 34 clusters of significantly enriched gene sets.
15	Each cluster is named after one of its member gene sets. The color represents the P-value of
16	the member set exhibiting the most statistically significant enrichment. Overlap between pairs
17	of clusters is represented by an edge. Edge width represents the Pearson correlation ρ between
18	the two vectors of gene membership scores ($\rho < 0.3$, no edge; $0.3 \le \rho < 0.5$, thin edge; $0.5 \le \rho$
19	$<$ 0.7, intermediate edge; $\rho \ge$ 0.7, thick edge), where each cluster's vector is the vector for the
20	gene set after which the cluster is named.
21	
22	

Extended Data Figure 1 | Quantile-quantile plot of the genome-wide association metaanalysis of 64 *EduYears* results files. Observed and expected *P*-values are on a $-\log_{10}$ scale. The grey region depicts the 95% confidence interval under the null hypothesis of a uniform *P*value distribution. The observed λ_{GC} is 1.28. (As reported in Supplementary Information section 1.5.4, the unweighted mean λ_{GC} is 1.02, the unweighted median is 1.01, and the range across cohorts is 0.95–1.15.)

- 7
- 8

Extended Data Figure 2 | The distribution of effect sizes of the 74 lead SNPs. a, SNPs 9 ordered by absolute value of the standardized effect of one more copy of the education-10 increasing allele, with 95% confidence intervals. **b**, SNPs ordered by R^2 . Effects on *EduYears* 11 are benchmarked against the top 74 genome-wide significant hits identified in the largest 12 GWAS conducted to date of height and body mass index (BMI), and the 48 associations 13 reported for waist-to-hip ratio adjusted for BMI (WHR). These results are based on the 14 15 GIANT consortium's publicly available results for pooled analyses restricted to Europeanancestry individuals: 16 https://www.broadinstitute.org/collaboration/giant/index.php/GIANT_consortium. 17

- 18
- 19

Extended Data Figure 3 | Assessing the extent to which population stratification affects the estimates from the GWAS. a, LD Score regression plot with the summary statistics from the GWAS. Each point represents an LD Score quantile for a chromosome (the *x* and *y* coordinates of the point are the mean LD Score and the mean χ^2 statistic of variants in that quantile). The facts that the intercept is close to one and that the χ^2 statistics increase linearly with the LD Scores suggest that the bulk of the inflation in the χ^2 statistics is due to true polygenic signal and not to population stratification. **b**, Estimates and 95% confidence intervals from individual-level and WF regressions of *EduYears* on polygenic scores, for scores constructed with sets of SNPs meeting different *P*-value thresholds. In addition to the analyses shown here, we conduct a sign concordance test, and we decompose the variance of the polygenic score. Overall, these analyses suggest that population stratification is unlikely to be a major concern for our 74 lead SNPs. See Supplementary Information section 3 for additional details.

- 8
- 9

Extended Data Figure 4 | Replication of 74 lead SNPs in the UK Biobank data. Estimated effect sizes (in years of schooling) and 95% confidence intervals of the 74 lead SNPs in the meta-analysis sample (N = 293,723) and the UK Biobank replication sample (N = 111,349). The reference allele is the allele associated with higher values of *EduYears* in the metaanalysis sample. SNPs are in descending order of R^2 in the meta-analysis sample. Of the 74 lead SNPs, 72 have the anticipated sign in the replication sample, 52 replicate at the 0.05 significance level, and 7 replicate at the 5×10^{-8} significance level.

17

18

Extended Data Figure 5 | Q-Q plots for the 74 lead *EduYears* SNPs (or LD proxies) in published GWAS of other phenotypes. SNPs with concordant effects on both phenotypes are pink, and SNPs with discordant effects are blue. SNPs outside the gray area pass Bonferronicorrected significance thresholds that correct for the total number of SNPs we tested ($P < 0.05/74 = 6.8 \times 10^{-4}$) and are labeled with their rs numbers. Observed and expected *P*-values are on a $-\log_{10}$ scale. For the sign concordance test: * P < 0.05, ** P < 0.01, and *** P < 0.001. Extended Data Figure 6 | Regional association plots for four of the ten prioritized SNPs for MHBA phenotypes identified using *EduYears* as a proxy phenotype: a, cognitive performance; b, hippocampus; c, intracranial volume; d, neuroticism. The four were selected because very few genome-wide significant SNPs have been previously reported for these traits. Data sources and methods are described in Supplementary Information section 3. The *R*² values are from the hg19 / 1000 Genomes Nov 2014 EUR references samples. The figures were created with LocusZoom (http://csg.sph.umich.edu/locuszoom/). Mb, megabases.

- 8
- 9

Extended Data Figure 7 | Application of fgwas to *EduYears*. See Supplementary 10 Information section 4.2 for further details. a, The results of single-annotation models. 11 12 "Enrichment" refers to the factor by which the prior odds of association at an LD-defined region must be multiplied if the region bears the given annotation; this factor is estimated using 13 an empirical Bayes method applied to all SNPs in the GWAS meta-analysis regardless of 14 15 statistical significance. Annotations were derived from ENCODE and a number of other data sources. Plotted are the base-2 logarithms of the enrichments and their 95% confidence 16 intervals. Multiple instances of the same annotation correspond to independent replicates of the 17 same experiment. b, The results of combining multiple annotations and applying model 18 selection and cross-validation. Although the maximum-likelihood estimates are plotted, model 19 20 selection was performed with penalized likelihood. c, Reweighting of GWAS loci. Each point represents an LD-defined region of the genome, and shown are the regional posterior 21 probabilities of association (PPAs). The x-axis give the PPA calculated from the GWAS 22 summary statistics alone, whereas the y-axis gives the PPA upon reweighting on the basis of 23 the annotations in b. The orange points represent genomic regions where the PPA is equivalent 24 to the standard GWAS significance threshold only upon reweighting. 25

Extended Data Figure 8 | Tissue-level biological annotation. a, The enrichment factor for a 1 given tissue type is the ratio of variance explained by SNPs in that group to the overall fraction 2 of SNPs in that group. To benchmark the estimates for *EduYears*, we compare the enrichment 3 4 factors to those obtained when we use the largest GWAS conducted to date on body mass index, height, and waist-to-hip ratio adjusted for BMI. The estimates were produced with the 5 LDSC python software, using the LD Scores and functional annotations introduced in Finucane 6 et al. (2015) and the HapMap3 SNPs with MAF > 0.05. Each of the 10 enrichment calculations 7 for a particular cell type is performed independently, while each controlling for the 52 8 9 functional annotation categories in the full baseline model. The error bars show the 95% confidence intervals. **b**, We took measurements of gene expression by the Genotype-Tissue 10 Expression (GTEx) Consortium and determined whether the genes overlapping EduYears-11 12 associated loci are significantly overexpressed (relative to genes in random sets of loci matched by gene density) in each of 37 tissue types. These types are grouped in the panel by organ. The 13 colored bars corresponding to tissues where there is significant overexpression. The y-axis is 14 15 the significance on a $-\log_{10}$ scale.

16

17

Extended Data Figure 9 | Gene-level biological annotation. a, The DEPICT-prioritized 18 19 genes for *EduYears* measured in the BrainSpan Developmental Transcriptome data (red curve) 20 are more strongly expressed in the brain prenatally rather than postnatally. The DEPICTprioritized genes exhibit similar gene-expression levels across different brain regions (gray 21 lines). Analyses were based on log₂-transformed RNA-Seq data. Error bars represent 95% 22 23 confidence intervals. **b**, For each phenotype and disorder, we calculated the overlap between the phenotype's DEPICT-prioritized genes and genes believed to harbor de novo mutations 24 causing the disorder. The bars correspond to odds ratios. EduYears, years of education; BMI, 25

body mass index; WHR, waist-to-hip ratio adjusted for BMI. c, DEPICT-prioritized genes in *EduYears*-associated loci exhibit substantial overlap with genes previously reported to harbor
sites where mutations increase risk of intellectual disability and autism spectrum disorder
(Supplementary Table 4.6.1).

Extended Figure 10 | The predictive power of a polygenic score (PGS) varies in Sweden
by birth cohort. Five-year rolling regressions of years of education on the PGS (left axis in all
four panels), share of individuals not affected by the comprehensive school reform (a, right
axis), and average distance to nearest junior high school (b, right axis), nearest high school (c,
right axis) and nearest college/university (d, right axis). The shaded area displays the 95%
confidence intervals for the PGS effect.