


**Please cite the Published Version**

Read, D , Jones, B, Williams, S, Phibbs, P, Darrall-Jones, J, Roe, G, Weakley, J, Rock, A and Till, K (2018) The physical characteristics of specific phases of play during rugby union match-play. *International Journal of Sports Physiology and Performance*, 13 (10). pp. 1331-1336. ISSN 1555-0265

**DOI:** <https://doi.org/10.1123/ijsp.2017-0625>

**Publisher:** Human Kinetics

**Version:** Accepted Version

**Downloaded from:** <https://e-space.mmu.ac.uk/625771/>

**Usage rights:**  In Copyright

**Additional Information:** This is an Author Accepted Manuscript of a paper accepted for publication in *International Journal of Sports Physiology and Performance* published by and copyright Human Kinetics.

**Enquiries:**

If you have questions about this document, contact [openresearch@mmu.ac.uk](mailto:openresearch@mmu.ac.uk). Please include the URL of the record in e-space. If you believe that your, or a third party's rights have been compromised through this document please see our Take Down policy (available from <https://www.mmu.ac.uk/library/using-the-library/policies-and-guidelines>)

1 **Title:** The physical characteristics of specific phases of play  
2 during rugby union match-play  
3  
4 **Submission Type:** Original investigation  
5  
6 **Authors:** \*Dale B. Read<sup>a,b</sup>, Ben Jones<sup>a,b,c</sup>, Sean Williams<sup>d</sup>,  
7 Padraic J. Phibbs<sup>a,b</sup>, Josh D. Darrall-Jones<sup>a,b</sup>, Greg A.B. Roe<sup>a,b</sup>,  
8 Jonathon J.S. Weakley<sup>a,b</sup>, Andrew Rock<sup>e</sup>, & Kevin Till<sup>a,b</sup>  
9  
10 **Affiliations:**  
11 <sup>a</sup>Institute for Sport, Physical Activity and Leisure, Leeds  
12 Beckett University, Leeds, UK  
13 <sup>b</sup>Yorkshire Carnegie Rugby Union Football Club, Leeds, UK  
14 <sup>c</sup>The Rugby Football League, Leeds, UK  
15 <sup>d</sup>Department for Health, University of Bath, Bath, UK  
16 <sup>e</sup>Bath Rugby Club, Bath, UK  
17  
18 **Corresponding Author:**  
19 Dale Read  
20 Leeds Beckett University  
21 Institute for Sport, Physical Activity and Leisure  
22 Leeds  
23 LS6 3QS  
24 United Kingdom  
25 (0044) 113-812-1815  
26 [d.read@leedsbeckett.ac.uk](mailto:d.read@leedsbeckett.ac.uk)  
27  
28 **Preferred Running Head:** Phases of play in rugby union  
29  
30 **Word Count:** 3493  
31 **Abstract Word Count:** 250  
32  
33 **Tables:** 2  
34 **Figures:** 2

## Abstract

*Purpose:* This study quantified the frequencies and timings of rugby union match-play phases (i.e., attacking, defending, ball in play (BIP) and ball out of play (BOP)) and then compared the physical characteristics of attacking, defending and BOP between forwards and backs.

*Methods:* Data were analysed from 59 male rugby union academy players (259 observations). Each player wore a micro-technology device (Optimeye S5, Catapult) with video footage analysed for phase timings and frequencies. Dependent variables were analysed using a linear mixed-effects model and assessed with magnitude-based inferences and Cohen's *d* effect sizes (ES).

*Results:* Attack, defence, BIP and BOP times were  $12.7 \pm 3.1$ ,  $14.7 \pm 2.5$ ,  $27.4 \pm 2.9$  and  $47.4 \pm 4.1$  min, respectively. Mean attack ( $26 \pm 17$  s), defence ( $26 \pm 18$  s) and BIP ( $33 \pm 24$  s) phases were shorter than BOP phases ( $59 \pm 33$  s). The relative distance in attacking phases was similar ( $112.2 \pm 48.4$  vs.  $114.6 \pm 52.3$  m·min<sup>-1</sup>, ES =  $0.00 \pm 0.23$ ) between forwards and backs, while greater in forwards ( $114.5 \pm 52.7$  vs.  $109.0 \pm 54.8$  m·min<sup>-1</sup>, ES =  $0.32 \pm 0.23$ ) during defence and greater in backs during BOP (ES =  $-0.66 \pm 0.23$ ).

*Conclusion:* Total time in attack, defence and therefore BIP was less than BOP. Relative distance was greater in forwards during defence, while greater in backs during BOP and similar between positions during attack. Players should be exposed to training intensities from in play phases (i.e., attack and defence) rather than whole-match data and practice technical skills during these intensities.

*Keywords:* Physical preparation; Player development; GPS; Skill involvements; Contact sports

## Introduction

The physical characteristics of match-play (i.e., running and collisions) in age-grade (e.g., U18) rugby union players is a growing area of research.<sup>1-3</sup> Studies using global positioning systems (GPS) have published data from county representative,<sup>4</sup> school,<sup>5</sup> academy<sup>2</sup> and international competition.<sup>3</sup> Read and colleagues<sup>2</sup> showed that U18 academy backs covered more distance ( $5639 \pm 368$  vs.  $5461 \pm 360$  m, effect size (ES) = 0.67) and achieved greater maximum speeds ( $8.1 \pm 0.4$  vs.  $7.0 \pm 0.7$  m·s<sup>-1</sup>, ES = 1.08) during match-play compared to forwards. The differences between positions corroborate similar findings from senior rugby union.<sup>6</sup> The lower locomotor activities in forwards are likely because of the higher collision rates ( $0.56 \pm 0.23$  vs.  $0.36 \pm 0.17$  n·min<sup>-1</sup>, ES = 0.99),<sup>7</sup> differences in player physical characteristics<sup>8,9</sup> and tactical roles they undertake<sup>10</sup> compared to backs. These findings collectively lead to the common belief that for backs, the physical characteristics of rugby union are dominated by running. However, these data are typically reported as a mean or total from a whole match and due to the stoppages in team sports are likely to underestimate the intensity of match-play when the ball is in play, which could also lead to players being unprepared for the most intense periods of play.<sup>11</sup>

The demands of match-play have been categorised using different methods, for example, time when the ball is in play (BIP) and when the ball is out of play (BOP).<sup>10</sup> Senior rugby union international matches in 1992 had a mean BIP time of 29 min over an 80 min game, while the mean and maximum BIP cycle were 19 and 70 s, respectively.<sup>12</sup> Further research has highlighted a trend for an increase in BIP time between 2000 and 2002 to approximately 31 min<sup>13</sup> and again to  $36.3 \pm 2.7$  min between 2004 and 2010.<sup>10</sup> However, BIP can also be further split into attacking and defensive phases for rugby union which often occur in isolation without the transition between attack and defence and therefore are often trained separately. Despite this, little is known about the frequencies or timings of these phases of play, or the overall physical characteristics of each phase. Previously, a study in rugby league quantified the locomotor characteristics of attacking and defending and highlighted that relative distance was greater while defending ( $109 \pm 16$  vs.  $82 \pm 12$  m·min<sup>-1</sup>, ES = 1.35).<sup>14</sup> Despite this, the study only reported data from forwards in senior rugby league and thus the applicability for age-grade rugby union players is limited.

In England, age-grade rugby union players can participate in several playing standards (e.g., amateur club, school and representative) concurrently, with academy rugby perceived to

be the highest standard besides international competition.<sup>15</sup> Academy rugby is the final step before age-grade international and professional rugby and therefore sport scientists and strength and conditioning coaches require information on the most demanding phases of play to appropriately prepare players. Therefore, the aim of the study was to quantify and compare the physical characteristics of the three phases of play; attacking, defending and BOP between forwards and backs during academy rugby union match-play.

## Methods

### *Participants*

Fifty-nine male rugby union players were recruited from a regional academy. The participants were split by position; forwards (age:  $17.5 \pm 0.6$  years; stature:  $185.9 \pm 5.7$  cm; body mass:  $95.0 \pm 8.9$  kg) and backs (age:  $17.7 \pm 0.6$  years; stature:  $180.3 \pm 5.2$  cm; body mass:  $81.8 \pm 10.5$  kg). There were repeated measurements of individual participants and therefore 259 observations were collected (mean  $\pm$  standard deviation (SD);  $4 \pm 3$  observations per player). The repeated measurement of participants if appropriately accounted for and outlined in the statistical analysis.<sup>16</sup> Ethics approval was granted from Leeds Beckett University institutional ethics committee and adhered to throughout. Written informed consent was gained from all participants prior to starting the study, with a parent or guardian providing this for participants under the age of 18.

### *Design*

The study used an observational research design whereby data were collected during competitive matches from the regional academy annual league during the 2014/2015 and 2015/2016 seasons, totalling 12 matches. In England, the 14 regional academies are split into two groups of seven (north and south leagues), meaning each academy plays six competitive matches per year. Therefore, this study consists of two full seasons data. Of the 12 matches, there were an equal number of home and away fixtures, with a mean points scored and conceded per game of  $12 \pm 10$  and  $30 \pm 10$ . Matches at the U18 age-grade are 70 min in length.

### *Methodology*

Video footage from the matches was obtained (AX100 4K Camcorder, Sony, Tokyo, Japan) and analysed manually for attacking, defending, BIP and BOP timings. Attacking phases were defined as when the team under investigation were in

possession of the ball, whereas when the opposition were in possession this was classified as a defensive phase. The referee blowing the whistle was used to signify the beginning of a BOP period (e.g., try scored, penalty awarded).<sup>14</sup> When kicks into touch were made, the raising of the flag from the assistant referee was used to signify the beginning of a BOP period. Instances where a team restarted play within 5 seconds or less after being awarded a penalty were not considered as a BOP phase.<sup>17</sup> When a scrum occurred, the BOP phase ended with the call of 'set' from the referee, as this is the point at which the front rowers of both teams engage in physical contact.<sup>13</sup>

The total number of phases and total time spent in attacking, defending, BIP and BOP phases were recorded. The mean, mean of the maximum, maximum and minimum cycle time for the three phases were analysed in addition to a frequency distribution of each cycle based on the following classifications: 0-15, 16-30, 31-45, 46-60, >60 s.<sup>17</sup> In order to assess inter-rater reliability of the video analysis, the time spent in attack and defence was analysed by a second trained individual. The coefficient of variation  $\pm 90\%$  confidence intervals (CI) for attack, defence and BOP was  $1.98 \pm 0.80\%$ ,  $1.17 \pm 0.70\%$  and  $1.52 \pm 0.72\%$ , respectively.

During the match, each player wore a micro-technology device (Optimeye S5, Catapult, Melbourne, Australia) that contained a GPS system sampling at 10 Hz and a tri-axial accelerometer, gyroscope and magnetometer sampling at 100 Hz. The devices were fitted in a vest provided by the manufacturer and worn under the playing shirts. The devices were switched on outside at the start of the warm up and switched off at the end of the match. However, each file was trimmed so it only contained data from actual playing time for each participant. Similar GPS units have shown acceptable validity and reliability for measuring movements that are common during team sport match-play.<sup>18</sup> The accelerometer used in the current study has also been shown to have an acceptable CV for within (0.9–1.1%) and between (1.0–1.1%) unit reliability.<sup>19</sup> The mean  $\pm$  SD number of satellites connected during all data collection was  $14.5 \pm 0.9$ , while the horizontal dilution of precision was  $0.69 \pm 0.13$ .

The timings of attack, defence and BOP phases were synchronised and manually entered into the GPS software (Sprint 5.1.7, Catapult, Melbourne, Australia). Relative distance ( $\text{m} \cdot \text{min}^{-1}$ ) was downloaded to assess the locomotor characteristics of match-play. PlayerLoad<sup>TM</sup> per minute ( $\text{PL} \cdot \text{min}^{-1}$ ) ( $\text{AU} \cdot \text{min}^{-1}$ ) was downloaded to quantify the additional external load such as accelerations that rugby players experience. PL is a vector magnitude and sums the frequency

and magnitude of accelerations in the three axial planes.<sup>20</sup> A very large ( $r = 0.79$ ) relationship between PL and collisions in rugby union has previously been shown, although it is acknowledged this measure is limited in its ability to distinguish between actions.<sup>21</sup>

227

## 228 *Statistical Analyses*

229

230 All estimations were made using the *lme4* package with R  
231 (version 3.3.1, R Foundation for Statistical Computing, Vienna,  
232 Austria). A linear mixed-effects model was used to model the  
233 main and interactive effects of phase of play (attacking,  
234 defending, and BOP), positional group (forwards and backs)  
235 and time classification (0-15, 16-30, 31-45, 46-60 and >60 s)  
236 upon match-play physical characteristics (relative distance and  
237 PL·min<sup>-1</sup>). Dependent variables were log transformed before  
238 modelling, and then effects and standard deviations were back-  
239 transformed to percentages. The random-effects in the model  
240 were match identity (differences between mean match demands  
241 not accounted for by the fixed-effects), athlete identity  
242 (differences between athletes' mean locomotor characteristics)  
243 and the residual (within-athlete and match-to-match  
244 variability). Magnitude-based inferences were applied using the  
245 estimates from the linear mixed model (representing percentage  
246 differences between the levels of the fixed effects) and were  
247 compared against a smallest worthwhile effect threshold  
248 equivalent to 0.2 of the between-subject standard deviations  
249 (relative distance = 4.7% and PL·min<sup>-1</sup> = 4.9%) using a  
250 spreadsheet.<sup>22</sup> Effects were classified as *unclear* if the  
251 percentage likelihood that the true effect was positive and  
252 negative were both >5%. Otherwise, the effect was deemed  
253 clear, and was qualified with a probabilistic term using the  
254 following scale: <0.5%, *most unlikely*; 0.5-4.9%, *very unlikely*;  
255 5-24.9%, *unlikely*; 25-74.9%, *possible*; 75-94.9%, *likely*; 95-  
256 99.5%, *very likely*; >99.5%, *almost certainly*.<sup>23</sup> Cohen's *d* ES  
257 are shown ±90% CI.

258

## 259 **Results**

260

261 A breakdown of the attacking, defending, BIP and BOP phases  
262 are shown in Table 1.

263

264 \*\*\* INSERT TABLE ONE NEAR HERE \*\*\*

265

266 The distributions for all time classifications in attack (A),  
267 defence (B), BIP (C) and BOP (D) are shown in Figure 1. The  
268 frequency distribution was the greatest in the 0-15 and 16-30 s  
269 classifications for both attacking ( $31.9 \pm 6.2$  and  $39.2 \pm 7.1\%$ )  
270 and defending ( $30.0 \pm 8.3$  and  $40.0 \pm 7.0\%$ ). While 16-30 s

(31.7 ± 5.8%) and >60 s (39.7 ± 9.5%) had the greatest distribution during BIP and BOP phases, respectively.

\*\*\* INSERT FIGURE ONE NEAR HERE \*\*\*

Figure 2 presents the relative distance (A) and PL·min<sup>-1</sup> (B) for the three phases of play and two positions. The difference in relative distance in attacking phases of play was *unclear* (ES = 0.00 ± 0.23) between forwards (112.2 ± 48.4 m·min<sup>-1</sup>) and backs (114.6 ± 52.3 m·min<sup>-1</sup>), while measures during defending were *likely* (ES = 0.32 ± 0.23) greater in forwards (114.5 ± 52.7 m·min<sup>-1</sup>) compared to backs (109.0 ± 54.8 m·min<sup>-1</sup>). During BOP time backs (54.3 ± 29.2 m·min<sup>-1</sup>) were *almost certain* (ES = -0.66 ± 0.23) to have a greater relative distance than forwards (47.7 ± 27.5 m·min<sup>-1</sup>). The difference in PL·min<sup>-1</sup> was *almost certainly* greater in forwards during both attacking (12.6 ± 5.0 vs. 12.0 ± 6.7 AU·min<sup>-1</sup>, ES = 0.76 ± 0.33) and defending (12.8 ± 5.2 vs. 11.0 ± 6.3 AU·min<sup>-1</sup>, ES = 1.19 ± 0.33) phases than backs. The difference in PL·min<sup>-1</sup> was *unclear* during BOP (4.2 ± 2.4 vs. 4.3 ± 3.0 AU·min<sup>-1</sup>, ES = 0.12 ± 0.33) time between the two positions.

Within the forwards group, the difference in attacking and defending was *likely trivial* for relative distance (ES = 0.07 ± 0.19) and PL·min<sup>-1</sup> (ES = 0.02 ± 0.18). Within the backs group, the difference in attack phases were *likely* greater compared to defence phases for relative distance (ES = 0.39 ± 0.22) and PL·min<sup>-1</sup> (ES = 0.41 ± 0.22).

\*\*\* INSERT FIGURE TWO NEAR HERE \*\*\*

The relative distance for each time classification, position and phase of play is presented in Table 2. Differences between positions are analysed for each time classification and phase of play. In attack, the difference in relative distance during 31-45 s phases was *possibly* lower (ES = -0.23 ± 0.37) in forwards (118.3 ± 35.6 m·min<sup>-1</sup>) than backs (124.2 ± 39.2 m·min<sup>-1</sup>). All other attack comparisons were *unclear*. In defence, forwards were *possibly* (ES = 0.24 ± 0.34) to *very likely* (ES = 0.53 ± 0.33) greater than backs at all time classifications. During BOP, forwards were *possibly* (ES = -0.32 ± 0.34) to *very likely* (ES = -0.36 ± 0.11) lower than backs at all time classifications.

\*\*\* INSERT TABLE TWO NEAR HERE \*\*\*

## Discussion

The aim of the study was to quantify and compare the physical characteristics of the three phases of play (i.e., attacking, defending and BOP) between forwards and backs during



academy rugby union match-play. The results highlight that less than half of the match is spent with the BIP (37%), while the mean time for phases in attack ( $26 \pm 17$  s), defence ( $26 \pm 18$  s) and BIP ( $33 \pm 24$  s) are lower than BOP ( $59 \pm 33$  s). This is the first study to show that relative distance during attacking phases was similar between forwards and backs, while forwards had a greater relative distance during defensive phases. In contrast, during BOP phases relative distance was greater in backs than forwards. Based on whole match data, previous studies<sup>2,6,10</sup> have reported backs to cover greater distances during a match, whereas this study shows that forwards cover more distance per minute in defence and were similar to backs in attack. These data provide new information for applied practitioners working in rugby union and can be used to prepare players for the specific phases of play.

Senior international rugby union match-play has a greater BIP ( $36.3 \pm 2.7$  vs.  $27.4 \pm 2.9$  min) and BOP ( $53.5 \pm 5.5$  vs.  $47.4 \pm 4.1$  min) time than the current study, as U18 matches in England last 70 min in comparison to 80 min at the senior level.<sup>10</sup> However little information exists on the attack and defence timings in rugby union. Differences between rugby league and union are evident in the mean length of attacking ( $40 \pm 6$  vs.  $26 \pm 17$  s) and defending ( $40 \pm 6$  vs.  $26 \pm 18$  s) phases, while the BOP ( $48 \pm 4$  vs.  $59 \pm 33$  s) phases were longer in the current study.<sup>24</sup> Differences between rugby codes are likely because of the additional stoppages in rugby union for events such as lineouts and scrums, but could also be attributed to the participants used by Sykes et al.<sup>24</sup>, as differences between standards (e.g., U18 vs. professional) are unknown. Based on the mean BIP, attack and defence cycles, it may be questioned whether academy matches are demanding enough to challenge players with the most potential to progress toward the senior professional pathway. Match-play represents the greatest opportunity for players to develop skills under pressure against opposition and therefore BIP time should be maximised for age-grade players. Caution is advised when extrapolating these data to an entire league as it is taken from one team and previous research has highlighted that top 4 teams in the NRL have longer BIP cycles than the bottom 4 teams in the same league.<sup>25</sup> Future studies should look to incorporate data from multiple teams to negate this issue.

In the current study, the frequency distributions of attacking and defensive phases were weighted towards the shorter classifications (0-15 and 16-30 s), while BOP phases were concentrated towards the longer classifications (31-45 and >60 s). It should be noted that several attack and defence phases could occur in between BOP phases, and therefore on occasions might be longer than the BOP phase. However, the

371 BIP time was still relatively low ( $27.4 \pm 2.9$  min; 37%) in the  
372 context of a whole match, with each BIP cycle lasting an mean  
373 of 33 s, only 7 s longer than the mean attack and defence phase  
374 highlighting the need for this type of analysis. Previous  
375 research has reported that BIP cycles were longer during  
376 international sevens competition compared to provincial  
377 matches and this was related to skill execution (e.g., fewer  
378 handling errors).<sup>17</sup> The impact of skill execution on BIP time is  
379 currently unknown within this cohort but future research should  
380 investigate this, as it would provide further insight into rugby  
381 union match-play and has potential implications for player  
382 development.

383  
384 A previous conception of rugby union is that for backs the  
385 game is dominated physically by running, however the current  
386 study questions this. In attack, the difference in relative  
387 distance was *unclear* between the two positional groups, but  
388 *likely* greater in forwards during defence. It is unknown if the  
389 preparation of this specific team impacted this. It is  
390 acknowledged the use of relative distance is a limitation and  
391 the inclusion of high-speed running would have provided  
392 further insight. However, it is also generally accepted that as  
393 players get older more position specific skills are practiced,  
394 physical characteristics develop<sup>8,26</sup> and therefore the physical  
395 characteristics of age-grade matches might not always reflect  
396 the same pattern as the senior game.<sup>4,5</sup>

397  
398 The mean relative distance ranged from  $109.0 - 114.6 \text{ m} \cdot \text{min}^{-1}$   
399 in attack and defence for the current study, which is  
400 substantially higher than mean match data ( $71.7 - 74.0 \text{ m} \cdot \text{min}^{-1}$ )  
401 from regional academy players.<sup>2</sup> The mean values for attack  
402 and defence are within the range presented by Tierney et al.<sup>27</sup>  
403 during entries into the attacking 22 m area for front row props  
404 ( $97.5 \text{ m} \cdot \text{min}^{-1}$ ) and scrum halves ( $121.0 \text{ m} \cdot \text{min}^{-1}$ ). However,  
405 research from Delaney et al.<sup>28</sup> has shown the peak running  
406 intensities of international rugby union match-play to be as  
407 high as  $175 \pm 22 \text{ m} \cdot \text{min}^{-1}$  for a 1 min rolling mean.  
408 Furthermore, previous research has indicated that there is a  
409 drop in distance covered and skill involvements from less  
410 experienced, younger players following an intense period of  
411 play compared to more experienced, older players.<sup>29</sup> Therefore,  
412 coaches should expose age-grade players to peak running  
413 intensities during training to increase their ability to sustain  
414 physical and technical output following intense periods of play  
415 in preparation for senior rugby. In addition, the difference in  
416  $\text{PL} \cdot \text{min}^{-1}$  was *almost certainly* greater in forwards during  
417 attacking and defending, which is likely representative of the  
418 greater amount of running, carries, tackles and rucks entered  
419 and should be considered when designing training practices.<sup>10</sup>

420

421 A novel finding of this study was that backs covered an *almost*  
422 *certainly* greater relative distance than forwards during BOP  
423 time. It is hypothesised this is because backs reposition around  
424 the pitch while forwards are waiting for the match to restart  
425 (e.g., lineouts, scrums, etc). Future research should investigate  
426 if the current findings are replicated in senior players or if this  
427 is specific to age-grade players, as this would potentially  
428 change the current understanding of the locomotor  
429 characteristics for forwards and backs and inform the physical  
430 preparation of players.

431  
432 It is also important to understand how the phases of play  
433 compare within the same position as this has potential  
434 implications for the way coaches prepare specific positional  
435 groups. For forwards, the difference between attacking and  
436 defending for both relative distance and  $PL \cdot min^{-1}$  was *likely*  
437 *trivial* and therefore preparation for these two phases of play  
438 can be similar in physical characteristics. In contrast, backs had  
439 a *likely* greater difference in relative distance and  $PL \cdot min^{-1}$  in  
440 attack compared to defence, which indicates attacking play is  
441 the most demanding phase of play for backs. This suggests  
442 backs are involved in more of the play in attacking situations  
443 than defensive, which has previously been shown in junior  
444 rugby league<sup>30</sup>. The use of data from specific phases of play  
445 provides context to the preparation of rugby players, in that  
446 training is often focussed on these phases. Despite that, this  
447 type of analysis could underestimate the true worse case  
448 scenario, as this could come from BIP action that involves both  
449 attacking and defending and is acknowledged as a limitation to  
450 the study. The quantification of the peak running intensities  
451 using a rolling mean of the instantaneous velocity would  
452 encapsulate these periods.

## 453 454 **Practical Applications**

455  
456 Players should be exposed to training that uses intensities from  
457 in play phases (i.e., attack and defence) rather than means from  
458 whole match data. Coaches should incorporate this into rugby  
459 training to ensure that executions of technical skills are  
460 practiced during these intensities. Age-grade rugby coaches  
461 should use the timings provided in Table 1 to appropriately  
462 manipulate training and where possible place conditions on  
463 match-play to increase BIP time in preparation for players  
464 progressing to professional rugby.

## 465 466 **Conclusions**

467  
468 This study quantifies and compares the physical characteristics  
469 of attacking, defending, BIP and BOP phases during academy  
470 rugby union match-play. The current study is the first to

471 provide reference values for specific phases of match-play in  
472 academy rugby union, with values for attacking and defending  
473 substantially greater than previously reported whole match  
474 data. While the game of rugby union requires all positions to  
475 undertake many roles and responsibilities, backs roles are  
476 predominately described as locomotor based (i.e., high speed  
477 running, greater total distance). However, novel findings in the  
478 current study show that forwards covered more distance per  
479 minute when in defence while the backs covered more during  
480 BOP time. The greater  $PL \cdot min^{-1}$  in forwards likely represents  
481 the more actions they undertake which have been shown in  
482 notational analysis studies. As noted in previous studies, the  
483 ball is in play for a low percentage of time with the mean  
484 attacking and defending phase as low as 26 s. Therefore,  
485 policy-makers should consider the impact of competition  
486 demands at an age-grade (academy) level upon player  
487 development, and consider opportunities to modify laws or  
488 game formats to allow greater development opportunities.

489    **Acknowledgments**

490    This research was part funded by Yorkshire Carnegie Rugby  
491    Union Football Club as part of the Carnegie Adolescent Rugby  
492    Research (CARR) project. No financial assistance was  
493    provided for the preparation of the manuscript. The authors can  
494    confirm no conflict of interest.


495 **References**

- 496
- 497 1 Deutsch M, Maw G, Jenkins D, et al. Heart rate, blood
- 498 lactate and kinematic data of elite colts (under-19) rugby
- 499 union players during competition. *J Sports Sci* 1998;
- 500 16(6):561–570. Doi: 10.1080/026404198366524.
- 501 2 Read D, Jones B, Phibbs P, et al. The physical
- 502 characteristics of match-play in English schoolboy and
- 503 academy rugby union. *J Sports Sci* 2017.
- 504 3 Cunningham D, Shearer D, Drawer S, et al. Movement
- 505 demands of elite U20 international rugby union players.
- 506 *PLoS One* 2016; 11(4):1–10. Doi:
- 507 10.1371/journal.pone.0153275.
- 508 4 Read D, Jones B, Phibbs P, et al. Physical demands of
- 509 representative match play in adolescent rugby union. *J*
- 510 *Strength Cond Res* 2017; 31(5):1290–1296. Doi:
- 511 10.1519/JSC.0000000000001600.
- 512 5 Read D, Weaving D, Phibbs P, et al. Movement and
- 513 physical demands of school and university rugby union
- 514 match-play in England. *BMJ Open Sport Exerc Med*
- 515 2017; 2:e000147. Doi: 10.1136/bmjsem-2016-000147.
- 516 6 Cahill N, Lamb K, Worsfold P, et al. The movement
- 517 characteristics of English Premiership rugby union
- 518 players. *J Sports Sci* 2013; 31(3):229–237. Doi:
- 519 10.1080/02640414.2012.727456.
- 520 7 Lindsay A, Draper N, Lewis J, et al. Positional demands
- 521 of professional rugby. *Eur J Sport Sci* 2015; 15(6):480–
- 522 487. Doi: 10.1080/17461391.2015.1025858.
- 523 8 Darrall-Jones J, Jones B, Till K. Anthropometric, sprint,
- 524 and high-intensity running profiles of English academy
- 525 rugby union players by position. *J Strength Cond Res*
- 526 2016; 30(5):1348–1358. Doi:
- 527 10.1519/JSC.0000000000001234.
- 528 9 Smart D, Hopkins W, Gill N. Differences and changes in
- 529 the physical characteristics of professional and amateur
- 530 rugby union players. *J Strength Cond Res* 2013;
- 531 27(11):3033–3044. Doi:
- 532 10.1519/JSC.0b013e31828c26d3.
- 533 10 Quarrie K, Hopkins W, Anthony M, et al. Positional
- 534 demands of international rugby union: Evaluation of
- 535 player actions and movements. *J Sci Med Sport* 2013;
- 536 16(4):353–359. Doi: 10.1016/j.jsams.2012.08.005.
- 537 11 Gabbett T. Activity and recovery profiles of state-of-
- 538 origin and national rugby league match-play. *J Strength*
- 539 *Cond Res* 2015; 29(3):708–715. Doi:
- 540 10.1519/JSC.0000000000000449.
- 541 12 McLean D. Analysis of the physical demands of
- 542 international rugby union. *J Sports Sci* 1992; 10(3):285–
- 543 296.
- 544 13 Eaves S, Hughes M. Patterns of play of international


- 545 rugby union teams before and after the introduction of  
546 professional status. *Int J Perform Anal Sport* 2003;  
547 3(2):103–111.
- 548 14 Gabbett T, Pollley C, Dwyer D, et al. Influence of field  
549 position and phase of play on the physical demands of  
550 match play in professional rugby league forwards. *J Sci*  
551 *Med Sport* 2014; 17(5):556–561.
- 552 15 Rugby E. *Report of the player development pathway task*  
553 *group*. 2010.
- 554 16 Wilkinson M, Akenhead R. Violation of statistical  
555 assumptions in a recent publication? *Int J Sports Med*  
556 2013; 34(3):281. Doi: 10.1055/s-0032-1331775.
- 557 17 Ross A, Gill N, Cronin J. A comparison of the match  
558 demands of international and provincial rugby sevens.  
559 *Int J Sports Physiol Perform* 2015; 10(6):786–790. Doi:  
560 10.1123/ijsp.2014-0213.
- 561 18 Varley M, Fairweather I, Aughey R. Validity and  
562 reliability of GPS for measuring instantaneous velocity  
563 during acceleration, deceleration, and constant motion. *J*  
564 *Sports Sci* 2012; 30(2):121–127. Doi:  
565 10.1080/02640414.2011.627941.
- 566 19 Boyd L, Ball K, Aughey R. The reliability of MinimaxX  
567 accelerometers for measuring physical activity in  
568 Australian football. *Int J Sports Physiol Perform* 2011;  
569 6(3):311–321.
- 570 20 Lindsay A, Lewis J, Gill N, et al. No relationship exists  
571 between urinary NT-proBNP and GPS technology in  
572 professional rugby union. *J Sci Med Sport* 2017. Doi:  
573 <http://dx.doi.org/10.1016/j.jsams.2016.11.017>.
- 574 21 Roe G, Halkier M, Beggs C, et al. The use of  
575 accelerometers to quantify collisions and running  
576 demands of rugby union match-play. *Int J Perform Anal*  
577 *Sport* 2016; 16(2):590–601.
- 578 22 Hopkins W. A spreadsheet to combine and compare  
579 effects. *SportScience* 2007; 10:51–53.
- 580 23 Hopkins W, Marshall S, Batterham A, et al. Progressive  
581 statistics for studies in sports medicine and exercise  
582 science. *Med Sci Sports Exerc* 2009; 41(1):3–13. Doi:  
583 10.1249/MSS.0b013e31818cb278.
- 584 24 Sykes D, Twist C, Hall S, et al. Semi-automated time-  
585 motion analysis of senior elite rugby league. *Int J*  
586 *Perform Anal Sport* 2009; 9(1):47–59.
- 587 25 Gabbett T. Activity and recovery cycles of national  
588 rugby league matches involving higher and lower ranked  
589 teams. *J Strength Cond Res* 2013; 27(6):1623–1628.  
590 Doi: 10.1519/JSC.0b013e318274f2af.
- 591 26 Argus C, Gill N, Keogh J. Characterisation of the  
592 differences in strength and power between different  
593 levels of competition in rugby union athletes. *J Strength*  
594 *Cond Res* 2012; 26(10):2698–2704. Doi:

595 10.1519/JSC.0b013e318241382a.  
596 27 Tierney P, Tobin D, Blake C, et al. Attacking 22 entries  
597 in rugby union: running demands and differences  
598 between successful and unsuccessful entries. *Scand J*  
599 *Med Sci Sports* 2016. Doi: 10.1111/sms.12816.  
600 28 Delaney J, Thornton H, Pryor J, et al. Peak running  
601 intensity of international rugby: Implications for training  
602 prescription. *Int J Sports Physiol Perform* 2017. Doi:  
603 10.1123/ijsp.2016-0469.  
604 29 Black G, Gabbett T, Naughton G, et al. The effect of  
605 intense exercise periods on physical and technical  
606 performance during elite Australian football match-play:  
607 A comparison of experienced and less experienced  
608 players. *J Sci Med Sport* 2016; 19(7):596–602. Doi:  
609 10.1016/j.jsams.2015.07.007.  
610 30 Bennett K, Fransen J, Scott B, et al. Positional group  
611 significantly influences the offensive and defensive skill  
612 involvements of junior representative rugby league  
613 players during match play. *J Sports Sci* 2016;  
614 34(16):1542–1546. Doi:  
615 10.1080/02640414.2015.1122206.  
616





**Figure 1.** The distribution times of attack (A), defence (B), ball in play (C) and ball out of play (D) phases during academy rugby union match-play



**Figure 2.** Relative distance (A) and PL·min<sup>-1</sup> (B) of attacking, defending and ball out of play phases during academy rugby union match-play for forwards and backs. \* = *Trivial* effect size (<0.20), \*\* = *Small* effect size (0.20-0.59), \*\*\* = *Moderate* effect size (0.60-1.20)

**Table 1.** Attacking, defending, BIP and BOP phases during academy rugby union match-play

	Attacking	Defending	Ball in play	Ball out of play
Time (min, %)	12.7 ± 3.1 (17%)	14.7 ± 2.5 (20%)	27.4 ± 2.9 (37%)	47.4 ± 4.1 (63%)
Phases ( <i>n</i> )	27 ± 9	31 ± 10	49 ± 4	48 ± 3
Mean Phase Time (s)	26 ± 17	26 ± 18	33 ± 24	59 ± 33
Mean Maximum Phase Time (s)	73 ± 14	79 ± 18	103 ± 35	142 ± 60
Maximum Phase Time (s)	96	113	149	259
Minimum Phase Time (s)	7	7	7	9

Data are presented as mean ± standard deviation. BIP = Ball in play. BOP = Ball out of play.

**Table 2.** Relative distance for forwards and backs in 0-15, 16-30, 31-45, 46-60 and >60 s classification times during academy rugby union match-play

Time Classification	Position	Attack		Defence		Ball out of play	
		(m·min <sup>-1</sup> )	MBI; ES ±CI	(m·min <sup>-1</sup> )	MBI; ES ±CI	(m·min <sup>-1</sup> )	MBI; ES ±CI
0-15 s	Forwards	103.3 ± 62.2	<i>Unclear</i>	109.4 ± 67.1	<i>Possibly</i> ↑	72.0 ± 29.3	<i>Possibly</i> ↓
	Backs	102.0 ± 64.2	0.08 ±0.41	106.5 ± 68.6	0.24 ±0.34	86.4 ± 37.2	-0.32 ±0.34
16-30 s	Forwards	115.9 ± 44.8	<i>Unclear</i>	118.4 ± 52.5	<i>Very Likely</i> ↑	65.0 ± 36.6	<i>Likely</i> ↓
	Backs	118.3 ± 50.4	-0.02 ±0.25	110.5 ± 54.5	0.53 ±0.33	73.0 ± 39.3	-0.25 ±0.13
31-45 s	Forwards	118.3 ± 35.6	<i>Possibly</i> ↓	117.4 ± 35.5	<i>Likely</i> ↑	48.2 ± 27.8	<i>Very Likely</i> ↓
	Backs	124.2 ± 39.2	-0.23 ±0.37	113.2 ± 41.1	0.37 ±0.40	56.6 ± 28.7	-0.36 ±0.11
46-60 s	Forwards	116.9 ± 28.6	<i>Unclear</i>	112.6 ± 30.9	<i>Likely</i> ↑	47.4 ± 24.3	<i>Likely</i> ↓
	Backs	121.9 ± 33.4	-0.19 ±0.52	106.7 ± 34.3	0.40 ±0.49	55.0 ± 26.5	-0.32 ±0.13
>60 s	Forwards	112.7 ± 23.3	<i>Unclear</i>	108.4 ± 20.9	<i>Possibly</i> ↑	40.7 ± 20.6	<i>Likely</i> ↓
	Backs	118.7 ± 29.8	-0.21 ±0.56	102.0 ± 28.2	0.44 ±0.59	45.0 ± 21.1	-0.20 ±0.10

Data are presented as mean ± standard deviation. MBI = Magnitude-based inferences. ES = Effect size. CI = Confidence interval (90%).

↑ = Forwards are greater than backs. ↓ = Forwards are lower than backs.