

Please cite the Published Version

Leal Filho, W, Taddese, H, Balehegn, M, Nzengya, D, Debela, N, Abayineh, A, Mworozzi, E, Osei, S, Ayal, DY, Nagy, GJ, Yannick, N, Kimu, S, Balogun, AL, Alemu, EA, Li, C, Sidsaph, H and Wolf, F (2020) Introducing experiences from African pastoralist communities to cope with climate change risks, hazards and extremes: Fostering poverty reduction. *International Journal of Disaster Risk Reduction*, 50. ISSN 2212-4209

DOI: <https://doi.org/10.1016/j.ijdr.2020.101738>

Publisher: Elsevier

Version: Accepted Version

Downloaded from: <https://e-space.mmu.ac.uk/626413/>

Usage rights: © In Copyright

Additional Information: This is an Author Accepted Manuscript of a paper accepted for publication in *International Journal of Disaster Risk Reduction*, published by and copyright Elsevier.

Enquiries:

If you have questions about this document, contact openresearch@mmu.ac.uk. Please include the URL of the record in e-space. If you believe that your, or a third party's rights have been compromised through this document please see our Take Down policy (available from <https://www.mmu.ac.uk/library/using-the-library/policies-and-guidelines>)

Introducing Experiences from African Pastoralist Communities to Cope with Climate Change Risks, Hazards and Extremes: Fostering Poverty Reduction

International Journal of Disaster Risk Reduction 50 01 Nov 2020

DOI:

<https://www.sciencedirect.com/science/article/abs/pii/S221242091931773X?via%3Dihub>

Walter Leal Filho¹, Habitamu Taddese², Mulubrhan Balehegn³, Daniel Nzengya⁴, Nega Debela⁵, Amare Abayineh⁶, Edison Mworozi⁷, Sampson Osei⁸, Desalegn Y. Ayal⁹, Gustavo J. Nagy¹⁰, Nsani Yannick¹¹, Saizi Kimu¹², Abdul-Lateef Balogun¹³, Esubalew Abate Alemu¹⁴, Chunlan Li^{15*}, Henry Sidsaph¹⁶, Franziska Wolf^f

¹ Prof. Walter Leal Filho and Franziska Wolf. European School of Sustainability Science and Research, Hamburg University of Applied Sciences, Faculty of Life Sciences, Ulmenliet 20D-21033 Hamburg, Germany & Manchester Metropolitan University, Department of Natural Sciences, Chester Street, Manchester M1 5GD, UK. E-mail: walter.leal2@haw-hamburg.de, Franziska.Wolf@haw-hamburg.de

² Habitamu Taddese. Hawassa University, Wondo Genet College of Forestry and Natural Resources P. O. Box: 128, Shashemene, Ethiopia. E-mail: habtu1976@gmail.com

³ Mulubrhan Balehegn. Mekelle University Department of Animal, Rangeland and Wildlife Sciences, Post box 231, Mekelle, Tigray, Ethiopia. E-mail: mulubrhan.balehegn@mu.edu.et

⁴ Daniel Nzengya. St Paul's University, P. O. Private Bag, Limuru, 00217, Kenya. E-mail: dnzengya@yahoo.com

⁵ Dr Nega Debela. Wolkite University, Wolkite, Ethiopia. E-mail: Nega.debela@gmail.com

⁶ Dr Amare Abayineh. Jimma University College of Agriculture and Veterinary medicine, Department of Rural Development and Agricultural Extension Jimma, Ethiopia. E-mail: abaytana82@gmail.com

⁷ Edison Mworozi. Mulago National Referral Hospital, Department of Pediatrics and Child Health, Makerere University College of Health Sciences, P.O. BOX 7072, Kampala, Uganda. E-mail: emworozi@gmail.com

⁸ Sampson Osei. Institute for Social Development, University of the Western Cape, Private Bag X17, Bellville 7535. Cape Town, South Africa. E-mail: sampsonosei96@gmail.com

⁹ Prof. Desalegn, Y. Ayal. Addis Ababa University, College of development studies, Centre for Food Security Studies, Addis Ababa, Ethiopia. E-mail: desalula@gmail.com

¹⁰ Prof. Gustavo J. Nagy. Instituto de Ciencias Ambientales y Ecología, Facultad de Ciencias, Universidad de la República, Iguá 1425, CP 11400, Montevideo, Uruguay. E-mail: gnagy@fcien.edu.uy

¹¹ Nsani Yannick. Faculty/School of Environmental Science and Technology (SEST) Ardhi University, Tanzania. E-mail: nsaniyannick@gmail.com

¹² Saizi Kimu. Department of Language and Communication Studies, Bingu School of Culture and Heritage, Malawi University of Science and Technology, P. O. Box 5196, Limbe, Malawi. E-mail: saikimu@must.ac.mw

¹³ Dr. Abdul-Lateef Balogun. Geospatial Analysis and Modelling Research (GAMR) Group, Department of Civil & Environmental Engineering, Universiti Teknologi PETRONAS (UTP), 32610 Seri Iskandar, Perak, Malaysia. E-mail: geospatial63@gmail.com

¹⁴ Dr Esubalew Abate Alemu. Center for Rural Development Studies, College of Development Studies, Addis Ababa University, P.O.Box:1176, Addis Ababa, Ethiopia. E-mail: esubalewabate@gmail.com

¹⁵ Dr Chunlan Li. Institute for Global Innovation and Development, East China Normal University, Shanghai 200062, China & School of Urban and Regional Sciences, East China Normal University, Shanghai 200241, China. E-mail: 15598022233@163.com

¹⁶ Dr Henry Sidsaph. University of Chester, Business Research Institute, University of Chester, Riverside Campus, Castle Drive, Chester, United Kingdom, CH1 1SL. E-mail: h.sidsaph@chester.ac.uk

*Corresponding author: Dr Chunlan Li, Institute for Global Innovation and Development, East China Normal University, Shanghai 200062, China & School of Urban and Regional Sciences, East China Normal University, Shanghai 200241, China, Tel.:+86-18917169342; Email: 15598022233@163.com


Abstract

Pastoralist communities all over Africa have been facing a variety of social and economic problems, as well as climate risks and hazards for many years. They have also been suffering from climate change and extremes events, along with a variety of weather and climate threats, which pose many challenges to

herders. On the one hand, pastoralist communities have little influence on policy decisions; however, on the other hand, they suffer to a significant extent from such policies, which limit their options for sustainable development and poverty alleviation. Also, the socio-cultural legacy of herders, and their role in food security and provision of ecosystem services, as well as their efforts towards climate change adaptation, are little documented, particularly in Eastern and Southern African countries. There is a perceived need for international studies on the risks and impacts of climate change and extreme events on the sustainability of pastoralist communities in Africa, especially in eastern and southern Africa. Based on the need to address this research gap, this paper describes the climate change risks and challenges that climate threats pose to the sustainability and livelihoods of pastoralist communities in eastern and southern Africa. Also, it discusses the extent to which such problems affect their well-being and income. Additionally, the paper reports on the socioeconomic vulnerability indices at country-level. Also, it identifies specific problems pastoralists face, and a variety of climate adaptation strategies to extreme events through field survey among pastoralist communities in a sample of five countries, namely Ethiopia, Kenya, Malawi, Uganda, and Zimbabwe. The study has shown that the long-term sustainability of the livelihoods of pastoral communities is currently endangered by climate change and the risks and hazards it brings about, which may worsen poverty among this social group. Also, the study suggests that a more systematic and structured approach is needed when assessing the climate vulnerability of individual pastoral communities, since this may help in designing suitable disaster risk reduction strategies. Moreover, the paper shows that it is also necessary to understand better the socio-ecological systems (SES) of the various communities, and how their livelihoods are influenced by the changing conditions imposed by a changing climate.

Keywords: Environmental change; Pastoralist communities; Risks; Hazards- Sustainable livelihoods; Vulnerability; Adaptation

Graphical/Visual Abstract and Caption



1. Introduction

The Intergovernmental Panel on Climate Change (IPCC, 2007) has made it clear that Africa is one of the most vulnerable continents to climate change (Mojisola, 2016; Masipa, 2017). In general, average summer temperature is expected to increase by 1.5°C by 2050 in Africa under an optimistic (2°C) global warming scenario. The area exposed to heat extremes is expected to expand to 45 per cent of the region by 2050. Under a more pessimistic (4°C) global scenario, these trends would be exacerbated. Decreasing precipitation and rising temperatures would likely worsen agricultural growing conditions in large parts of Africa, especially in coastal West Africa and in Southern Africa (Henderson et al. 2017). It is reported that two-thirds of Africa's arable land is expected to be lost by 2025 because of the lack of rainfall and drought (Liliana, 2005). This state of affairs suggests that many economic activities are likely to be negatively influenced by climate changes which are connected to Sustainable Development Goals (SDGs) (United Nations, 2015), including pastoralism, the subject matter of this paper.

There are various definitions of pastoralism, whose nature varies widely according to the viewpoint or emphasis provided by researchers. Primarily, two standard definitions, which derive from either a production or livelihood perspective, are broadly used for the term pastoralism. From the production viewpoint, pastoralism is animal husbandry, the branch of agriculture concerned with the care, tending, and use of grazing livestock in rangeland areas. From the perspective of livelihood (or the means of securing the necessities of life), pastoralism is a subsistence living pattern of tending herds of large animals (Blench et al. 2019) or a successful livelihood strategy on less productive lands through livestock herding (IFAD, 2011; Dong et al. 2016), which is the complex relationships between grazing pressure and carrying capacity (Vial, 2010). The sustainability of pastoralism is under pressure due to population growth, frequent droughts, deterioration of rangeland, scarcity of water, prevalence of livestock disease, and low livestock market value (Dong et al. 2016; Tessema et al. 2014; Schrepfer et al. 2014). However, pastoralism is seen as a resilient production system (Tessema et al. 2014) and a viable livelihood strategy for millions (Herrero et al. 2016).

The word 'pastoralism' in this article should not be understood to refer to societies that exclusively depend on animal rearing. Because of government pressure and self-initiatives, pastoralists have started practising food crop production. However, food crop production is in its infancy, and its contribution to household income is minimal. Besides, sedentary farming has not reached a stage of impeding mobile

livestock production. For this reason, it is challenging to label societies in the studied countries as 'agropastoralists'.

Approximately 25% of the global land area has been occupied by extensive pastoral production (Schrepfer et al. 2014). Although there is a significant variation between countries, approximately 40% of Africa's landmass is inhabited by pastoral communities that largely depend on livestock production for their livelihood (AU, 2013). Pastoral production systems constitute around 10% of the world's meat production and support some 200 million households, who heavily rely on rearing camels, cattle and small ruminants, about a third of which are found in Sub-Saharan Africa (Schrepfer et al. 2014; Assefa et al. 2010).

About 25% of the total population of Africa is constituted of pastoralists and agro-pastoralists. Some 50 million pastoralists and up to 200 million agro-pastoralists live in the arid and semi-arid lands of Africa, especially in Somalia, Mauritania, Ethiopia, Sudan, and Kenya (IIRR and CTA, 2013). Pastoralists are uniquely known to occupy large areas of communally shared land and have kinship ties for mutual herding and defence. Pastoralist communities generally live in isolated, remote and underdeveloped areas. These areas are most often prone to conflict, drought and vulnerability with a great deal of food insecurity. Consequently, livestock production remains the most viable opportunity to harness scarce biomass resources, as pastoral areas are less suitable for crop husbandry (Schrepfer et al. 2013, AU, 2004).

Table 1 offers an overview of the population size and distribution of the most significant pastoralist communities in Africa.

Table 1 Overview of some of the most significant African pastoralist communities.

Community / ethnic group	Country/ Countries	Approximate Population	Literature
Bedouin	Egypt	380,000	(Morrow et al. 2007)
	Algeria	230,000	(Algeria-Watch, 2019)
Tuareg (a nomadic Berber people)	Niger	2,185,285	(World Factbook, 2019a)
	Mali	165,869	(World Factbook, 2019b).
	Burkina Faso	375,111	(World Factbook, 2019c; Menas, 2019)
	Algeria	>50,000	(World Factbook, 2019c; Menas, 2019)
Boran	Ethiopia	500,000	(IRIN, 2019)
Maasai	Kenya	841,622	(KNBS, 2019, Leal-Filho et al. 2017)

	Tanzania	682,000	(Eberhard et al. 2019)
Samburu (sub-tribe of Maasai)	Kenya	223,947	(KNBS, 2019)
Somali	Ethiopia	892,381	(CSA, 2019)
	Kenya	141,111	(KNBS, 2019)
	Somalia	3,075,000	(UNFPA, 2019)
Turkana	Kenya	855,399	(KNBS, 2019)

It should be noted that enumerating mobile pastoralists represents a significant challenge due to the general lack of statistics (Jenet et al. 2016). A study of census and health survey data across Africa revealed different patterns of statistical invisibility among most mobile African pastoralists. Despite progress in statistical documentation, it is concluded that "it is impossible to document the number of them with any accuracy over the last half-century" (Randall et al. 2016). The novelty of this article, therefore, arises precisely from its contribution to penetrate that intellectual darkness. The research is meant to provide a better undertaking of the nexus between climate change and extremes, and their impacts on pastoralists in the eastern and southern African region.

Livestock production in pastoral systems makes a significant contribution to national and regional economies (Holechek et al. 2017). Livestock or livestock-related activities contribute at least 50 % of the total value of production (AU, 2013). In 2010 alone, Sudan and Somaliland traded around 1,800,000 pastoral heads of livestock (Wellard-Dyer, 2012). Despite the significant contribution of pastoralism to local, national and regional economies, it attracts little investment from the government and private sectors. Curiously, other sectors - which contribute less than the livestock sector to the regional GDP - enjoy better policy attention and investment (Tessema et al. 2014; Fre et al. 2013, Ali et al. 2013).

In pastoral areas, many climate risks and hazards (e.g. droughts) lead to losses of livestock. This, in turn, results in significant damages to household, social, and economic structures, worsening already poor living conditions and leading to higher levels of poverty. For instance, many diseases associated with climate change and variability affect pastoralists and jeopardize their environment and life-support systems (AU, 2013; Assefa et al. 2010; Dirie et al. 2003). Pastoral communities, whose livelihood largely depends on livestock production, often suffer from consequences of climate change, especially extreme weather events (Leal Filho, 2015).

For instance, in rural areas, drought-related impacts include decreased pasture and water availability, reduced livestock productivity and increased vulnerability to disease. At the same time, extreme climate-related events accelerate the problems of food insecurity, malnutrition, and competition for limited resources such as water and pastures (Assefa et al. 2010; IIRR and CTA, 2013). Additionally, as a result of severe droughts, pastoralists are forced to displace their livestock to faraway places, potentially exposing them to various health risks (IIRR and CTA, 2013).

Both in the Horn of Africa and Sub-Saharan Africa, pastoralists survive in fragile ecosystems that are adversely affected by drought and are frequently threatened by desertification.

The complex relationship between grazing pressure and carrying capacity- a tool often used in rangeland management to describe the maximum number of livestock an area can support without endangering the whole system- , is also a factor which needs to be taken into account. Often, grazing intensity in some areas is higher than their carrying capacity. A recent study undertaken in Ethiopia, for instance, identified that overstocking or grazing pressure exceeded 5.1 TLU/ha (7.2 cattle/ha) (Meshesha and Yosuf 2019).

Pastoralists and agro-pastoralists struggle to adapt to various climatic change-related challenges. Based on the understanding of these fragile ecosystems with scarce and variable resources, pastoralists who settle in the arid and semi-arid lands have adopted a free and flexible pattern of resource use which is proven to be sustainable (AU, 2013; Fratkin, 2003; Fre et al. 2013).

Climate change is damaging the foundations of pastoralism by significantly reducing the population size of cattle, goats, sheep, equines and camels. Such factors explain the worrisome conditions of pastoralists and agro-pastoralists in countries such as Ethiopia, Malawi, Uganda and Zimbabwe, which are the subject of this paper. Mobility is a critical pastoral risk management strategy, especially when pastoralists face an acute shortage of water and pasture. Mobile pastoral communities, compared to those with sedentary livelihoods, are less vulnerable to loss of livestock (Little et al. 2001).

Some primary factors are likely to compel pastoralists to embrace alternative community-based adaptation (CBA) strategies that enhance their resilience to climate change (Paul et al. 2016; Wolf et al. 2010; Saptutyningasih et al. 2019). These include i) creating stronger urban-rural socio-economic linkages; ii) income source diversification; iii) involvement in local government processes; iv) ensuring adequate

social services; v) owning land in the semi-sedentary system; vi) improved communication facilities; vii) change in gender roles (Fre et al. 2013).

For this paper, coping refers to managing the climate impacts on a day-to-day basis, whereas adaptation refers to long-term strategies leading to better readiness to reduce the impacts of climate change. Based on the above considerations, this article tries to answer the following fundamental questions: What are the manifestations of climate change of particular relevance to pastoralist communities? How do pastoralists perceive the impact of climate change and variability on their livelihoods? Are pastoralists uniquely vulnerable to climate change and extreme weather events? What are the mechanisms of climate adaptation that are frequently used among pastoralists in southern and eastern Africa? "The purpose of the paper is to offer an overview of the measures and strategies being adopted and implemented by pastoralist communities, to cope with climate change hazards. It is also meant to describe the pressures pastoralists are subjected to, based on experiences at the local level". The responses to these questions and strategies followed by the pastoralists are based on their perceptions expressed through discussion meetings and questionnaires.

The above research questions were inspired by the United Nations 2030 plan to achieve the Sustainable Development Goals (SDGs) (United Nations, 2015). By considering the SDGs, this article examined broad patterns on the nature and impact of climate change, variability and extreme events (from now on referred to as climate stressors) among pastoralists at the country and communal levels. Adaptation strategies may affect adaptive capacity as a whole. By so doing, the study sought to identify not only the risks and hazards but also the adaptive capacity of pastoralists in different countries as determined by local resources and national factors like human development indices and per capita income differences. From a global point of view, the study demonstrates the greater vulnerability of Africa to climate change. From a regional point of view, the study reveals the determinants of climate adaptation among pastoralists in Ethiopia, Kenya, Malawi, Uganda and Zimbabwe.

2. Impacts of climate change to African pastoralist communities

This section introduces some of the impacts of climate stressors at the broad, regional and local pastoralist community levels, respectively. It should be stated that the broad-scale is seen as the African one, the regional scale refers to the eastern and southern African region, and the community level scale refers to the local one. Due to their importance, they are described in turn.

2.1. The broad-scale

Scientific evidence on weather patterns indicates a changing climate, mainly regarding an increase in temperature and extreme events (IPCC, 2012; Hulme et al. 2014). With ranges from 0.2°C to more than 0.5°C per decade, the projected growth of mean global warming will be rather high in Africa (IPCC, 2007; Epule et al. 2017). Such warming will have unknown consequences given the level of uncertainty and the lack of enough assessments, as well as the multiple stresses and low adaptive capacity of African smallholders (Magal et al. 2017). This vulnerability is also related to poor technological, social and economic conditions which aggravate the continent's vulnerability to weather and climate extremes (Leal-Filho, 2018a, 2018b). On average, Africa experienced a 0.5°C rise in temperature in the previous century (Niang et al. 2014). High-resolution climate projections reveal that Africa will continue experiencing increased mean annual temperatures and marked seasonal variation in rainfall amounts and distribution patterns (Cuni-Sanchez et al. 2018).

2.2. The regional scale

The climate in the studied sites of eastern and southern Africa is characterized as humid equatorial to seasonally arid tropical, showing high variability and sensitivity to small changes in the global climate scale. Regional climate variability is expected to worsen the shortage level of water and pasture and increase food insecurity and conflicts, as well as the spread of certain diseases and related economic problems (Eriksen et al. 2018). An increase in temperatures and a decrease in rainfall is predicted in many rural areas in the studied sites. Likewise, it is expected that rainfall will be unpredictable, and there will be recurrent droughts (IPCC, 2007, 2012, 2014). For instance, in the drylands of southern Kenya, water is a seasonally scarce resource for many rural people due to increased demand for water caused by population growth and lack of access to dry season water areas. Also, the increase in temperature in the dry season exacerbates water scarcity, which lowers the moisture level needed for good pasture (Weesie, 2018; Adano

et al. 2012). Furthermore, conflict can result from scarce resources and increasing population pressures (Ced and Cotula, 2018).

Extreme rainfall, maximum temperature events, and extensive droughts are among the hazards substantially increasing in Ethiopia (Suryabhadgavan, 2017). In Malawi, while climate projections vary among models depending on assumptions, the majority of climate models suggest temperature increases by 1.1 to 3.0 degrees Celsius by 2060. Also, an increase in the frequency of days considered to be ‘hot’ in the current climate is likely, whereas estimated rainfall events are likely to decrease, leading to more frequent droughts (McSweeney et al. 2008). In Uganda, the warming trend is expected to continue, with some projections suggesting an increase of up to 1.5°C as early as by 2030. Similarly, temperatures could rise between 0.9°C and 3.3°C by the 2060s (Ministry of Water and Environment, 2014). In Zimbabwe, daily minimum temperatures have risen by approximately 2.6°C over the last century while daily maximum temperatures have risen by 2°C during the same period; while the number of cold days has decreased, the number of hot days increased (Brown et al. 2012). Whereas it is not the purpose of this paper to discuss climate extremes, the above details outlining a warming trend seen in Africa.

Climate-related stressors and the poor socio-environmental conditions of pastoralists could generate negative consequences in two layers or on two levels (IFAD, 2011; Niang et al. 2014; Eriksen et al. 2018; Christian Aid, 2018):

- To natural systems: Deforestation; rangeland degradation and fragmentation; poor water access; invasive tree and weed species.
- To human-systems: aid dependency; migration; sedentarization; immigration of non-pastoralists into grazing areas; conflict and political crises; weak social safety nets; lack of opportunities for livelihood diversification; changes in land tenure and insecure access to land, markets, and other resources; increased vulnerability.

Like the Ethiopian highlands, in regions of high or complex topography, the downscaled projections indicate increases in rainfall and extreme rainfall by the end of the 21st century (Niang et al. 2014). Climate predictions such as those presented in the African Chapter of the 5th Assessment Report of IPCC (IPCC 2014) suggest that there will be temperature increases and rainfall variability in the studied areas. By the middle of the 21st-century, it is estimated that the temperature will increase by 2°C. Despite the

global phenomenon, in the studied sites - similar to what happens elsewhere in Africa - the regions will mainly suffer by drought and other climate-induced shocks and stresses (Muluken et al. 2017).

2.3. The local community-level scale

Table 2 summarizes some of the sustainability challenges posed by climate-related stressors to pastoralist communities in the eastern and southern Africa region. The climate-related challenges shown in Table 2 might be related to the following SDGs: 1. No poverty. 2. Zero Hunger. 3. Good Health and Well-being. 6. Clean Water and Sanitation. 10. Reducing Inequality. 11. Sustainable Cities and Communities. 13. Climate Action. 15. Life on Land. 16. Peace, Justice, and Strong Institutions.

Table 2 Examples of synergic sustainability challenges posed by climate change, extremes, and non-climate stressors to pastoralist communities in Sub-Saharan Africa

Climate-related challenge	Region	Impacts / Adverse effects	SDGs	References
Reduced rainfall and water stress. Drought is becoming more frequent and more extended in the dry areas. Flooding.	Botswana, Zimbabwe, and Ethiopian lowland areas are more climate-vulnerable than the wet areas of Tanzania or Zambia. Southern Africa.	Domestic water shortage affects crop production and livestock. In lowland areas: livestock-based pastoralists.	1 2 3 4 6 15	(IFAD, 2011).
	East and southern Africa.	Water scarcity. Food insecurity and reduced cereal production and the yields of high-value perennial crops.	1 2 3 6 11 16	(Eriksen et al. 2018).
High temperatures and changes in rainfall. Changes in temperature and rainfall.	East and southern Africa.	Risk of disease due to the expansion of areas for malaria transmission. Human health.		(Eriksen et al. 2018).
Erosion and floods in low-lying areas.	East and southern Africa (e.g. Tanzania).	Erosion Costs of about 5% to 10% of gross domestic product (GDP).	3 6 11 13	(Leal-Filho, 2018a; Eriksen et al. 2018).
The rise in temperature and change in precipitation pattern: By the end of this century,	Across Africa, particularly Sub-Saharan Africa, and east and	Reduced crop production: - 2% for sorghum to - 35% for wheat crop productivity; yield reductions of - 10% in	1 2 3 10	(IFAD, 2011, Niang et al. 2014, Nelson et

the mean annual temperature is expected to rise by more than 2°C.	southern Africa.	the production of maize, sorghum, millet, sugar cane, and wheat. □	11 13 15	al. 2019).
Soil erosion	Major droughts occurred in the 1970s and 1980s in the Sahel.	Pastoralist livestock production. Livestock mobility and controlled breeding of animals.	1 2 10 11 13 15 16	(Sangeda et al. 2014). (Sangeda et al. 2014, Iticha et al. 2018)
Water availability, heat stress.	Tanzania Mvomero district, Tanzania.	Quality and quantity of feed. Rural Livelihoods. Massive death of livestock in 2016. Satellite images indicated that pasture resources reduced from 82% in 1985 to 5% in 2015.		(Christian Aid, 2018; Magita, 2019). Boko et al. 2019).
Future climate change.	Sub-Saharan Africa The highland regions of eastern Africa.	Increase in pests, weeds, and diseases. Crops and livestock. Striga weed causing cereal yield reduction. Diseases in the coffee berry borer; burrowing nematode, black leaf streak disease (that also threatens bananas).	1 2 10 11 15	(Niang et al. 2014). (Niang et al. 2014; Jaramillo et al. 2011; Cotter et al. 2012).
Climate change and extreme events.	Turkana, Kenya.	Possible worsening of conflicts in livelihood systems. Increased poverty and competition over scarce resources in rural areas are transforming the cultural practice of livestock raiding into a commercial activity with criminal motives. The use of automatic weapons has caused insecurity and hindered pastoralists' mobility.	1 2 10 16	(Magita et al. 2019; Boko et al. 2019).

Source: Compiled by the authors □

As can be seen in the table above, climate stressors disrupt rural livelihoods by triggering conditions which may negatively influence agricultural production. Besides crop yield reduction and death of livestock, climate change may compound health problems and hamper overall wellbeing. That being the case, the prospects of achieving the SDGs, such as no poverty, no hunger, good health and wellbeing,

clean water and sanitation are not high, and hence must raise concerns among both policymakers and the rest of the population.

3. Methodology used

In understanding trends related to disasters risk reduction, this study seeks to tackle the current constraint posed by the paucity of studies specific to problems faced by pastoralists' communities in the eastern and southern African region, which focus on climate change, variability and extremes and how they influence their livelihoods. The limited availability of data in most countries poses a challenge to efforts aimed at fostering an understanding of trends at a regional level. Since this study focused on the climate-related impacts, as well as the adaptation strategies of pastoralists in five East and South African countries (see Figure 1), it is believed it provides a welcome addition to the literature and expands the knowledge on regional trends.

The study consisted of the use of two main methods, namely a) the collection of field data, complemented by b) an analysis of available literature in the sampled countries. Due to the lack of data on credit, extension services and off-farm income activities, and since some of these facilities or services are not widely available, they were not included in the study. The authors in each country actively engaged in the data collection.

The study is divided into general country-level economic and human development (World Bank, 2018; UNDP, 2018), climate vulnerability and adaptation (ND-Gain, 2018) (section 4.1, table 3), and an aggregated community-level in situ research of the pastoralists' perceptions of climate stressors, impacts, and adaptation options in the five studied countries (section 4.2). The national-level indicators were used since they are required by international organizations, while a local-level index is required when analyzing trends related to local-level governments (Sachs et al. 2019). As there is a lack of appropriate sub-national level indicators for pastoralist communities, we used national-level indices as proxies for the three elements of vulnerability (exposure, sensitivity, adaptive capacity) which are assessed for use by policymakers (Leal-Filho, 2018b). These indices are useful to develop top-down and bottom-up (mainstreaming) adaptation actions and policies (Leal Filho et al. 2019).

Therefore the secondary data are used as a reference for the country-level development status affecting the potential top-down capacities, not to depict the local realities. Better

national-level indices of development are assumed as being associated with a better top-down flow of information and assistance. Despite that the local reality is often not represented by national-level circumstances, it is assumed that they influence it. For instance, the improvements in real-time weather/climate forecast and modelling, and communication to pastoralists, will foster adaptive capacities (Leal Filho et al. 2018c). However, this paper focuses on the hypothesis that local actions and attitudes are essential to cope to and adapt to climate stressors, and lies on the responses of pastoralists to understand local reality.

In section 4.1, the ND-GAIN Country Index (ND-Gain, 2018) summarizes a country's vulnerability to climate change and other global challenges in combination with its readiness (the preparedness to take actions) to improve resilience. The definitions of vulnerability elements, ecosystem services, and readiness are described below:

Exposure: nature and degree to which a system is exposed to direct, significant climate change impacts. It considers vulnerability independent of the socio-economic context.

Sensitivity: the extent to which a country is dependent upon a sector negatively affected by a climate hazard, or the proportion of the population particularly susceptible to a climate change hazard.

Adaptive Capacity: the availability of resources to support sector-specific sustainable adaptation solutions.

Ecosystem Services: the vulnerability of natural capital to climate change, the ecological resources that humans rely upon to support lives and livelihoods.

Readiness: It measures the ability of a country to leverage investments accompanied by alternative adaptation actions through considering three components, such as commercial readiness, governance readiness and social readiness (Leal-Filho, 2018b; ND-Gain, 2018; UNISDR-AF, 2014).

The development, vulnerability and SDG indices serve to estimate the levels of adaptive capacity and accomplishment of SDGs in each country. The indices used are i) the Gross National Income (GNI) (World Bank, 2018); ii) the Human Development Index (HDI) (UNDP, 2018), and iii) the assessment of the countries' distance from achieving the SDGs (Leal-Filho, 2018c). As stated above, these indices are not directly associated with local-level adaptive capacities but with the potential from the top level.

The sites were selected based on the existence of pastoralist communities that could be accessed by the research team, and which were willing to share information with the authors through a focus group discussion (FGD) that collected data from each site. The study sites (see Table 1 and Figure 1) are the following pastoralist communities in Afar, Yabello, and Arero (Ethiopia); Kajiado (Kenya); Nakasongola (Uganda); Lake Chilwa, Lower Shire river Nsanji, and Chlkawa (Malawi); Chitulapsi, Beitbrisse, Chitulapsi (Zimbabwe).




Figure 1 Countries involved in the study and their distribution

The provision of data on the sub-national level is not even in Africa. Whereas some countries are well organized, and data is widely available, in others it is not so. Therefore the study uses the national level as the baseline and uses local indicators to "zoom in" at the local reality. Such as, local dimension is essential in understanding the specific realities in each country. The study used the following approaches. Firstly, the study listed significant climate change, variability and extremes, and associated impacts that are critical to human wellbeing and livelihoods across the studied regions from the existing literature. Secondly, field data was collected to identify the occurrence of those problems in each country. Finally, given the influence of both socio-economic and ecological conditions in different countries, the results were discussed to comparatively assess the nature of climate stressors and the performance of adaptation efforts among pastoralists.

Consequently, the comparison moves beyond the traditional juxtapositions based on national-level development (developed vs underdeveloped) or the type of economic activity (pastoral vs agricultural). By

transcending such differences, the study adopts a geographical frame of analysis to the phenomenon of climate stressors. The comparison builds on qualitative descriptions since the authors could not use standardized measurements for climate risks and the performance of adaptation efforts.

Table 3 summarizes the methodology used in the fieldwork. Manifestations of climate stressors were examined based on extensive focus group discussions (FGD), crucial informant semi-structured interviews with 20 male representatives of the pastoralist communities in each country, and open-ended questions. The selection of 20 male respondents per community introduces a gender bias in the community perception because they were identified by the community leaders and only access to them was granted. The surveys have two parts, as follows:

Part 1 asked if they believe that global environmental change and climate change, in particular, are affecting their community.

Part 2 provided the reply to question 1 was a “yes”, continued with a discussion focused on questions to guide the conversation, as summarised in section 4.2 (tables 5-10).

Survey participants were recruited based on the instructions provided by the traditional leaders. As part of the survey of 20 male representatives of the pastoralist communities in each country- chosen because they are usually the ones leading households- questions about coping and adaptation mechanisms to climate stressors were asked and cross-checked with previous studies. The participants - all male - were recruited based on the instructions provided by the traditional leaders, who are the foremost authorities in the surveyed communities.□

The respondents described manifestations of climate stressors, perceived ecosystem changes, income and livestock losses, adaptation options used, the level of climate change and extreme impacts, and the climate adaptation mechanisms deployed in each area.

Statements collected from the respondents, which mirrored existing socio-economic, institutional and governance conditions, were used by the authors to evaluate the nature of adaptive capacity of each site to climate stressors. This task was supported by the respondents' intimate knowledge of local climate impacts and coping responses, as well as the socio-economic, political and cultural conditions surrounding them, which are vital in understanding the dynamics of climate change adaptation. In this way, the research dealt with the nature of climate vulnerability attributable to the skills, knowledge, and experience possessed by the locals, but also considered governance issues (the capacity to downscale measures). Similarly,

manifestations of climate extremes and their attendant impacts (such as flooding, drought, erratic rainfall, and diseases) as well as the community responses were synthesized from available studies and were supplemented by field observations among the sampled pastoralists.

Table 3. The methodological approach of community-level discussion and survey

Criteria followed in selecting the study sites	Discussion and Survey approaches
1. Research team expert judgment.	One Focus Group Discussion (FGD) with semi-structured interviews and open-ended questions per site.
2. Existence of pastoralist communities.	The informants provided prior and informed consent.
3. Representativeness.	The research team summarizes the results in specific tables related to the discussion and questions.
4. Accessibility.	The research team purposely selected researcher key informants per FGD session with community participants in each one (knowledgeable elders, professionals actively engaged in climate and environmental change impact and adaptation). A skilled team researcher acts as the moderator who asks broad probe questions to elicit responses and generate discussion among the participants.
5. Willingness to share information.	Semi-structured interviews and dialogues with critical informants provided the research team with a flexible way to deepen awareness of the livelihood issues associated with global environmental change and climate extremes at each site and focus on their qualitative importance.
6. Diversity.	Open-ended questions provided information about the pastoralists' perceptions of climate stressors, overall impacts, and responses.

By combining the collected local-level primary and secondary national-level data, plus the perceptions of community leaders, the study depicts a broad comparative sketch of the climate impacts and the pastoralists' responses in the five studies countries, in a way not seen before. It brings in fresh evidence which addresses the nexus between climate change and poverty in pastoralism.

4. Results and Discussion

4.1. Country-level development, vulnerability and readiness status

Table 4 introduces the country-level status of socio-economic and human development, the vulnerability and readiness, and the level of accomplishment of SDGs of countries included in the study. This overview of the studied countries serves to depict the (lack of) top-down adaptive capacity. This assessment is based on secondary sources such as the Gross National Income (GNI per capita) and the UNDP's Human Development (HDI) Indices, the ND-Gain overall vulnerability (V: E + S – AC), including ecosystem services vulnerability (ESS), which relates to pastoralism, the overall readiness, and the percentage of achievement of overall SDG indicators.

Table 4 Economic and Human Development, vulnerability and readiness status, and the Sustainable Development Goal Index (SDG-I) of the studied countries.

Country	Development		ND-Gain Vulnerability and Readiness (2017)						
	Per Capita GNI (US\$ PPP) 2018	UNDP HDI 2017	Overall Vulnerability			Readiness SDG-I			
			V	E	S	AC	ESS	Read	2018 (%)
Ethiopia	2,010	0.46	0.57	0.51	0.50	0.71	0.49	0.27	0.45
Kenya	3,430	0.59	0.55	0.51	0.50	0.65	0.47	0.28	0.55
Malawi	1,310	0.48	0.55	0.49	0.48	0.63	0.51	0.26	0.48
Uganda	1,970	0.52	0.58	0.52	0.58	0.66	0.51	0.29	0.49
Zimbabwe	3,010	0.53	0.54	0.52	0.55	0.60	0.51	0.20	0.52

Kenya and Zimbabwe are lower-middle-income countries, and the other three are low-income ones. Kenya is the only country with medium human development, whereas the other four show low HDI. The indices of development, vulnerability components (E, S, and AC), and readiness are quite similar and interrelated. All five countries show levels of readiness placed in the bottom world quintile, with little capacity to implement adaptation options at the country-level. As a result, the importance of community-level adaptation to overcome climate stressors is discussed hereunder. The studied countries perform well or better/score well in regards to Ecosystem Services (associated with the pastoralism habitat), and less well in regards to readiness. This fact supports the statements of several authors (e.g. Blench, 2019; IFAD, 2011; Dong et al. 2016; Tessema et al. 2014; Herrero et al. 2016) about the sustainability of pastoralism and the need for better policies. Finally, the five countries show a similar global SDG Index, below the global median (UNISDR-AF, 2018). The relatively higher level of achievement of the SDGs in Kenya and Zimbabwe is in line with their higher development indices.

4.2. Community-level perception survey

This sub-section presents the aggregated results of the community-level field surveys. The topics presented include perceptions of the pastoralist communities of climate-related stressors and impacts on the communities, assets and environment (Tables 5 and 6), climate impacts on land-use and livestock (Tables 7 and 8) and climate adaptation options (Tables 9 and 10). Because of the lack of local-level data (e.g. damages and poverty level), the perceptions of the community leaders, supported by national-level indicators, are used. The percentages shown in the tables are an approximation to express perceptions, not a quantitative assessment of the local reality. The community-level bottom-up approach facilitates engagements with stakeholders and considers the socio-economic and ecological states of existing

vulnerabilities, thereby making informed decisions to manage future risks (Vincent, 2007). Socio-economic and environmental sustainability can be improved by the disaster risk management and adaptation approaches. Therefore, addressing the fundamental causes of vulnerability is a prerequisite for sustainability in the context of climate change (IPCC, 2012; Weesie et al. 2018). Tables 5 to 10 show the pastoralists' perceptions of the influence of climate-related stressors, vulnerability and impacts. The tables summarize climate impacts on land use, livestock, and adaptation options for pastoralism and income loss.

The well-being of their communities and their food security are the main general climate-related concerns of pastoralists. Also, impacts on agriculture, natural resources and traditional social institutions are observed (Table 5). Such concerns show that livelihoods, the physical environment, and social institutions are the most adversely affected by climate and environmental changes. Together with other variables, these elements form the basis of a "poverty trap" (Grasseti et al. 2018; Paumgarten et al. 2018; Lin et al. 2018), outlined in Figure 2 and here defined as conditions which limit access to resources and hence perpetuate poverty.

Table 5 Perceived negative influence of climate-related stressors in the surveyed communities. Question: How significant are the negative influences of climate change and extreme weather events on the overall and economic well-being, livestock, agriculture, food security, natural resources and community's social institutions?

Sectors	The extent of the Negative Influence of Global Environmental Change (%)					Rank
	Substantially	Moderately	Little	Very little	Not at all	
The well-being of the community as a whole	95.8	4.2	0	0	0	1
Livestock	79.2	20.8	0	0	0	6
Agriculture	91.7	8.3	0	0	0	4
Food security	95.8	4.2	0	0	0	1
The economic well-being of the community	95.8	4.2	0	0	0	1
Traditional natural resources and social institutions	91.7	8.2	0	0	0	4

The studied countries in this paper (e.g. Kenya, Ethiopia, and Uganda, in the range of 15-82%, and Malawi and Zimbabwe in the range of 27%-86%) have some specific populations that have access to weather and climate services (WCS). These amount of people able to access such services is lower for pastoralist than for farming communities. Indeed, the lower access to WCS by pastoralists represents a barrier towards coping with climate stressors and improving economic sustainability, which needs to be addressed by the relevant authorities.




Figure 2 Elements which are related to the poverty trap in pastoralist communities

Table 6 reveals that the surveyed communities are aware of the risks of higher variability in extreme climate and weather extremes. They perceived impacts of climate change and extremes on land resource degradation through land deterioration, soil erosion and water depletion, reduced livestock productivity and population as a serious problem. It can be surmised that land degradation and agricultural productivity are highly sensitive to climate stressors. The expansion of invasive plants and grasses was the least felt impact of climate change. Responses in Tables 7 to 9 reinforce such findings.

For instance, a reduction in income and crop and livestock productivity was ranked the highest climate change-related impact, followed by a reduction in grass availability, and prevalence of disease (Table 6). Resource-based conflict and the invasion of low-value invasive woody species were not perceived to be significant problems. Despite the degree of variations, the results show that climate change has affected all aspects of the pastoralists' lives in many ways. These adverse effects are apparent concerning the impacts on land use and the environment (Table 7). All respondents agree that climate negatively affected rangelands and forests, while 95.5% of the respondents reported climate also leads to a decrease in grasslands. Finally, 91.7% of the respondents perceived climate impacts through the losses of shrubland and farmland. The effects on livestock are also substantial, e.g. decreases in cattle population (Table 8); priority is given to the sources of income (cattle, goats, and sheep). As camels are drought-resistant, they are the least affected, followed by equines; this, coupled with high market value, attracted pastoralists to rear camels. For instance, in Borana, the recently introduced camel population has increased at the expense of indigenous cattle breeds at the household level.

Table 6 Climatic stressors and environmental impacts in the surveyed communities
Question: Which are the main climate-stressors and environmental impacts on your communities?

Climatic Stressors / Impacts	Percentage of	Rank
------------------------------	---------------	------

	affected respondents	
Increased frequency and magnitude of drought	100	1
Higher variability in climate extremes	100	1
Reduced crop yield	95.8	2
Land degradation/ soil erosion and water depletion	91.7	3
Reduced productivity and population of livestock	91.7	3
Expansion of invasive plants and grasses	33.3	5
Other environmental changes	33.3	5

Table 7 Impacts of climate change on land use

Question: Which are the most critical climate impacts and losses on land use and the environment?

Climatic Impact	Percentage of affected respondents	Rank
Loss of rangelands	100	1
Loss of forests	100	1
Decrease in grassland	95.8	3
The decline in shrubland	91.7	4
Loss of farmland	91.7	4

Table 8 General impacts of climate change and priorities among Pastoralists

Question: Which are the main impacts of climate change on your livestock?

Climatic Impact	Percentage of respondents implementing these measures	Rank
The decrease in population of cattle	83.3	1
A decrease in the population of goats	70.8	2
The decline in the population of sheep	70.8	2
The decline in the population of equines	45.8	4
Impact on other types of livestock	16.7	5
The decrease in population of camels	8.3	6

As Table 6 shows, climate change affected agricultural production (both crop and livestock), natural resources and household income. In decreasing order, the impact is not only evidently felt by the pastoralists but was remarkable on cattle, goats, sheep, and equines (unclear what table this statement is referring to). Table 9 shows that the use of drought-resistant crops is the most preferred adaptation mechanism, adopted by 91.7% of the respondents, followed by changing the cultivation period, which is practised by 29.2% of the respondents (Table 9). Rainwater harvesting/storage is the least used adaptation mechanism, which might be explained by poor government support. That only 16.7% of respondents practised livestock movement during drought is difficult to interpret, since that is the salient feature of the pastoral way of life. The results presented in Table 5 are in line with those in Table 2 (synergic sustainability challenges). These results place the negative influence on livestock above the other assets, and the claim that the introduction of crop production restricts the traditional rangeland management and adaptation strategies of the pastoral communities (Brooks, 2005).

Table 9 Adaptation options to climate change

Question: Which are the options you take into account to reduce the severity of the effects caused by climate-related and non-climate stressors on your land, crops, and livestock?

Adaptive response options	Percentage of respondents implementing these measures	Rank
Adopt the use of more drought-resistant crops	91.7	1
Different adaptation strategies (others)	50.0	2
Change in the cultivation period	29.2	3
Movement of livestock to other areas	16.7	4
Use rainwater harvesting/storage	12.5	5

Regarding adaptation options, the priority is the use of more drought-resistant crops and alternative income sources such as tourism, while abandoning pastoralism is not favoured by most respondents. Indeed, pastoralists take several adaptation measures (see Tables 6-8). However, they do not prioritize water harvesting/storage like other researchers have found with herders in the drylands of southern Kenya (Niang et al. 2014). Community-level (bottom-up) adaptation strategies are prioritized because of the lack of adequate financial resources, skills and access to timely top-down information (e.g. prognosis and early warning about extreme events). These responses agree with previous works (Niang et al. 2014; Weesie, 2018; Marshall et al. 2018), which are essential for the planning of innovative climate adaptation options and the implementation of climate risk management (CRM).

Mainstreaming community-level climate action and combining bottom-up and top-down approaches to mobilize available resources would facilitate the implementation of new adaptation strategies such as National-level Adaptation Plans-NAPs and CRM supported from the community-level action (Leal-Filho et al. 2017; 2018a,b,c, 2019).

The social capital of pastoralists that was once geographically bounded is now spreading across larger areas because of changing flows of people, resources and information, all of which can provide alternative sources of income. This new, diversified income, may also increase their ability to adapt to climate change and better manage climate-related risks (Herrero et al. 2016).

Finally, the two most preferred adaptation measures to reduce the losses in income were combining pastoralism with tourism and diversification of income sources (Table 10). The community leaders have not detailed if they are practising agro/eco-tourism, but their interest in such an income alternative. Only 33.3% of respondents considered abandoning pastoralism, and 20.8% used migration to cities and changing types of livestock as adaptation measures. Therefore, pastoralists are more interested in employing more adaptation measures without abandoning their age-old craft. As regards the communities' livelihood sustainability, key informants and herders highlight the lack of financial capital, a weak physical

capital, and a moderate human, natural and social capital. These results are in close agreement with the findings made in Inner Mongolia (China) (UNISDR-AF, 2018) and in Yogyakarta, Indonesia (Saptutyningsih et al. 2019).

Table 10 Adaptation options to ameliorate income loss due to climate change
Question: Which are your preferred options to reduce your losses in income due to climate change and extreme events?

Adaptive response options	Percentage of respondents implementing these measures	Rank
Combining pastoralism with tourism	100	1
Income diversification	95.8	2
Different adaptation strategies	75	3
Abandon pastoralism for other jobs	33.3	4
Considering a migration to other cities□	20.8	5
Change in type of livestock being reared	20.8	5

The perception of climate-related impacts on communities focuses on well-being and environmental sustainability. Recent literature supports the environmental sustainability of pastoralism (Dong et al. 2016; Tessema et al. 2014; Markakis, 2004). Conversely, researchers have identified the impacts of climate change and extremes on the foundations of pastoral livelihoods: agricultural yields, grassland, and income, loss of rangeland and forests. Despite such disparities, it is evident that climate-related and non-climate stressors have the potential to exacerbate existing threats to human security, including food, health, and economic insecurity (Niang et al. 2014). Pastoralists' concerns tally with the UN SDGs 13, which envisions strengthening the resilience and the adaptive capacity to climate-related hazards and natural disasters (United Nations, 2015).

In summary, the studied eastern and southern African countries face significant challenges in achieving many SDGs (e.g.1. poverty; 2. undernourishment; 3. health and well-being; 11. cities and communities). On the other hand, they perform relatively better at the country-level in achieving SDGs 13 (climate action) and 14 (terrestrial ecosystems) (Sachs et al. 2019). For instance, Ethiopia, Kenya, and Uganda are in a better position to achieve SDGs 1, 2, 3, while Zimbabwe has good potential regarding SDGs 1 and 3. Except for Kenya, other countries are doing quite well regarding the SDG on Life on Land (Sachs et al. 2019).

The main limitation of this paper has to do with the lack of objective measurements of vulnerability and readiness at the community level. However, the main perceived threats, impacts, and several response options were prioritized, since the observations from the people interviewed in the communities provide evidence which corroborates previous studies and the international literature. □

5. Conclusions

The paper aimed to offer an overview of the extent to which climate change risks and hazards affect pastoralist communities in eastern and southern Africa and to consider how these may be duly considered, against a complex background. There are limitations in the methods used, such as the size of the sampled pastoralist communities. However, these limitations do not detract from the merits of the paper, as one of the few investigations which have looked at the influence of climate change risks and hazards to the livelihoods of pastoralist communities in five African nations.

The relevance of the results obtained can be better assessed if one considers that the study sheds light on the various means being deployed by pastoralists in the region to cope with, and adjust to, the impacts of a changing climate.

The implications of this paper are threefold. Firstly, the study has shown that the long-term sustainability of the livelihoods of pastoral communities is currently endangered by climate change and the risks and hazards it brings about, which may worsen poverty among this social group. Secondly, the study suggests that a more systematic and structured approach is needed when assessing the climate vulnerability of individual pastoral communities. Thirdly, the paper shows that it is also necessary to understand better the socio-ecological systems (SES) of the various communities, and how their livelihoods are influenced by the changing conditions imposed by a changing climate. Moreover, an improved understanding of SES may help both policy-makers and managers to develop more suitable plans and undertake more adequate climate change adaptation initiatives to increase the resilience of pastoral communities all over Africa.

The strengthening of pastoral communities should focus on tackling some pressing issues which concern them now, i.e. from a changing dynamic of flood and drought risks to the inherent vulnerability of the SES they live in. In this context, rural communities should not be regarded in isolation. Instead, they need to be part of a set of associated social actors and institutions, which need to be interacting in an integrated manner to fulfill their roles as guardians of rangelands. It is not only about rearing livestock, but also about land-management and conservation of biodiversity, as well as handling a wide range of environmental, social, and economic impacts. Such a combined approach would allow for the maintenance of the ecosystem services these areas provide, with the benefits associated with it.

It is equally important to assist pastoralist communities and the organizations which support them, in their efforts towards coping with the impacts of stressors such as drought, whose intensity is likely to increase. The ability of individuals and institutions at a local level to deal with such stressors needs to be fostered. By doing so, pastoralists may be in a better position to respond to the various pressures they are exposed to, and the imminent danger of long-term damages to their socio-ecological systems and their livelihoods. Mainstreaming community-based adaptation (bottom-up) within the upper-level policies (top-down) seems to be among the best low-cost strategies, and likely to work as long as the relevant stakeholders are on board.

To yield the expected benefits attempts to support pastoralist communities to cope with the many challenges climate change and extreme events pose to them should also consider:

- a) the specificity of the rangeland ecosystems and livestock production systems of each area;
- b) the specific responses needed during a drought or post-drought recovery;
- c) the implications to their livelihoods and sustainability of their herds

To ensure the sustainability of pastoral communities, it is also essential to enhance access to climate information services, such as a phone and radio warning about coming droughts. Additionally, provisions of access to insurance may help herders to cope with their problems in a more sustainable way, and to be better prepared to avoid the poverty traps that surround them.

References

- Adano WR, Dietz T, Witsenburg Km, Zaal F (2012) Climate change, violent conflict and local institutions in Kenya's drylands. *J. Peace. Res.* 49:65-80.
- Al A, Hobson M. Social protection in pastoral areas. Humanitarian Policy Group. Overseas Development Institute, London, 2009.
- Algeria-Watch (2009) Selon le dernier recensement: L'Algérie compte 34,8 millions d'habitants. Algeria-Watch, 2009. Décembre 13, 2009. Available online: <https://algeria-watch.org/?p=12949>. Accessed on 21 February 2019.
- Assefa B, Biru E, Mohammed M, Abdurrahman M, Berhanu T, Alebachew A, et al. (2010) Afar National Regional State programme of plan on adaptation to climate change. Samara, Afar, Ethiopia.

AU (2013) Policy framework for pastoralism in Africa: Securing, protecting and improving the lives, livelihoods, and rights of pastoralist communities.

Blench R. You can't go home again: pastoralism in the new millennium. ODI report, funded by FAO; London, UK, 2001. Available online: <https://www.odi.org/sites/odi.org.uk/files/odi-assets/publications-opinion-files/6329.pdf>. Accessed on 1 June 2019.

Boko M, Niang I, Nyong A, Vogel C, Githeko A, Medany M, et al. (2007) Climate change 2007: Impacts, adaptation, and vulnerability. The contribution of Working Group II to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge, Cambridge University Press, 2007. Available online: <http://www.ipcc.ch/pdf/assessment-report/ar4/wg2/ar4-wg2-chapter9.pdf>. Accessed on June 5, 2019. □

Brooks N, Adger W, Kelly P (2005) The determinants of vulnerability and adaptive capacity at the national level and the implications for adaptation. *Glob. Environ. Change*.15 (2):151-163.

Brown D (2012) Climate Change Impacts, Vulnerability, and Adaptation in Zimbabwe. IIED Climate Change Working Paper Series. IIED. London.

Ced H, Cotula L (2006) Climate change and pastoralists: Investing in people to respond to adversity. *Journal of Sustainable development opinion*. 2006. Available online: <http://pubs.iied.org/pdfs/11059IIED.pdf>. Accessed on June 1, 2018.

Christian Aid (2006) Life on the edge of climate change: the plight of pastoralists in Northern Kenya. 2006. Available online: <https://reliefweb.int/sites/reliefweb.int/files/resources/87732D4D8913559C85257225006E7909-christianaid-ken-13nov.pdf>. Accessed on June 1, 2018.

Cotter M, Lavander RDLP, Sauerborn J (2012) Understanding the present distribution of the parasitic weed *Striga hermonthica* and predicting its potential future geographic distribution in the light of climate change. *Julius-Kühn-Archiv* 13(15):630-636.

CSA Central Statistical Agency of Ethiopia, Census 2007 Report. Available online: <http://www.csa.gov.et/census-report/complete-report/census-2007#>, 2018, pp.179. Accessed on 20 February 2019.

639 Cuni-Sanchez A, Omeny P, Pfeifer M, Olaka L, Mamo B, Marchant R (2018) Climate change -and
640 pastoralists: perceptions and adaptation in montane Kenya. *Clim. Dev.* doi:
641 10.1080/17565529.2018.1454880.

642 Ding W, Jimoh SO, Hou Y, Hou X, Zhang W (2018) Influence of Livelihood Capitals on Livelihood
643 Strategies of Herdsmen in Inner Mongolia, China. *Sust.* 10:3325.

644 Dirie M, Abdurahman O (2003) Observations on little-known diseases of camels (*Camelus dromedarius*)
645 in the Horn of Africa. *Revue Scientifique et Technique-Office International des epizooties* 22(3):1043-
646 1050.

647 Dong S, Kassam KA, Tourrand JF, Boone RB (2016) Building Resilience of Human-Natural Systems of
648 Pastoralism in the Developing World: Interdisciplinary Perspectives, Springer International Publishing
649 Switzerland, doi: 10.1007/978-3-319-30732-9_1.

650 Eberhard DM, Gary FS, Charles DF (2019) *Ethnologue: Languages of the World*. Twenty-second edition.
651 Dallas, Texas: SIL International. Available online: <http://www.ethnologue.com>. Accessed on 21 February
652 2019.

653 Epule TE, Ford JD, Lwasa S, Lepage L (2017) Climate change adaptation in the Sahel. *Environ. Sci.*
654 *Policy* 75:121-137.

655 Eriksen S, O'Brien K, Losentrater L (2008) Climate change in eastern and Southern Africa Impacts
656 vulnerability and adaptation. *Journal of Global environmental change and human security*, 2008. Available
657 online: www.bvsde.paho.org/bvsacd/cd68/ClimAfrica.pdf. Accessed on June 1, 2018.

658 Fre Z, Tesfagergis B (2013) The economic contribution of pastoral and agro-pastoral production to food
659 security and livelihoods systems in Africa: The case of Eastern Sudan, Eritrea, and Western Ethiopia in the
660 Horn of Africa. *Ethiopian e-journal for Research and Innovation Foresight* 5:14-31.

661 Grassetti F, Mammana C, Michetti E (2018) Poverty trap, boom and bust periods and growth. A nonlinear
662 model for non-developed and developing countries. *Decisions in Economics and Finance* 41:145-162.

663 Henderson JV, Storeygard A, Deichmann U (2017) Has climate change driven urbanization in Africa.
664 *Journal of Development Economics* 124: 60-82.

665 Herrero M. Addison J. Bedelian C. Carabine E. Havlík P. Henderson B. van de Steeg J, Thornton PK
666 (2016) Climate change and pastoralism: impacts, consequences and adaptation. *Rev. Sci. Tech. Off. Int.*
667 *Epiz* 35(2):417-433.

Holechek JL, Cibils AF, Bengaly K, Kinyamario JI (2017) Human population growth, African pastoralism, and rangelands: A perspective. *Rangeland Ecol. Manag* 70(3):273-280.

Hulme M (2014) Attributing weather extremes to 'climate change': a review. *Prog. Phys. Geogr.* 38:499-511.

IIRR, CTA (2013) Moving herds, moving markets: Making markets work for African pastoralists. Wageningen, The Netherlands. International Institute of Rural Reconstruction, Nairobi and the-Technical Centre for Agricultural and Rural Cooperation.

Intergovernmental Panel on Climate Change (IPCC) (2007) Climate Change 2007: Impacts, Adaptation, and Vulnerability, Working Group II Contribution to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change. Cambridge, United Kingdom.

Intergovernmental Panel on Climate Change (IPCC) (2007) Intergovernmental panel on climate change fourth assessment report, Cambridge University Press, Cambridge, UK.

Intergovernmental Panel on Climate Change (IPCC) (2012) "Summary for policymakers" in managing the risks of extreme events and disasters to advance climate change adaptation. In: Field, C. B, Barros, V. and Stocker, T. (Eds.), Intergovernmental Panel on Climate Change, Special Report. Cambridge University Press, Cambridge, UK/New York, 2012, pp. 1-19.

Intergovernmental Panel on Climate Change (IPCC) (2014) Climate Change 2014: Impacts, Adaptation, and Vulnerability. IPCC, Cambridge, UK and New York, NY, USA 1-32.

International Fund for Agricultural Development (IFAD) (2011). Addressing climate change in East and Southern Africa. IFAD, Rome.

IRIN (2004). Ethiopia: Focus on Boran pastoralists, Reliefweb, 2004. Available online: <https://reliefweb.int/report/ethiopia/ethiopia-focus-boran-pastoralists>. Accessed on 20 February 2019.

Iticha B, Husen A (2018) Adaptation to climate change using indigenous weather forecasting systems in Borna pastoralists of southern Ethiopia, *Clim. Dev.* doi: 10.1080/17565529.2018.1507896.

Jaramillo J, Muchugu E, Vega FE, Davis A, Borgemeister C, Chabi-Olaye A (2011) Some Like It Hot: The Influence and Implications of Climate Change on Coffee Berry Borer (*Hypothenemus hampei*) and Coffee Production in East Africa. *PLoS ONE*, 6(9):e24528.

695 Jenet A, Buono N, Di Lello S, Gomarasca M, Heine C, Mason S (2016) The path to greener pastures.
696 Pastoralism, the backbone of the world's drylands. *Vétérinaires Sans Frontières International* (VSF-
697 International). Brussels, Belgium.

698 KNBS (2009) Kenya National Bureau of Statistics, Population Distribution By Sex, Number Of
699 Households, Area And Density By County And District. Census 2009. 2017. Available online:
700 [https://www.knbs.or.ke/download/population-distribution-by-sex-number-of-households-area--and-](https://www.knbs.or.ke/download/population-distribution-by-sex-number-of-households-area--and-density-by-county-and-district/)
701 [density-by-county-and-district/](https://www.knbs.or.ke/download/population-distribution-by-sex-number-of-households-area--and-density-by-county-and-district/). Accessed on 21 February 2019.

702 Leal-Filho W (2015). *Handbook of Climate Change Adaptation*. Springer, Berlin.

703 Leal-Filho W, Al Amin AQ, Nagy GJ, Azeiteiro UM, Wiesbröck L, Desalegn YA (2018b) A Comparative
704 Analysis of Climate-Risk and Extreme Event-Related Impacts on Well-Being and Health: Policy
705 Implications. *Int. J. Environ. Res. Public Health* 15:331.

706 Leal-Filho W, Balogun AL, Ayal DY, Bethurem EM, Murambadoro M, Mambo J (2018a) Strengthening
707 climate change adaptation capacity in Africa- case studies from six major African cities and policy
708 implications. *Environ. Sci. Policy* 86:29-37.

709 Leal-Filho W, Balogun AL, Olayide O, Azeiteiro UW, Ayal DY, Chavez PD, Nagy GJ, Bynoe P, Ogue O,
710 Toamukum YN, Saroar M, Li CL (2019) Assessing the impacts of climate change in cities and their
711 adaptive capacity: Towards transformative approaches to climate change adaptation and poverty reduction
712 in urban areas in a set of developing countries. *Science of the Total Environment*, 2019, 692. DOI:
713 10.1016/j.scitotenv.2019.07.227.

714 Leal-Filho W, Modesto F, Nagy GJ, Saroar M, Nsani-Toamukum Y, Ha'appio M (2018c) Fostering
715 coastal resilience to climate change vulnerability in Bangladesh, Brazil, Cameroon, and Uruguay: a cross-
716 country comparison, *Mitig. Adapt. Strat. Global Change*. doi: 10.1007/s11027-017-9750-3.

717 Leal-Filho W, Nzengya D, Muasya G, Chemuliti J, Kalungu J (2017) Climate change responses among the
718 Maasai Community in Kenya. *Climatic Change* 145(1-2):71-83.

719 Liliana H (2005) *The food gaps: The impacts of climate change on food production: A 2020 perspective*,
720 Universal Ecological Fund, Alexandria, VA, USA, 2005.

721 Lin JH, Cheng Y, Wang XG, Zhang MF, Qi XH (2018) Ecological vulnerability assessment of key
722 villages of tourism poverty alleviation in Fujian Province. *Acta Ecologica Sinica* 38(19):7093-7101.

723 Little PD, Mahmoud H, Coppock DL (2001) When deserts flood: risk management and climatic processes
 724 among East African pastoralists. *Clim. Res.* 19(2):149-159.

725 Magal RP, Wambua BN (2017) Risk Assessment of the Coping and Adaptation Mechanisms for
 726 Pastoralists to Climate Change and Variability: A Case Study of Kongelai Ward, West Pokot County,
 727 Kenya, *Asian Journal of Agriculture and Food Sciences* 5(2):62-73.

728 Magita SY, Sangeda AZ (2017) Effects of climate stress to pastoral communities in Tanzania: A case of
 729 Mvomero District. *Livestock Research for Rural Development* 29(8).
 730 <http://www.lrrd.org/lrrd29/8/sang29160.html>. Accessed on June 5, 2019.

731 Markakis J (2004) *Pastoralism on the Margin*. Minority Rights Group International, UK. London.

732 Marshall F, Reid REB, Goldstein R, Storozum R, Wreschnig A, Hu L, Kiura P (2018) Ancient herders
 733 enriched and restructured African grasslands. *Nature* 561:387–390.

734 Masipa TS (2017) The impact of climate change on food security in South Africa: Current realities and
 735 challenges ahead. *Jàmbá: Journal of Disaster Risk Studies* 9(1): a411.
 736 <https://doi.org/10.4102/jamba.v9i1.411>.

737 McSweeney C. New M. Lizcano G (2008) *UNDP Climate Change country Profile: Malawi*. New York:
 738 United Nations Development Programme.

739 Menas, T. (2018) Trouble brewing amid Algeria’s southern Tuareg population. Menas Associates. March 8,
 740 2018. Available online: <https://www.menas.co.uk/blog/trouble-algeria-southern-tuareg/>. Accessed on 21
 741 February 2019.

742 Meshesha, D. T., Yosuf, D. (2019) Estimating carrying capacity and stocking rates of rangelands in
 743 Harshin District, Eastern Somali Region, Ethiopia. *Ecology and Evolution*.
 744 <https://doi.org/10.1002/ece3.5786>

745 Ministry of Water and Environment (MWE) (2014) *Uganda Second National Communication to the*
 746 *United Nations Framework Convention on Climate Change*. MEW, Kampala.

747 Mojisola OA (2016) The consequences of the IPCC AR5 RCPs 4.5 and 8.5 climate change scenarios on
 748 precipitation in West Africa. *Climatic Change* 139:245-263.

749 Morrow A (2007) Bedouin Take on the Govt. Inter Press Service, 2007. Available online:
 750 <http://www.ipsnews.net/2007/06/egypt-bedouin-take-on-the-govt/>. Accessed on 20 February 2019.

751 Muluken MF (2017) Understanding Resilience Pathways to Climate Change in a Changing Rangeland
 752 Environment amongst Pastoral Societies of Afar Region, Ethiopia, PhD in Disaster Management,
 753 University of the Free State.

754 Nagy GJ, Leal-Filho W, Azeiteiro UM, Heimfarth J, Verocai JE, Li CL (2018) An Assessment of the
 755 Relationships between Extreme Weather Events, Vulnerability, and the Impacts on Human Wellbeing in
 756 Latin America. *Int. J. Environ. Res. Public Health* 15:1802; doi:10.3390/ijerph15091802.

757 ND-Gain (2018) ND-GAIN Country Index. University of Notre Dame, 2018. Available online:
 758 <http://index.gain.org/>. Accessed on June 5, 2018.

759 Nelson G, Rosegrant M, Koo J, Robertson R, Sulser T, Zhu T (2009) Climate change impact on agriculture
 760 and costs of adaptation, Washington, DC: International Food Policy Research Institute (IFPRI).

761 Niang I, Ruppel OC, Abdrabo MA, Essel A, Lennard C, Padgham J (2014) In V. R. Barros et al. (Eds.),
 762 Impacts, adaptation, and vulnerability. Part B: Regional aspects. The contribution of Working Group II to
 763 the Fifth Assessment Report of the Intergovernmental Panel on Climate Change (pp. 1199-1265).
 764 Cambridge, U.K.: Cambridge University Press.

765 Paul CJ, Weinthal ES, Bellemare MF, et al. (2016). Social capital, trust, and adaptation to climate change:
 766 Evidence from rural Ethiopia. *Global Environmental Change*, 36, 124-138.

767 Paumgarten F, Locatelli B, Witkowski ETF (2018) Wild Foods: Safety Net or Poverty Trap? A South
 768 African Case Study. *Human Ecology* 46:183-195.

769 Randall S (2015) Where have all the nomads gone? Fifty years of statistical and demographic invisibilities
 770 of African mobile pastoralists. *Res. Policy Pract.* (5): 22.

771 Sachs J, Schmidt-Traub G, Kroll C, Lafortune G, Fuller G (2018) SDG Index and Dashboards Report 2018.
 772 New York: Bertelsmann Stiftung and Sustainable Development Solutions Network (SDSN), 2018.
 773 Available online: <https://www.sdgindex.org/reports/2018/>. Accessed on 5 June 2019.

774 Sangeda AZ, Malole JL (2014) Tanzanian rangelands in a changing climate: Impacts, adaptations, and
 775 mitigation. *Net Journal of Agricultural Science* 2(1):1-10.

776 Saptutyingsih E, Diswandi D, Jaung W (2019). Does social capital matter in climate change adaptation?
 777 A lesson from agricultural sector in Yogyakarta, Indonesia. *Land Use Policy*, 104189.

778 Schrepfer N, Caterina M (2014) On the Margin: Kenya's Pastoralists–From displacement to solutions, a
 779 conceptual study on the internal displacement of pastoralists. Internal Displacement Monitoring Centre:

780 Geneva, Switzerland, 2014. Available online: <http://www.internal->
781 [displacement.org/assets/publications/2014/201403-af-kenya-onthe-margin-en2.pdf](http://www.internal-displacement.org/assets/publications/2014/201403-af-kenya-onthe-margin-en2.pdf).
782 Suryabhagavan KV (2017) GIS-based climate variability and drought characterization in Ethiopia over
783 three decades. *Weather and Climate Extremes* (15):11-23.
784 Tessema WK, Ingenbleek PT, Van-Trijp HCM (2014) Pastoralism, sustainability, and marketing. A review.
785 *Agron. Sustain. Dev.* 34(1):75-92.
786 UNFPA (2019) Population Composition and Demographic Characteristics of the Somali People, 2016.
787 Available online: http://www.dns.org.so/docs/Analytical_Report_Volume_2.pdf. Accessed on 21 February
788 2019.
789 UNISDR-AF (2016) Disaster Risk Reduction in Africa Status Report on Implementation Africa Regional
790 Strategy and Hyogo Framework for Action, 2016. Available online: www.unisdr.org/africa.
791 <https://www.unisdr.org/we/inform/publications/35923>. Accessed on June
792 UNISDR-AF (2018) Disaster Risk Reduction in Africa Status Report on Implementation of Africa
793 Regional Strategy and Hyogo Framework for Action. 2014. Available online: www.unisdr.org/africa.
794 Accessed on June 1, 2018.
795 United Nations (UN) (2015) Transforming our world: The 2030 Agenda for Sustainable Development,
796 2015. A/RES/70/1. pp. 41.
797 United Nations Development Program (UNDP) (2015) Human Development for Everyone; Human
798 Development Report 2015; United Nations Development Program: New York, NY, USA, 2016. ISBN:
799 978-92-1-126413-5. Available online:
800 http://hdr.undp.org/sites/default/files/2016_human_development_report.pdf. Accessed on 1 June 2018.
801 Vial F (2010). Conservation science for common ground: developing the necessary tools to manage
802 livestock grazing pressure in Bale Mountains National Park, Ethiopia. University of Glasgow, PhD thesis.
803 Vincent, K. Uncertainty in adaptive capacity and the importance of scale. *Glob. Environ. Change.* 2007, 17,
804 12-24. <http://dx.doi.org/10.1016/j.gloenvcha.2006.11.009>.
805 Weesie R, Kronenburg GA (2018) From Herding to Farming under Adaptation Interventions in Southern
806 Kenya: A Critical Perspective. *Sustainability* 10:4386.
807 Wellard-Dyer K (2012) Pastoralism in the Horn of Africa: Diverse livelihood pathways. In F. A.
808 Consortium (Ed.), FAC CAADP Policy Brief: Future Agricultures Consortium, 2012.

809 Wolf J, Adger WN, Lorenzoni I, et al. (2010). Social capital, individual responses to heat waves and
810 climate change adaptation: An empirical study of two UK cities. *Global Environmental Change*, 20(1), 44-
811 52.

812 World Bank (2018) “GNI, PPP (int. \$)”. Available online:
813 <https://data.worldbank.org/indicator/NY.GNP.PCAP.PP.CD>. Accessed on 1 June 2018.

814 World Factbook (2019a) Niger. Central Intelligence Agency. Available online:
815 <https://www.cia.gov/library/publications/the-world-factbook/geos/ni.html>. Accessed on 21 February 2019.

816 World Factbook (2019b) Mali. Central Intelligence Agency. Available online:
817 <https://www.cia.gov/library/publications/the-world-factbook/geos/ml.html>. Retrieved 21/2/2019.

818 World Factbook (2019c) Burkina Faso. Central Intelligence Agency. 2019c. Available online:
819 <https://www.cia.gov/library/publications/the-world-factbook/geos/uv.html>. Accessed on 21 February 2019.