**Manchester
Metropolitan
University**

Dos'Santos, Thomas ORCID logoORCID: <https://orcid.org/0000-0003-2715-0116>, Thomas, Christopher and Jones, Paul (2021) How early should you brake during a 180 turn? A kinetic comparison of the antepenultimate, penultimate, and final foot contacts during a 505 change of direction speed test. *Journal of Sports Sciences*, 39 (4). pp. 395-405. ISSN 0264-0414

Downloaded from: <https://e-space.mmu.ac.uk/627055/>

Version: Accepted Version

Publisher: Taylor & Francis

DOI: <https://doi.org/10.1080/02640414.2020.1823130>

Please cite the published version

<https://e-space.mmu.ac.uk>

**HOW EARLY SHOULD YOU BRAKE DURING A 180° TURN? A KINETIC
COMPARISON OF THE ANTEPENULTIMATE, PENULTIMATE, AND FINAL
FOOT CONTACTS DURING A 505 CHANGE OF DIRECTION SPEED TEST**

Original Research

Funding Statement: No external funding was received for this work.

Conflict of Interest: There are no conflicts of interest concerning this paper

Thomas Dos'Santos^{1,2#}, Christopher Thomas¹, and Paul A Jones¹

¹Human Performance Laboratory, Directorate of Sport, Exercise, and Physiotherapy,
University of Salford, Greater Manchester, United Kingdom

²Department of Sport and Exercise Sciences, Musculoskeletal Science and Sports Medicine
Research Centre, Manchester Metropolitan University, Manchester, United Kingdom

Correspondence address

Thomas Dos'Santos

4.07 All Saints Building, Manchester Campus John Dalton Building, Manchester Metropolitan
University

[#]Corresponding Author: Thomas Dos'Santos

Telephone: +447961744518

Email: t.dossantos@hotmail.co.uk

Preferred running head: 505 braking strategy

Abstract word count: 197 words

Manuscript word count: **5101** words

Number of tables and figures: 4 Tables and 4 Figures

ABSTRACT

The aim of the study was to compare ground reaction force (GRF) characteristics between the antepenultimate foot contact (APFC), penultimate foot contact (PFC), and final foot contact (FFC), and to examine the relationships between APFC, PFC, and FFC GRF characteristics with 505 change of direction (COD) speed performance. Twenty university male soccer players performed three COD trials, whereby GRFs were collected over the aforementioned foot contacts. Greater peak braking forces in shorter ground contact times were demonstrated over the APFC compared to the PFC and FFC ($p \leq 0.011$, $d = 0.96$ - 7.82), while APFC mean GRFs were greater than the PFC ($p \leq 0.001$, $d = 1.86$ - 7.57). Faster 505 performance was associated with greater APFC peak and mean vertical, horizontal, and resultant braking GRFs ($r^2 = 21.6$ - 54.5%), greater FFC mean HGRFs ($r^2 = 38.8\%$), more horizontally orientated peak resultant APFC and PFC GRFs ($r^2 = 22.8$ - 55.4%), and greater APFC, PFC, and FFC mean horizontal to vertical GRF ratios ($r^2 = 32.0$ - 61.9%). Overall, the APFC plays a more pivotal role in facilitating deceleration compared to the PFC for effective 505 performance. Practitioners should develop their athletes' technical ability to express force horizontally across all foot contacts and coach braking strategies that emphasize greater magnitudes of posteriorly directed APFC GRFs to facilitate faster 505 performance.

Key words: braking force; ground contact time; force-vector; deceleration; impulse

INTRODUCTION

Change of direction (COD) ability is a fundamental athletic quality for athletes who participate in multidirectional sport (3, 15, 38, 41). Importantly, COD ability provides the mechanical and physical basis underpinning agility (10, 34, 35); thus, highlighting the importance of developing athletes' physical and mechanical ability to COD in open-skilled sports (34). Specifically, the capacity to COD 180° is integral in numerous sports (3, 15, 38); for example,

soccer players perform ~100 turns of 90–180° during match play when the team is in and out of possession (3), such as transitioning from defence to attack (and vice versa). Furthermore, previous research has shown soccer players perform ~20 turns of 135–180° at moderate to high intensity ($\geq 4\text{m/s}$) (37). Additionally, 180° turns are also frequently performed actions in netball (38), while cricket batsmen can score runs by running and turning 180° between the wickets and is therefore considered a fundamental movement for successful cricket performance (15). In addition to match play, 180° CODs commonly feature in physical testing batteries for COD speed assessments, such as the 505, modified 505 (m505), and pro-agility, whereby these tests are frequently used for athlete monitoring and talent identification purposes in numerous sports (i.e., cricket, basketball, soccer, rugby, American football) (36). Specifically, Greig (21) suggests that 180° COD assessments may better represent COD in soccer, but it is important to acknowledge that turning strategies may differ between planned and unplanned tasks (28). Nevertheless, irrespective of the scenario, and given the importance of 180° COD ability in multidirectional sports and COD speed assessments, understanding the kinetic properties which underpin faster COD performance is paramount.

A COD can be divided into four phases: 1) initial acceleration; 2) deceleration (negative acceleration); 3) COD foot plant; and 4) reacceleration (4, 10, 20), and is described as a multi-step action whereby the steps preceding and following the main COD foot plant are involved in facilitating effective deceleration, redirection, and reacceleration (1, 11, 12). In a recently published narrative review (11), an ‘angle-velocity trade-off’ concept has been discussed with respect to COD, whereby as the intended COD angle increases, deceleration requirements also increase to reduce the horizontal momentum to facilitate effective COD. This deceleration is typically accomplished via multiple foot contacts (11, 12), with the penultimate foot contact (PFC) (i.e., the second to last foot contact with ground prior to moving into a new intended direction of travel) having been shown to play a crucial role in terms of braking and

facilitating faster 180° COD performance (6, 8, 12, 19, 29). For example, greater PFC horizontal braking forces (HBF) have been associated with faster 180° COD performance (8, 19), which, based on the impulse-momentum relationship, results in greater change in momentum (12), thus velocity reduction. Additionally, faster 180° COD performance has been associated with more horizontally orientated PFC resultant braking forces (RBF) and greater horizontal to vertical mean and peak braking force ratios (6). This is advantageous because a more horizontally directed force vector should help facilitate more effective braking and net deceleration (negative acceleration) (12, 31, 32). Furthermore, faster m505 and 505 performers have also been reported to display greater PFC lower-limb triple flexion to help lower the centre of mass (COM) and facilitate an effective braking and push-off position (6), and is therefore considered a 'preparatory step' step for sharper COD. As such, these findings have led to the recent COD coaching and technical recommendations of maximising PFC horizontally orientated braking characteristics and facilitating optimal PFC whole-body postures for faster 180° COD performance (6, 12).

During 180° CODs athletes are required to reduce their horizontal velocity of COM to zero (6, 29), thus athletes will need to reduce their momentum over a series of foot contacts before changing direction (11, 12). For example, deceleration stopping distances of ~3-6 meters have been observed during 10-20 meter sprints (2, 22, 24), highlighting the multi-step nature of deceleration. In the context of the 505, athletes are required to sprint, decelerate, and COD 180° at turning point 15 meters away from the start. Graham-Smith et al. (20) reported deceleration stopping distances of 6.61 ± 0.40 meters during a sprint task that required athletes to stop at pre-determined point 15-m away, thus closely resembling the task demands of the 505. As such, ~44% of the 15-m distance covered can be classified as deceleration, which indicates that the steps preceding the PFC are undoubtedly involved in facilitating deceleration. As such, due to the distance required to stop, the antepenultimate foot contact (APFC) (i.e.,

third to last foot contact with the ground prior to moving in a new intended direction of travel) may have a more substantial role in terms of facilitating braking and deceleration for sharper CODs compared to the PFC and thus, warrants investigation. The APFC could be advantageous for braking because this foot contact is most likely performed in the sagittal plane which is a more optimal position to generate posterior braking force (12, 20), whereas some athletes have been documented to pre-rotate during the PFC to reduce the directional demands but potentially comprising the ability to display greater magnitudes of PFC braking characteristics (6, 12). However, surprisingly, no study to date has compared GRF braking characteristics between the APFC, PFC, and final foot contact (FFC) during 180° COD, nor has any study quantified the APFCs role in facilitating faster 180° COD performance. To the best of our knowledge, Nedergaard et al. (33) is the only study to examine the role of the APFC during 135° CODs, reporting greater average trunk decelerations during this foot contact compared to the FFC. However, the authors did not examine the GRF characteristics of the APFC; thus, further insight into the kinetic properties of the APFC is required to improve our understanding of effective braking strategies for faster 180° COD performance.

The aim of the study, therefore, was two-fold: 1) to compare GRF characteristics between the APFC, PFC and FFC; and 2) to examine the relationships between APFC, PFC, and FFC GRF characteristics with 180° COD performance as measured via a 505 test. It was hypothesized that greater peak and mean GRFs would be demonstrated during the APFC compared to the PFC and FFC. Additionally, it was hypothesized that greater horizontal and resultant GRF characteristics and more horizontally orientated force vectors across all foot contacts would be associated with faster 180° COD performance. Conducting this research will provide greater insight into GRF determinants of faster COD which may assist in the development of more effective 180° turning coaching guidelines and strength and conditioning programs.

METHODS

Experimental approach to the problem

This study used a mixed, cross-sectional design to determine the relationship between APFC, PFC, and FFC GRF characteristics and 505 performance (completion time) following an associative strategy. Additionally, a within-subjects, comparative design was used to compare GRF characteristics between COD foot contacts. Subjects performed three trials of a 505 from their right limb, whereby tri-axial GRFs were collected during the APFC, PFC, and FFC (Figure 1).

*** Insert Figure 1 here***

Subjects

A minimum sample size of 16 subjects was determined from an *a priori* power analysis using G*Power (Version 3.1, University of Dusseldorf, Germany) (16). This was based upon a previously reported correlation value of 0.680 (mean horizontal to vertical GRF ratio to completion time) (6), a power of 0.95, and type 1 error or alpha level 0.05. As such, 20 university-level male soccer players (mean $\pm$ SD; age: 23.8 ± 3.8 years, height: 1.79 ± 0.05 m, mass: 80.5 ± 10.9 kg) participated in this study (18 subjects stated right preferred kicking and turning limb). For inclusion in the study, all subjects had played their respective sport for a minimum of 5 years and regularly performed 1 game and 2 structured skill-based sessions per week. All subjects were free from injury and none of the subjects had suffered a prior severe knee injury such as a knee ligament injury. At the time of testing, subjects were currently in-season (competition phase). The investigation was approved by the institutional ethics review board, and all subjects were informed of the benefits and risks of the investigation prior to signing an institutionally approved consent documents to participate in the study.

Procedures

Anthropometric assessments (height [m] and mass [kg]) were completed before performing a standardized warm-up. Prior to maximal COD speed tasks, subjects performed a 5-minute warm up consisting of jogging, self-selected dynamic stretching, and four familiarisation trials of the 505 performed at 75% of perceived maximum effort (7).

Subjects performed three 505 trials as fast as possible, with all trials performed with a turn from their right leg. The 505 has been described previously (9, 13, 14), thus a brief overview is provided. Testing took place in the human performance laboratory on an indoor track (Mondo, SportsFlex, 10 mm; Mondo America Inc., Mondo, Summit, NJ, USA). For all tasks, subjects adopted a two-point stance 0.5-m behind the start line, to prevent early triggering of the timing gates, and sprinted as fast as possible in a straight line towards the turning point (making sure the foot made contact with the turning point) before changing direction 180° and exiting and reaccelerating towards the finish line. Each trial was interspersed with two minutes' rest. If the subject slid, did not contact the turning point, or missed the force platform(s), the trial was discarded and subsequently another trial was performed after 2 minutes' rest. Completion time (recorded to the nearest 0.001 second) and approach time was measured using sets of single beam Brower timing lights (Draper, UT, USA) that were set at approximate hip height for all subjects, to ensure that only one body part (such as the lower torso) breaks the beam (40). All subjects wore previously used standardized footwear (Balance W490, New Balance, Boston, MA, USA) to control for shoe–surface interface.

The GRF analysis procedures were based on previously published protocols (6, 8), thus a brief overview is provided here. Tri-axial GRFs were collected from three 600 mm × 900 mm AMTI (Advanced Mechanical Technology, Inc, Watertown, MA, USA) force platforms (Model number: 600900) embedded into the running track sampling at 1200 Hz using Qualisys Track Manager software (Qualisys, version 2.16 (Build 3520), Gothenburg, Sweden), with vertical, anterior-posterior, and medio-lateral force corresponding to F_z , F_x , and F_y ,

respectively. Ground reaction force data were exported and smoothed using a Butterworth low-pass digital filter with a 25 Hz cut-off frequency in a customized Microsoft Excel analysis spreadsheet (version 2016, Microsoft Corp., Redmond, WA, USA), and the Fz, Fx, and Fy force components were also analyzed in a separate customized Microsoft Excel analysis spreadsheet. The following dependent variables derived from the force-time curves with Table 1 outlining the definitions and calculations: peak vertical braking force (VBF), peak HBF, and peak RBF; mean vertical, mean horizontal, and mean resultant GRFs; angle of peak RBF, peak and mean horizontal to vertical GRF ratios, and GCTs for all foot contacts. Initial contact (touch-down) was defined as the instant of ground contact that the vertical GRF (VGRF) was higher than 20 N, and end of contact (toe-off) was defined as the point where the VGRF subsided past 20 N (6, 8). All GRF and impulse variables were normalized to body weight (BW), and the average of three trials was used for further analysis.

Insert Table 1 here

STATISTICAL ANALYSES

All statistical analysis was performed in SPSS v 25 (SPSS Inc., Chicago, IL, USA) and Microsoft Excel. Normality was inspected for all variables using a Shapiro-Wilk's test. Within-session reliability for all variables were assessed using Intraclass correlation coefficients (ICC) (two-way mixed effects, average measures, absolute agreement) and coefficient of variation (CV%). ICCs were interpreted based on the following scale presented by Koo and Li (30): poor (≤ 0.49), moderate (0.50-0.74), good (0.75-0.89), and excellent (≥ 0.90). The CV% was calculated as $SD/mean \times 100$ for each participant and then averaged across all participants, with values $<15\%$ considered acceptable (23).

GRF characteristics were compared across the three foot contacts using a repeated measures analysis of variance (RMANOVA), with Bonferroni post-hoc pairwise comparisons

in cases of significant differences for parametric variables. Partial eta squared effect sizes and observed powers were calculated for all RMANOVAs, with the values of 0.010-0.059, 0.060-0.149, and ≥ 0.150 considered as small, medium, and large, respectively, according to Cohen (5). For non-parametric variables, a Friedman's test was used, and in cases of significant differences, individual Wilcoxon-sign ranked tests were used to explore differences. Cohen's d effect sizes (17) were calculated for all pairwise comparisons between foot contacts, and interpreted as trivial (≤ 0.19), small (0.20 – 0.59), moderate (0.60 – 1.19), large (1.20 – 1.99), very large (2.00 – 3.99), and extremely large (≥ 4.00) (25). Additionally, relationships between GRF characteristics and completion time were examined using Pearson's (for parametric data) and Spearman's (for non-parametric data) correlations. Coefficient of determinations (r^2 %) were also calculated. Correlations were evaluated as follows: trivial (0.00 - 0.09), small (0.10 – 0.29), moderate (0.30 – 0.49), large (0.50 – 0.69), very large (0.70 – 0.89), nearly perfect (0.90 – 0.99), and perfect (1.00) (25). A correlation cut-off value of ≥ 0.40 was considered relevant according to Welch et al. (39). 95% confidence intervals (CI) were calculated for ICCs, CV%, effect sizes, and correlations. Statistical significance was defined $p \leq 0.05$ for all tests.

RESULTS

Completion times (2.409 ± 0.106 s, ICC = 0.903, 95% CI = 0.795-0.959, CV% = 2.0, 95% CI = 1.4-2.5) and approach times (1.963 ± 0.104 s, ICC = 0.947, 95% CI = 0.890-0.977; CV% = 1.8, 95% CI = 1.2-2.3) displayed high and acceptable reliability and variance. All GRF variables demonstrated very good to excellent reliability, excluding FFC peak and mean Horizontal to Vertical braking and GRF ratios and PFC GCT which displayed moderate reliability (Table 2). All variable displayed acceptable variability (Table 2).

*** Insert Table 2 here***

Comparisons

RMANOVA and Friedman's test revealed significant differences in GCTs, peak braking forces, mean GRFs, total impulse, angle of peak RBF, and horizontal to vertical braking ratios between foot contacts (Table 3). Pairwise comparisons revealed that significantly greater peak VBFs, peak HBFs, peak RBFs, and mean VGRFs, in shorter GCTs were displayed during the APFC in comparison to PFC and FFC (Table 3, Figure 2), with moderate to extremely large effect sizes. APFC mean HGRFs, VGRFs, and RGRFs were also significantly greater than the PFC with large to extremely large effect sizes (Table 3, Figure 2); however, significantly greater vertical, horizontal, and resultant total impulses were displayed during the PFC compared to the APFC, with moderate to large effect sizes (Table 3). The greatest mean HGRFs and mean RGRFs were demonstrated during the FFC in comparison to the other foot contacts, with moderate to extremely large effect sizes (Table 3, Figure 2). Additionally, significantly greater vertical, horizontal, and resultant impulses were demonstrated during the FFC in comparison to the APFC and PFC, with extremely large effect sizes (Table 3).

Finally, more horizontally orientated peak RBF vectors and greater horizontal to vertical braking force ratios were observed during the FFC in comparison to the other foot contacts, with very large to extremely large effect sizes (Table 3), while the aforementioned variables were also statistically significantly greater for the PFC in comparison to the APFC, with very large effect sizes (Table 3). 17 (15 right / 2 left limb preference) and 18 (16 right / 2 left limb preference) subjects displayed greater peak HBFs and mean HGRFs in the APFC compared to the PFC (Figure 2), respectively, while 18 (16 right / 2 left limb preference) and 20 (18 right / 2 left limb preference) subjects displayed greater peak RBFs and mean RGRFs in the APFC compared to the PFC (Figure 2), respectively. Interestingly, the two subjects who stated left limb preference demonstrated greater peak HBFs and RBFs, and mean HGRFs and RGRFs, during the APFC (right limb) compared to the PFC (left limb).

*** Insert Table 3 here***

Insert Figure 2 here

Relationships

The relationships between APFC, PFC, and FFC GRF characteristics and COD performance are presented in Table 4. Greater APFC peak VBFs, peak HBFs, peak RBFs, mean VGRFs, mean HGRFs, mean RGRFs, and horizontal total impulse were significantly and moderately to very largely associated with faster COD performance (Table 4, Figure 3), explaining 21.6-54.5% of common variance. Additionally, shorter APFC GCTs and greater FFC mean HGRFs were moderately and largely associated with faster COD performance (Table 4), respectively, explaining 20.9-38.8% of common variance. More horizontally orientated APFC RBF vectors and greater APFC horizontal to vertical braking force ratios were very largely associated with faster COD performance, explaining 54.9-61.2% of common variance (Table 4). Additionally, more horizontally orientated PFC RBF vectors and greater PFC horizontal to vertical braking force ratios were moderately to largely associated with faster COD performance, explaining 22.8-32.0% of common variance, while greater FFC horizontal to vertical mean GRF ratios were very largely associated with faster performance (Table 4) ($r^2 = 61.9\%$).

*** Insert Table 4 here***

Insert Figure 3 here

DISCUSSION

The aim of the study was two-fold: 1) to compare GRF characteristics between the APFC, PFC and FFC; and 2) to examine the relationships between APFC, PFC, and FFC GRF characteristics with 180° COD performance as measured via a 505 test. The key findings were that greater peak braking forces in substantially shorter GCTs were demonstrated over the

APFC compared to the PFC and FFC (Table 3, Figure 2), while APFC mean GRFs were also greater than the PFC (Table 3, Figure 2), supporting the study hypotheses. Additionally, faster 180° COD performance was associated with greater APFC peak and mean vertical, horizontal, and resultant braking GRFs explaining 21.6-54.5% of common variance, while greater FFC mean HGRFs were also associated with faster performance ($r^2 = 38.8\%$) (Table 4, Figure 3). Conversely, no significant or meaningful relationships were observed for PFC peak or mean GRFs ($r^2 \leq 10.6\%$) with COD performance (Table 4). These findings indicate that the APFC plays a more pivotal role in facilitating braking and deceleration for effective 180° COD within a 505 test, in line with the study hypotheses. Finally, in terms of force-vector specificity, faster 180° COD performance was associated with more horizontally orientated peak RBFs over the APFC and PFC ($r^2 = 22.8-55.4\%$), while greater mean horizontal to vertical GRF ratios for all foot contacts was also associated with faster performance ($r^2 = 32.0-61.9\%$). Overall, these results highlight not only the importance of peak and mean GRFs, particularly during the APFC, but highlight the importance of the technical application and orientation of the GRF vector across the three foot contacts for maximizing 180° COD performance within a 505 test; supporting the study hypotheses.

Changing direction 180°, particularly with longer approach distances, requires substantial deceleration to reduce the horizontal velocity of the COM to zero to facilitate effective redirection (6, 11, 20, 29). As such, the ability for athletes to display effective braking strategies is considered highly important for effective 180° COD performance (6, 8, 11, 12). To the best of our knowledge, this is the first study to examine the GRF characteristics of the APFC and quantify its role during 180° COD. Importantly, greater APFC GRFs, particularly horizontal GRF and horizontal total impulse, in a more horizontally orientated direction were largely to very largely associated with faster COD performance in the present study (Table 4, Figure 3). Based on Newton's 2nd law, increases in force are proportionate to change in

acceleration (i.e., negative acceleration), while greater forces also increase impulse which, based on the impulse-momentum relationship, leads to greater changes in momentum, thus reductions in horizontal velocity. While maximising force production is indeed important, the ability to orientate force in an optimal direction is also advantageous for faster COD performance (6, 12). Interestingly, greater mean horizontal to vertical GRF ratios across all three foot contacts, and more horizontally orientated peak APFC and PFC RBFs were moderately to very largely related to faster 180° COD performance (Table 4, Figure 3), substantiating previous research that highlighted the importance of orientation of GRF vector during COD (6, 39). This finding is important because for the same resultant GRF applied into the ground, a greater horizontal to vertical propulsive ratio (i.e., greater horizontally orientated force vector) should facilitate greater net horizontal acceleration (32). As such, based on these findings, braking strategies which emphasize greater GRF characteristics during the APFC appear to be advantageous for faster 180° COD performance, while the technical ability to apply force horizontally across the APFC, PFC, and FFC is also beneficial.

Substantiating the results of previous research (6, 8, 19, 29), greater FFC horizontal GRFs were largely associated with faster COD performance (Table 4), which should theoretically facilitate effective net acceleration in the horizontal direction (32). However, in terms of PFC peak and mean GRF characteristics, no significant or meaningful relationships with COD performance were observed (Table 4). This result contrasts with Dos'Santos et al. (8) and Graham-Smith et al. (19) who found faster athletes displayed greater PFC HBFs, though this discrepancy could be attributed to differences in the 180° COD task (i.e., m505 vs. 505). For example, the abovementioned studies investigated the PFC during the m505 which consists of 5-m entry and exit. Research has shown that athletes only attain ~55% of their maximum speed during a task that required athletes to sprint and decelerate to a pre-determined point 5-m away, with stopping distances of ~3-m (20). Therefore, it is theorized that during the

m505, the PFC may have a more important role in facilitating braking in contrast to the 505 whereby greater speeds are attained and subsequently longer stopping distances are required (11, 20), and thus, a greater reliance on earlier foot contacts such as the APFC. As such, deceleration and braking strategies appear specific to the approach distance and approach velocity. Although braking strategies may differ between planned and unplanned tasks (and their associated approach and braking demands) (28), most athletes will require to the capacity to perform planned and unplanned turns effectively in training and competition (11, 35). Therefore, a range of braking strategies over various distances and tasks (planned and unplanned) should be coached with athletes prepared for increased movement solutions to adapt movement for different contexts where preparation time may vary (10, 11, 34, 35).

In context of the 505, the PFC may have a more critical role in lowering the COM and facilitating an effective posture for weight acceptance and push-off during the FFC, as shown by Dos'Santos et al. (6) who observed faster athletes during the 505 displayed greater PFC lower-limb triple flexion angles. Notably, GCTs of ~0.5 seconds were displayed during the PFC, which were substantially longer the APFC, but similar to the FFC (Table 3, Figure 1). As such, because of the similar GCTs between the PFC and FFCs (Figure 1), athletes tend to display a dual-foot contact 180° turning strategy, with the PFC typically performed in a transverse position to reduce the redirection requirements. In the present study, $\geq 85\%$ of the subjects, including the two subjects who preferred their left limb, displayed greater peak and mean GRF characteristics during the APFC compared to the PFC (Figure 2). Consequently, in relation to the 505, the APFC may have a more pivotal role in facilitating deceleration and braking compared to the PFC for effective 505 performance; however, both foot contacts are likely to serve dual roles with respect to 'braking' and 'positioning' the body for redirection, weight acceptance, and COM lowering (Figure 1). Finally, the FFC although containing a braking a component, its main role is propulsion and to redirect the body towards the intended

direction of travel (Figure 1). As such, practitioners should be conscious of the roles of the APFC, PFC, and FFC when coaching effective braking strategies during the 505.

To the best of our knowledge, this is the first study to compare GRF characteristics between the APFC, PFC, and FFC during a 180° COD task. As stated previously, the greatest peak braking forces were observed during the APFC, whereas vertical, horizontal, and resultant total impulse, progressively increased with the latter foot contacts (PFC and FFC) (Table 3, Figure 1). This finding is unsurprising because substantially longer GCTs were observed with PFC and FFC, which contributes to the greater impulse (Table 3, Figure 1). Additionally, the orientation of the GRF towards horizontal and the HGRF contribution progressively increased across the foot contacts, with the FFC displaying the greatest horizontally orientated GRF (Table 3). Figure 4 presents the peak RBF vector across the three foot contacts, illustrating the greater magnitudes during the APFC and how the RBF vectors becomes more horizontally orientated with the latter foot contacts. This finding could be attributed to the greater COM lowering and greater changes in base of support relative to the COM to facilitate a horizontally orientated GRF vector (6, 12), as illustrated in Figure 1.

*** Insert Figure 4 here***

It is important to note that the FFC has two purposes: braking (weight-acceptance) and propulsion (push-off) (6), which accounts for the greater mean HGRFs observed in the present study compared to the APFC (Table 3), which is solely a braking step (Figure 1). Conversely, greater peak braking forces and mean GRFs were displayed during the APFC compared to the PFC (Table 3), while meaningful relationships were revealed only for the aforementioned GRF characteristics during the APFC (Table 4). This suggests the APFC has a more important role in facilitating effective 180° COD during the 505, and coaches are encouraged to coaching braking strategies which emphasize greater braking forces during the APFC. In contrast to

previous research (19, 26, 27), greater peak HBFs were demonstrated during the PFC compared to the FFC, while differences in peak VBF were trivial and non-significant (Table 3). However, supporting the results of Jones et al. (26), greater mean GRFs and total vertical, horizontal and resultant total impulse were demonstrated during the FFC compared to the PFC (Table 3). As stated previously, the greater mean GRFs observed for the FFC can be attributed dual purposes of braking and propulsion, as illustrated by the notable differences in GRF displayed in Figure 1 between foot contact force-time curves. Nevertheless, due to the importance of the magnitudes of the braking and propulsive GRF characteristics observed in the present study for faster COD (Table 4), practitioners should consider developing their athletes' ability to rapidly produce force using resistance training (11) and should potentially consider horizontally orientated lower-limb plyometrics due to the importance of force vector specificity observed in the present study (11). In addition, because of the substantial deceleration requirements during the 505, and the necessity to generate high braking forces, eccentric strength may also be beneficial to facilitate more effective deceleration (20, 24, 29), particularly the knee extensors.

It should be noted that the present study investigated a planned 505, thus it is emphasized that the findings from this study highlighting the importance of the APFC are applicable to high-entry velocity, planned 180° COD tasks. Thus, caution is advised regarding the generalizations of these results to CODs of different angles, approach distances, and techniques because the biomechanical demands of COD are 'angle-' and 'velocity-dependent' (11) and influenced by technique (10). Therefore, further research is necessary that investigates the APFC during CODs of different angles (i.e., 90° cut) and during different approach distances (i.e., m505). **Because the present study investigated a planned 505, caution is advised regarding the application of the current study's findings regarding APFC dominant braking strategies for unplanned CODs in open-skill sports such as soccer. This is because of the time**

requirements to adopt preparatory postural adjustments to facilitate earlier, effective braking; however, future work should investigate the role of the APFC during unplanned CODs and consider its potential role during sport-specific COD actions. It should be noted that the present study only examined the GRF characteristics of the foot contacts, and did not examine the joint kinetics, kinematics, and velocity profiles over the different foot contacts and thus warrants further inspection. Additionally, future work should consider investigating the technical determinants of greater magnitudes of horizontally orientated APFC braking forces to assist in the development of coaching and technical guidelines for effective braking strategies for fast and sharp COD tasks. Finally, the present study investigated turning from the right limb only (18 subjects' preferred limb); thus, it unknown whether findings would be similar when performing turns from the left limb, which in most cases would be the current populations' non-preferred limb (18 of 20 subjects). Thus, further studies inspecting 180° turning off both limbs are required to further understand the role of APFC.

Nevertheless, in context of the present studies limitations, the results of this study regarding the importance of the APFC have widescale implications regarding the coaching of braking strategies during planned, high-entry velocity 180° CODs, particularly during the coaching of the 505 which is commonly used for athletic monitoring and talent identification in a variety of sports (36), and during closed COD drills which serve as the mechanical foundation before progressing to more complex unanticipated and sports-specific drills (10, 12, 34, 35). In a sporting context, the 505 closely resembles the task demands of running and turning between the wickets during cricket (18), thus the findings of this study have large implications for cricket batsmen.

PRACTICAL APPLICATIONS

While recent braking strategy recommendations have highlighted the importance of the PFC for facilitating faster 180° COD performance (6, 8, 12), the findings from this study indicate that the APFC plays a more pivotal role in facilitating effective deceleration for faster 180° COD performance as experienced during a 505, and should be therefore considered a key ‘braking step’ in such tasks. As such, during 180° CODs from long approach distances, practitioners are encouraged to coach braking strategies that emphasize greater magnitudes of posteriorly directed APFCs GRFs to facilitate faster performance, while also developing their athletes’ technical ability to express force horizontally across the PFC and FFC, to enable greater changes in acceleration. Substantially lower peak and mean GRFs were observed during the PFC compared to the APFC; therefore, the APFC may play a more pivotal role in facilitating deceleration and braking compared to the PFC for effective 505 performance. Nevertheless, both the APFC and PFC are likely to serve dual roles with respect to ‘braking’ and ‘positioning’ the body for redirection, weight acceptance, and COM lowering during sharp COD tasks (11, 12). Finally, in light of the GRF determinants of faster 180° COD performance, practitioners should consider developing their athletes’ physical capacity to express force rapidly (11), while ensuring they have the strength capacity, particularly knee extensor eccentric strength, to tolerate the loads and generate the high braking forces required to facilitate effective deceleration (20, 24, 29).

REFERENCES

1. Andrews JR, McLeod WD, Ward T, and Howard K. The cutting mechanism. *Am J Sport Med* 5: 111-121, 1977.
2. Ashton J and Jones PA. The reliability of using a laser device to assess deceleration ability. *Sports* 7: 191, 2019.
3. Bloomfield J, Polman R, and Donoghue P. Physical demands of different positions in FA Premier League soccer. *J Sport Sci Med* 6: 63-70, 2007.
4. Bourgeois F, McGuigan MR, Gill ND, and Gamble G. Physical characteristics and performance in change of direction tasks: a brief review and training considerations *J Aust Strength Conditioning* 25: 104-117, 2017.
5. Cohen J. Statistical analysis for the behavioral sciences. *Hillsdale: Lawrence Erlbaum*, 1988.

- 447 6. Dos' Santos T, McBurnie A, Thomas C, Comfort P, and Jones PA. Biomechanical Determinants
448 of the Modified and Traditional 505 Change of Direction Speed Test. *J Strength Cond Res*:
449 Published Ahead of Print, 2019.
- 450 7. Dos'Santos T, Comfort P, and Jones PA. Average of trial peaks versus peak of average profile:
451 impact on change of direction biomechanics. *Sport Biomech*: 1-10, 2018.
- 452 8. Dos'Santos T, Thomas C, Jones PA, and Comfort P. Mechanical determinants of faster change
453 of direction speed performance in male athletes. *J Strength Cond Res* 31: 696-705, 2017.
- 454 9. Dos'Santos T, Thomas C, Jones PA, and Comfort P. Assessing Asymmetries in Change of
455 Direction Speed Performance; Application of Change of Direction Deficit. *J Strength Cond Res*
456 33: 2953-2961, 2019.
- 457 10. Dos'Santos T, McBurnie A, Thomas C, Comfort P, and Jones PA. Biomechanical Comparison of
458 Cutting Techniques: A Review and Practical Applications. *Strength Cond J* 41: 40-54, 2019.
- 459 11. Dos'Santos T, Thomas C, Comfort P, and Jones PA. The effect of angle and velocity on change
460 of direction biomechanics: an angle-velocity trade-off. *Sports Med* 48: 2235-2253, 2018.
- 461 12. Dos'Santos T, Thomas C, Comfort P, and Jones PA. The Role of the Penultimate Foot Contact
462 During Change of Direction: Implications on Performance and Risk of Injury. *Strength Cond J*
463 41: 87-104, 2019.
- 464 13. Dos'Santos T, Thomas C, Jones PA, and Comfort P. Asymmetries in single and triple hop are
465 not detrimental to change of direction speed. *Journal of Trainology* 6: 35-41, 2017.
- 466 14. Draper JA and Lancaster MG. The 505 test: A test for agility in the horizontal plane. *Australian*
467 *Journal of Science and Medicine in Sport* 17: 15-18, 1985.
- 468 15. Duffield R and Drinkwater EJ. Time-motion analysis of test and one-day international cricket
469 centuries. *J Sports Sci* 26: 457-464, 2008.
- 470 16. Faul F, Erdfelder E, Buchner A, and Lang A-G. Statistical power analyses using G* Power 3.1:
471 Tests for correlation and regression analyses. *Behav Res Methods* 41: 1149-1160, 2009.
- 472 17. Flanagan EP. The effect size statistic - Applications for the strength and conditioning coach.
473 *Strength Cond J* 35: 37-40, 2013.
- 474 18. Foden M, Astley S, Comfort P, McMahon JJ, Matthews MJ, and Jones PA. Relationships
475 between speed, change of direction and jump performance with cricket specific speed tests
476 in male academy cricketers. *Journal of Trainology* 4: 37-42, 2015.
- 477 19. Graham-Smith P, Atkinson L, Barlow R, and Jones P. Braking characteristics and load
478 distribution in 180 degree turns. Presented at Proceedings of the 5th annual UKSCA
479 conference, 2009.
- 480 20. Graham-Smith P, Rumpf M, and Jones PA. Assessment of Deceleration Ability and Relationship
481 to Approach Speed And Eccentric Strength. Presented at ISBS Proceedings Archive, Auckland,
482 New Zealand, September 10-14, 2018.
- 483 21. Greig M. The influence of soccer-specific activity on the kinematics of an agility sprint. *Eur J*
484 *Sports Sci* 9: 23-33, 2009.
- 485 22. Greig M and Naylor J. The efficacy of angle-matched isokinetic knee flexor and extensor
486 strength parameters in predicting agility test performance. *Int J Sports Phys Ther* 12: 728,
487 2017.
- 488 23. Haff GG, Ruben RP, Lider J, Twine C, and Cormie P. A comparison of methods for determining
489 the rate of force development during isometric midthigh clean pulls. *J Strength Cond Res* 29:
490 386-395, 2015.
- 491 24. Harper DJ, Jordan AR, and Kiely J. Relationships Between Eccentric and Concentric Knee
492 Strength Capacities and Maximal Linear Deceleration Ability in Male Academy Soccer Players.
493 *J Strength Cond Res*: Published ahead of print, 2018.
- 494 25. Hopkins WG. A scale of magnitudes for effect statistics. *A new view of statistics*: Retrieved
495 from <http://sportsci.org/resource/stats/effectmag.html>, 2002.
- 496 26. Jones PA, Herrington L, and Graham-Smith P. Braking characteristics during cutting and
497 pivoting in female soccer players. *J Electromyogr Kines* 30: 46-54, 2016.

27. Jones PA, Herrington L, and Graham-Smith P. Technique determinants of knee abduction moments during pivoting in female soccer players. *Clin Biomech* 31: 107-112, 2016.
28. Jones PA, Stones S, and Smith L. A comparison of braking characteristics between pre-planned and unanticipated changing direction tasks in female soccer players: An exploratory study. Day 1. Posters–Biomechanics, BASES Annual Conference, 25th November 2014, St Georges Park, Burton. *J Sports Sci* 32: S25-S26, 2014.
29. Jones PA, Thomas C, Dos'Santos T, McMahon J, and Graham-Smith P. The Role of Eccentric Strength in 180° Turns in Female Soccer Players. *Sports* 5: 42, 2017.
30. Koo TK and Li MY. A guideline of selecting and reporting intraclass correlation coefficients for reliability research. *Journal of chiropractic medicine* 15: 155-163, 2016.
31. Lu TW and Chang C, F. Biomechanics of human movement and its clinical applications. *The Kaohsiung journal of medical sciences* 28: S13-S25, 2012.
32. Morin J-B, Edouard P, and Samozino P. Technical ability of force application as a determinant factor of sprint performance. *Med Sci Sports Exerc* 43: 1680-1688, 2011.
33. Nedergaard NJ, Kersting U, and Lake M. Using accelerometry to quantify deceleration during a high-intensity soccer turning manoeuvre. *J Sports Sci* 32: 1897-1905, 2014.
34. Nimphius S. Increasing Agility, in: *High-Performance Training for Sports*. D Joyce, D Lewindon, eds. Champaign, IL.: Human Kinetics, 2014, pp 185-198.
35. Nimphius S. Training change of direction and agility, in: *Advanced Strength and Conditioning*. A Turner, P Comfort, eds. Abdingdon, Oxon, United Kingdom: Routledge, 2017, pp 291-308.
36. Nimphius S, Callaghan SJ, Bezodis NE, and Lockie RG. Change of Direction and Agility Tests: Challenging Our Current Measures of Performance. *Strength Cond J* 40: 26-38, 2017.
37. Robinson G, O'Donoghue P, and Nielson P. Path changes and injury risk in English FA Premier League soccer. *Int J Perf Anal Spor* 11: 40-56, 2011.
38. Sweeting AJ, Aughey RJ, Cormack SJ, and Morgan S. Discovering frequently recurring movement sequences in team-sport athlete spatiotemporal data. *J Sports Sci* 35: 2439-2445, 2017.
39. Welch N, Richter C, Franklyn-Miller A, and Moran K. Principal Component Analysis of The Associations Between Kinetic Variables In Cutting And Jumping, And Cutting Performance Outcome. *J Strength Cond Res*: Published ahead of print, 2019.
40. Yeadon MR, Kato T, and Kerwin DG. Measuring running speed using photocells. *J Sports Sci* 17: 249-257, 1999.
41. Young WB, Dawson B, and Henry GJ. Agility and change-of-direction speed are independent skills: Implications for training for agility in invasion sports. *International Journal of Sports Science and Coaching* 10: 159-169, 2015.