

Please cite the Published Version

Dos'Santos, Thomas , Thomas, Christopher and Jones, Paul (2021) How early should you brake during a 180° turn? A kinetic comparison of the antepenultimate, penultimate, and final foot contacts during a 505 change of direction speed test. Journal of Sports Sciences, 39 (4). pp. 395-405. ISSN 0264-0414

DOI: https://doi.org/10.1080/02640414.2020.1823130

Publisher: Taylor & Francis

Version: Accepted Version

Downloaded from: https://e-space.mmu.ac.uk/627055/

Usage rights: O In Copyright

Additional Information: This is an Author Accepted Manuscript of an article published in Journal of Sports Sciences.

Enquiries:

If you have questions about this document, contact openresearch@mmu.ac.uk. Please include the URL of the record in e-space. If you believe that your, or a third party's rights have been compromised through this document please see our Take Down policy (available from https://www.mmu.ac.uk/library/using-the-library/policies-and-guidelines)

Page | 1

1	HOW EARLY SHOULD YOU BRAKE DURING A 180° TURN? A KINETIC
2	COMPARISON OF THE ANTEPENULTIMATE, PENULTIMATE, AND FINAL
3	FOOT CONTACTS DURING A 505 CHANGE OF DIRECTION SPEED TEST
4	Original Research
5	Funding Statement: No external funding was received for this work.
6	Conflict of Interest: There are no conflicts of interest concerning this paper
7	
8	Thomas Dos'Santos ^{1,2#} , Christopher Thomas ¹ , and Paul A Jones ¹
9	¹ Human Performance Laboratory, Directorate of Sport, Exercise, and Physiotherapy,
10	University of Salford, Greater Manchester, United Kingdom
11	² Department of Sport and Exercise Sciences, Musculoskeletal Science and Sports Medicine
12	Research Centre, Manchester Metropolitan University, Manchester, United Kingdom
13	Correspondence address
14	Thomas Dos'Santos
15	4.07 All Saints Building, Manchester Campus John Dalton Building, Manchester Metropolitan
16	University
17	[#] Corresponding Author: Thomas Dos'Santos
18	Telephone: +447961744518
19	Email: t.dossantos@hotmail.co.uk
20	
21	Preferred running head: 505 braking strategy
22	
23	
24	Abstract word count: 197 words
25	Manuscript word count: 5101 words
26	Number of tables and figures: 4 Tables and 4 Figures

27 ABSTRACT

The aim of the study was to compare ground reaction force (GRF) characteristics between the 28 antepenultimate foot contact (APFC), penultimate foot contact (PFC), and final foot contact 29 (FFC), and to examine the relationships between APFC, PFC, and FFC GRF characteristics 30 with 505 change of direction (COD) speed performance. Twenty university male soccer players 31 performed three COD trials, whereby GRFs were collected over the aforementioned foot 32 contacts. Greater peak braking forces in shorter ground contact times were demonstrated over 33 the APFC compared to the PFC and FFC ($p \le 0.011$, d = 0.96-7.82), while APFC mean GRFs 34 were greater than the PFC ($p \le 0.001$, d=1.86-7.57). Faster 505 performance was associated with 35 greater APFC peak and mean vertical, horizontal, and resultant braking GRFs ($r^2=21.6-54.5\%$), 36 greater FFC mean HGRFs (r^2 =38.8%), more horizontally orientated peak resultant APFC and 37 PFC GRFs ($r^2=22.8-55.4\%$), and greater APFC, PFC, and FFC mean horizontal to vertical 38 GRF ratios (r^2 =32.0-61.9%). Overall, the APFC plays a more pivotal role in facilitating 39 deceleration compared to the PFC for effective 505 performance. Practitioners should develop 40 their athletes' technical ability to express force horizontally across all foot contacts and coach 41 braking strategies that emphasize greater magnitudes of posteriorly directed APFC GRFs to 42 facilitate faster 505 performance. 43

44 Key words: braking force; ground contact time; force-vector; deceleration; impulse

45 INTRODUCTION

46 Change of direction (COD) ability is a fundamental athletic quality for athletes who participate 47 in multidirectional sport (3, 15, 38, 41). Importantly, COD ability provides the mechanical and 48 physical basis underpinning agility (10, 34, 35); thus, highlighting the importance of 49 developing athletes' physical and mechanical ability to COD in open-skilled sports (34). 50 Specifically, the capacity to COD 180° is integral in numerous sports (3, 15, 38); for example,

soccer players perform ~100 turns of 90-180° during match play when the team is in and out 51 of possession (3), such as transitioning from defence to attack (and vice versa). Furthermore, 52 previous research has shown soccer payers perform ~20 turns of 135-180° at moderate to high 53 intensity ($\geq 4m/s$) (37). Additionally, 180° turns are also frequently performed actions in netball 54 (38), while cricket batsmen can score runs by running and turning 180° between the wickets 55 and is therefore considered a fundamental movement for successful cricket performance (15). 56 In addition to match play, 180° CODs commonly feature in physical testing batteries for COD 57 speed assessments, such as the 505, modified 505 (m505), and pro-agility, whereby these tests 58 59 are frequently used for athlete monitoring and talent identification purposes in numerous sports (i.e., cricket, basketball, soccer, rugby, American football) (36). Specifically, Greig (21) 60 suggests that 180° COD assessments may better represent COD in soccer, but it is important 61 62 to acknowledge that turning strategies may differ between planned and unplanned tasks (28). Nevertheless, irrespective of the scenario, and given the importance of 180° COD ability in 63 multidirectional sports and COD speed assessments, understanding the kinetic properties 64 which underpin faster COD performance is paramount. 65

A COD can be divided into four phases: 1) initial acceleration; 2) deceleration 66 (negative acceleration); 3) COD foot plant; and 4) reacceleration (4, 10, 20), and is described 67 as a multi-step action whereby the steps preceding and following the main COD foot plant are 68 69 involved in facilitating effective deceleration, redirection, and reacceleration (1, 11, 12). In a recently published narrative review (11), an 'angle-velocity trade-off' concept has been 70 discussed with respect to COD, whereby as the intended COD angle increases, deceleration 71 requirements also increase to reduce the horizontal momentum to facilitate effective COD. This 72 deceleration is typically accomplished via multiple foot contacts (11, 12), with the penultimate 73 foot contact (PFC) (i.e., the second to last foot contact with ground prior to moving into a new 74 intended direction of travel) having been shown to play a crucial role in terms of braking and 75

facilitating faster 180° COD performance (6, 8, 12, 19, 29). For example, greater PFC 76 horizontal braking forces (HBF) have been associated with faster 180° COD performance (8, 77 19), which, based on the impulse-momentum relationship, results in greater change in 78 79 momentum (12), thus velocity reduction. Additionally, faster 180° COD performance has been associated with more horizontally orientated PFC resultant braking forces (RBF) and greater 80 horizontal to vertical mean and peak braking force ratios (6). This is advantageous because a 81 more horizontally directed force vector should help facilitate more effective braking and net 82 deceleration (negative acceleration) (12, 31, 32). Furthermore, faster m505 and 505 performers 83 84 have also been reported to display greater PFC lower-limb triple flexion to help lower the centre of mass (COM) and facilitate an effective braking and push-off position (6), and is therefore 85 considered a 'preparatory step' step for sharper COD. As such, these findings have led to the 86 recent COD coaching and technical recommendations of maximising PFC horizontally 87 orientated braking characteristics and facilitating optimal PFC whole-body postures for faster 88 180° COD performance (6, 12). 89

During 180° CODs athletes are required to reduce their horizontal velocity of COM to 90 zero (6, 29), thus athletes will need to reduce their momentum over a series of foot contacts 91 before changing direction (11, 12). For example, deceleration stopping distances of ~3-6 meters 92 have been observed during 10-20 meter sprints (2, 22, 24), highlighting the multi-step nature 93 94 of deceleration. In the context of the 505, athletes are required to sprint, decelerate, and COD 180° at turning point 15 meters away from the start. Graham-Smith et al. (20) reported 95 deceleration stopping distances of 6.61 ± 0.40 meters during a sprint task that required athletes 96 to stop at pre-determined point 15-m away, thus closely resembling the task demands of the 97 505. As such, ~44% of the 15-m distance covered can be classified as deceleration, which 98 indicates that the steps preceding the PFC are undoubtedly involved in facilitating deceleration. 99 As such, due to the distance required to stop, the antepenultimate foot contact (APFC) (i.e., 100

third to last foot contact with the ground prior to moving in a new intended direction of travel) 101 may have a more substantial role in terms of facilitating braking and deceleration for sharper 102 CODs compared to the PFC and thus, warrants investigation. The APFC could be advantageous 103 for braking because this foot contact is most likely performed in the sagittal plane which is a 104 more optimal position to generate posterior braking force (12, 20), whereas some athletes have 105 been documented to pre-rotate during the PFC to reduce the directional demands but potentially 106 107 comprising the ability to display greater magnitudes of PFC braking characteristics (6, 12). However, surprisingly, no study to date has compared GRF braking characteristics between the 108 109 APFC, PFC, and final foot contact (FFC) during 180° COD, nor has any study quantified the APFCs role in facilitating faster 180° COD performance. To the best of our knowledge, 110 Nedergaard et al. (33) is the only study to examine the role of the APFC during 135° CODs, 111 reporting greater average trunk decelerations during this foot contact compared to the FFC. 112 However, the authors did not examine the GRF characteristics of the APFC; thus, further 113 insight into the kinetic properties of the APFC is required to improve our understanding of 114 effective braking strategies for faster 180° COD performance. 115

The aim of the study, therefore, was two-fold: 1) to compare GRF characteristics 116 between the APFC, PFC and FFC; and 2) to examine the relationships between APFC, PFC, 117 and FFC GRF characteristics with 180° COD performance as measured via a 505 test. It was 118 119 hypothesized that greater peak and mean GRFs would be demonstrated during the APFC compared to the PFC and FFC. Additionally, it was hypothesized that greater horizontal and 120 resultant GRF characteristics and more horizontally orientated force vectors across all foot 121 contacts would be associated with faster 180° COD performance. Conducting this research will 122 provide greater insight into GRF determinants of faster COD which may assist in the 123 development of more effective 180° turning coaching guidelines and strength and conditioning 124 125 programs.

Page 6

126 **METHODS**

127 Experimental approach to the problem

This study used a mixed, cross-sectional design to determine the relationship between APFC, PFC, and FFC GRF characteristics and 505 performance (completion time) following an associative strategy. Additionally, a within-subjects, comparative design was used to compare GRF characteristics between COD foot contacts. Subjects performed three trials of a 505 from their right limb, whereby tri-axial GRFs were collected during the APFC, PFC, and FFC (Figure 1).

134

*** Insert Figure 1 here***

135 Subjects

136 A minimum sample size of 16 subjects was determined from an *a priori* power analysis using 137 G*Power (Version 3.1, University of Dusseldorf, Germany) (16). This was based upon a previously reported correlation value of 0.680 (mean horizontal to vertical GRF ratio to 138 completion time) (6), a power of 0.95, and type 1 error or alpha level 0.05. As such, 20 139 university-level male soccer players (mean \pm SD; age: 23.8 \pm 3.8 years, height: 1.79 \pm 0.05 m, 140 mass: 80.5 ± 10.9 kg) participated in this study (18 subjects stated right preferred kicking and 141 turning limb). For inclusion in the study, all subjects had played their respective sport for a 142 minimum of 5 years and regularly performed 1 game and 2 structured skill-based sessions per 143 week. All subjects were free from injury and none of the subjects had suffered a prior severe 144 knee injury such as a knee ligament injury. At the time of testing, subjects were currently in-145 season (competition phase). The investigation was approved by the institutional ethics review 146 board, and all subjects were informed of the benefits and risks of the investigation prior to 147 signing an institutionally approved consent documents to participate in the study. 148

149 <u>Procedures</u>

Anthropometric assessments (height [m] and mass [kg]) were completed before performing a standardized warm-up. Prior to maximal COD speed tasks, subjects performed a 5-minute warm up consisting of jogging, self-selected dynamic stretching, and four familiarisation trials of the 505 performed at 75% of perceived maximum effort (7).

Subjects performed three 505 trials as fast as possible, with all trials performed with a 154 turn from their right leg. The 505 has been described previously (9, 13, 14), thus a brief 155 overview is provided. Testing took place in the human performance laboratory on an indoor 156 track (Mondo, SportsFlex, 10 mm; Mondo America Inc., Mondo, Summit, NJ, USA). For all 157 tasks, subjects adopted a two-point stance 0.5-m behind the start line, to prevent early triggering 158 of the timing gates, and sprinted as fast as possible in a straight line towards the turning point 159 (making sure the foot made contact with the turning point) before changing direction 180° and 160 exiting and reaccelerating towards the finish line. Each trial was interspersed with two minutes' 161 rest. If the subject slid, did not contact the turning point, or missed the force platform(s), the 162 trial was discarded and subsequently another trial was performed after 2 minutes' rest. 163 Completion time (recorded to the nearest 0.001 second) and approach time was measured using 164 sets of single beam Brower timing lights (Draper, UT, USA) that were set at approximate hip 165 height for all subjects, to ensure that only one body part (such as the lower torso) breaks the 166 beam (40). All subjects wore previously used standardized footwear (Balance W490, New 167 168 Balance, Boston, MA, USA) to control for shoe-surface interface.

The GRF analysis procedures were based on previously published protocols (6, 8), thus a brief overview is provided here. Tri-axial GRFs were collected from three 600 mm × 900 mm AMTI (Advanced Mechanical Technology, Inc, Watertown, MA, USA) force platforms (Model number: 600900) embedded into the running track sampling at 1200 Hz using Qualisys Track Manager software (Qualisys, version 2.16 (Build 3520), Gothenburg, Sweden), with vertical, anterior-posterior, and medio-lateral force corresponding to Fz, Fx, and Fy,

respectively. Ground reaction force data were exported and smoothed using a Butterworth low-175 pass digital filter with a 25 Hz cut-off frequency in a customized Microsoft Excel analysis 176 spreadsheet (version 2016, Microsoft Corp., Redmond, WA, USA), and the Fz, Fx, and Fy 177 force components were also analyzed in a separate customized Microsoft Excel analysis 178 spreadsheet. The following dependent variables derived from the force-time curves with Table 179 1 outlining the definitions and calculations: peak vertical braking force (VBF), peak HBF, and 180 181 peak RBF; mean vertical, mean horizontal, and mean resultant GRFs; angle of peak RBF, peak and mean horizontal to vertical GRF ratios, and GCTs for all foot contacts. Initial contact 182 183 (touch-down) was defined as the instant of ground contact that the vertical GRF (VGRF) was higher than 20 N, and end of contact (toe-off) was defined as the point where the VGRF 184 subsided past 20 N (6, 8). All GRF and impulse variables were normalized to body weight 185 (BW), and the average of three trials was used for further analysis. 186

187

Insert Table 1 here

188 STATISTICAL ANALYSES

All statistical analysis was performed in SPSS v 25 (SPSS Inc., Chicago, IL, USA) and 189 190 Microsoft Excel. Normality was inspected for all variables using a Shapiro-Wilk's test. Withinsession reliability for all variables were assessed using Intraclass correlation coefficients (ICC) 191 (two-way mixed effects, average measures, absolute agreement) and coefficient of variation 192 193 (CV%). ICCs were interpreted based on the following scale presented by Koo and Li (30): poor (≤ 0.49) , moderate (0.50-0.74), good (0.75-0.89), and excellent (≥ 0.90). The CV% was 194 calculated as SD/mean × 100 for each participant and then averaged across all participants, 195 196 with values <15% considered acceptable (23).

197 GRF characteristics were compared across the three foot contacts using a repeated
 198 measures analysis of variance (RMANOVA), with Bonferroni post-hoc pairwise comparisons

in cases of significant differences for parametric variables. Partial eta squared effect sizes and 199 observed powers were calculated for all RMANOVAs, with the values of 0.010-0.059, 0.060-200 0.149, and \geq 0.150 considered as small, medium, and large, respectively, according to Cohen 201 (5). For non-parametric variables, a Friedman's test was used, and in cases of significant 202 differences, individual Wilcoxon-sign ranked tests were used to explore differences. Cohen's 203 d effect sizes (17) were calculated for all pairwise comparisons between foot contacts, and 204 interpreted as trivial (≤ 0.19), small (0.20 – 0.59), moderate (0.60 – 1.19), large (1.20 – 1.99), 205 very large (2.00 - 3.99), and extremely large (≥ 4.00) (25). Additionally, relationships between 206 207 GRF characteristics and completion time were examined using Pearson's (for parametric data) and Spearman's (for non-parametric data) correlations. Coefficient of determinations (r^2 %) 208 were also calculated. Correlations were evaluated as follows: trivial (0.00 - 0.09), small (0.10 209 -0.29), moderate (0.30 -0.49), large (0.50 -0.69), very large (0.70 -0.89), nearly perfect 210 (0.90 - 0.99), and perfect (1.00) (25). A correlation cut-off value of ≥ 0.40 was considered 211 relevant according to Welch et al. (39). 95% confidence intervals (CI) were calculated for ICCs, 212 CV%, effect sizes, and correlations. Statistical significance was defined p < 0.05 for all tests. 213

214 **RESULTS**

Completion times $(2.409 \pm 0.106 \text{ s}, \text{ICC} = 0.903, 95\% \text{ CI} = 0.795-0.959, \text{CV}\% = 2.0, 95\% \text{ CI}$ = 1.4-2.5) and approach times $(1.963 \pm 0.104 \text{ s}, \text{ICC} = 0.947, 95\% \text{ CI} = 0.890-0.977; \text{CV}\% =$ 1.8, 95% CI = 1.2-2.3) displayed high and acceptable reliability and variance. All GRF variables demonstrated very good to excellent reliability, excluding FFC peak and mean Horizontal to Vertical braking and GRF ratios and PFC GCT which displayed moderate reliability (Table 2). All variable displayed acceptable variability (Table 2).

221

*** Insert Table 2 here***

222 <u>Comparisons</u>

RMANOVA and Friedman's test revealed significant differences in GCTs, peak braking 223 forces, mean GRFs, total impulse, angle of peak RBF, and horizontal to vertical braking ratios 224 between foot contacts (Table 3). Pairwise comparisons revealed that significantly greater peak 225 VBFs, peak HBFs, peak RBFs, and mean VGRFs, in shorter GCTs were displayed during the 226 APFC in comparison to PFC and FFC (Table 3, Figure 2), with moderate to extremely large 227 effect sizes. APFC mean HGRFs, VGRFs, and RGRFs were also significantly greater than the 228 229 PFC with large to extremely large effect sizes (Table 3, Figure 2); however, significantly greater vertical, horizontal, and resultant total impulses were displayed during the PFC 230 231 compared to the APFC, with moderate to large effect sizes (Table 3). The greatest mean HGRFs and mean RGRFs were demonstrated during the FFC in comparison to the other foot contacts, 232 with moderate to extremely large effect sizes (Table 3, Figure 2). Additionally, significantly 233 greater vertical, horizontal, and resultant impulses were demonstrated during the FFC in 234 comparison to the APFC and PFC, with extremely large effect sizes (Table 3). 235

Finally, more horizontally orientated peak RBF vectors and greater horizontal to 236 vertical braking force ratios were observed during the FFC in comparison to the other foot 237 contacts, with very large to extremely large effect sizes (Table 3), while the aforementioned 238 variables were also statistically significantly greater for the PFC in comparison to the APFC, 239 with very large effect sizes (Table 3). 17 (15 right / 2 left limb preference) and 18 (16 right / 2 240 241 left limb preference) subjects displayed greater peak HBFs and mean HGRFs in the APFC compared to the PFC (Figure 2), respectively, while 18 (16 right / 2 left limb preference) and 242 20 (18 right / 2 left limb preference) subjects displayed greater peak RBFs and mean RGRFs 243 in the APFC compared to the PFC (Figure 2), respectively. Interestingly, the two subjects who 244 stated left limb preference demonstrated greater peak HBFs and RBFs, and mean HGRFs and 245 RGRFs, during the APFC (right limb) compared to the PFC (left limb). 246

*** Insert Table 3 here***

247

248

Insert Figure 2 here

249 <u>Relationships</u>

250 The relationships between APFC, PFC, and FFC GRF characteristics and COD performance are presented in Table 4. Greater APFC peak VBFs, peak HBFs, peak RBFs, mean VGRFs, 251 mean HGRFs, mean RGRFs, and horizontal total impulse were significantly and moderately 252 to very largely associated with faster COD performance (Table 4, Figure 3), explaining 21.6-253 54.5% of common variance. Additionally, shorter APFC GCTs and greater FFC mean HGRFs 254 were moderately and largely associated with faster COD performance (Table 4), respectively, 255 explaining 20.9-38.8% of common variance. More horizontally orientated APFC RBF vectors 256 and greater APFC horizontal to vertical braking force ratios were very largely associated with 257 258 faster COD performance, explaining 54.9-61.2% of common variance (Table 4). Additionally, 259 more horizontally orientated PFC RBF vectors and greater PFC horizontal to vertical braking force ratios were moderately to largely associated with faster COD performance, explaining 260 261 22.8-32.0% of common variance, while greater FFC horizontal to vertical mean GRF ratios were very largely associated with faster performance (Table 4) ($r^2 = 61.9\%$). 262

263

264

*** Insert Table 4 here***

Insert Figure 3 here

265

266 **DISCUSSION**

The aim of the study was two-fold: 1) to compare GRF characteristics between the APFC, PFC and FFC; and 2) to examine the relationships between APFC, PFC, and FFC GRF characteristics with 180° COD performance as measured via a 505 test. The key findings were that greater peak braking forces in substantially shorter GCTs were demonstrated over the

APFC compared to the PFC and FFC (Table 3, Figure 2), while APFC mean GRFs were also 271 greater than the PFC (Table 3, Figure 2), supporting the study hypotheses. Additionally, faster 272 180° COD performance was associated with greater APFC peak and mean vertical, horizontal, 273 and resultant braking GRFs explaining 21.6-54.5% of common variance, while greater FFC 274 mean HGRFs were also associated with faster performance ($r^2 = 38.8\%$) (Table 4, Figure 3). 275 Conversely, no significant or meaningful relationships were observed for PFC peak or mean 276 GRFs ($r^2 \le 10.6\%$) with COD performance (Table 4). These findings indicate that the APFC 277 plays a more pivotal role in facilitating braking and deceleration for effective 180° COD within 278 279 a 505 test, in line with the study hypotheses. Finally, in terms of force-vector specificity, faster 180° COD performance was associated with more horizontally orientated peak RBFs over the 280 APFC and PFC ($r^2 = 22.8-55.4\%$), while greater mean horizontal to vertical GRF ratios for all 281 foot contacts was also associated with faster performance ($r^2 = 32.0-61.9\%$). Overall, these 282 results highlight not only the importance of peak and mean GRFs, particularly during the 283 APFC, but highlight the importance of the technical application and orientation of the GRF 284 vector across the three foot contacts for maximizing 180° COD performance within a 505 test; 285 supporting the study hypotheses. 286

Changing direction 180°, particularly with longer approach distances, requires 287 substantial deceleration to reduce the horizontal velocity of the COM to zero to facilitate 288 289 effective redirection (6, 11, 20, 29). As such, the ability for athletes to display effective braking strategies is considered highly important for effective 180° COD performance (6, 8, 11, 12). 290 To the best of our knowledge, this is the first study to examine the GRF characteristics of the 291 APFC and quantify its role during 180° COD. Importantly, greater APFC GRFs, particularly 292 horizontal GRF and horizontal total impulse, in a more horizontally orientated direction were 293 largely to very largely associated with faster COD performance in the present study (Table 4, 294 Figure 3). Based on Newton's 2nd law, increases in force are proportionate to change in 295

acceleration (i.e., negative acceleration), while greater forces also increase impulse which, 296 based on the impulse-momentum relationship, leads to greater changes in momentum, thus 297 reductions in horizontal velocity. While maximising force production is indeed important, the 298 ability to orientate force in an optimal direction is also advantageous for faster COD 299 performance (6, 12). Interestingly, greater mean horizontal to vertical GRF ratios across all 300 three foot contacts, and more horizontally orientated peak APFC and PFC RBFs were 301 302 moderately to very largely related to faster 180° COD performance (Table 4, Figure 3), substantiating previous research that highlighted the importance of orientation of GRF vector 303 304 during COD (6, 39). This finding is important because for the same resultant GRF applied into the ground, a greater horizontal to vertical propulsive ratio (i.e., greater horizontally orientated 305 force vector) should facilitate greater net horizontal acceleration (32). As such, based on these 306 307 findings, braking strategies which emphasize greater GRF characteristics during the APFC appear to be advantageous for faster 180° COD performance, while the technical ability to 308 apply force horizontally across the APFC, PFC, and FFC is also beneficial. 309

Substantiating the results of previous research (6, 8, 19, 29), greater FFC horizontal 310 GRFs were largely associated with faster COD performance (Table 4), which should 311 theoretically facilitate effective net acceleration in the horizontal direction (32). However, in 312 terms of PFC peak and mean GRF characteristics, no significant or meaningful relationships 313 314 with COD performance were observed (Table 4). This result contrasts with Dos'Santos et al. (8) and Graham-Smith et al. (19) who found faster athletes displayed greater PFC HBFs, 315 though this discrepancy could be attributed to differences in the 180° COD task (i.e., m505 vs. 316 505). For example, the abovementioned studies investigated the PFC during the m505 which 317 consists of 5-m entry and exit. Research has shown that athletes only attain ~55% of their 318 maximum speed during a task that required athletes to sprint and decelerate to a pre-determined 319 point 5-m away, with stopping distances of \sim 3-m (20). Therefore, it is theorized that during the 320

m505, the PFC may have a more important role in facilitating braking in contrast to the 505 321 whereby greater speeds are attained and subsequently longer stopping distances are required 322 (11, 20), and thus, a greater reliance on earlier foot contacts such as the APFC. As such, 323 deceleration and braking strategies appear specific to the approach distance and approach 324 velocity. Although braking strategies may differ between planned and unplanned tasks (and 325 their associated approach and braking demands) (28), most athletes will require to the capacity 326 to perform planned and unplanned turns effectively in training and competition (11, 35). 327 Therefore, a range of braking strategies over various distances and tasks (planned and 328 329 unplanned) should be coached with athletes prepared for increased movement solutions to adapt movement for different contexts where preparation time may vary (10, 11, 34, 35). 330

In context of the 505, the PFC may have a more critical role in lowering the COM and 331 facilitating an effective posture for weight acceptance and push-off during the FFC, as shown 332 by Dos'Santos et al. (6) who observed faster athletes during the 505 displayed greater PFC 333 lower-limb triple flexion angles. Notably, GCTs of ~0.5 seconds were displayed during the 334 PFC, which were substantially longer the APFC, but similar to the FFC (Table 3, Figure 1). As 335 such, because of the similar GCTs between the PFC and FFCs (Figure 1), athletes tend to 336 display a dual-foot contact 180° turning strategy, with the PFC typically performed in a 337 transverse position to reduce the redirection requirements. In the present study, $\geq 85\%$ of the 338 339 subjects, including the two subjects who preferred their left limb, displayed greater peak and mean GRF characteristics during the APFC compared to the PFC (Figure 2). Consequently, in 340 relation to the 505, the APFC may have a more pivotal role in facilitating deceleration and 341 braking compared to the PFC for effective 505 performance; however, both foot contacts are 342 likely to serve dual roles with respect to 'braking' and 'positioning' the body for redirection, 343 weight acceptance, and COM lowering (Figure 1). Finally, the FFC although containing a 344 braking a component, its main role is propulsion and to redirect the body towards the intended 345

direction of travel (Figure 1). As such, practitioners should be conscious of the roles of theAPFC, PFC, and FFC when coaching effective braking strategies during the 505.

To the best of our knowledge, this is the first study to compare GRF characteristics 348 between the APFC, PFC, and FFC during a 180° COD task. As stated previously, the greatest 349 peak braking forces were observed during the APFC, whereas vertical, horizontal, and resultant 350 total impulse, progressively increased with the latter foot contacts (PFC and FFC) (Table 3, 351 Figure 1). This finding is unsurprising because substantially longer GCTs were observed with 352 PFC and FFC, which contributes to the greater impulse (Table 3, Figure 1). Additionally, the 353 orientation of the GRF towards horizontal and the HGRF contribution progressively increased 354 across the foot contacts, with the FFC displaying the greatest horizontally orientated GRF 355 (Table 3). Figure 4 presents the peak RBF vector across the three foot contacts, illustrating the 356 greater magnitudes during the APFC and how the RBF vectors becomes more horizontally 357 orientated with the latter foot contacts. This finding could be attributed to the greater COM 358 lowering and greater changes in base of support relative to the COM to facilitate a horizontally 359 orientated GRF vector (6, 12), as illustrated in Figure 1. 360

361

*** Insert Figure 4 here***

It is important to note that the FFC has two purposes: braking (weight-acceptance) and 362 propulsion (push-off) (6), which accounts for the greater mean HGRFs observed in the present 363 study compared to the APFC (Table 3), which is solely a braking step (Figure 1). Conversely, 364 greater peak braking forces and mean GRFs were displayed during the APFC compared to the 365 PFC (Table 3), while meaningful relationships were revealed only for the aforementioned GRF 366 367 characteristics during the APFC (Table 4). This suggests the APFC has a more important role in facilitating effective 180° COD during the 505, and coaches are encouraged to coaching 368 braking strategies which emphasize greater braking forces during the APFC. In contrast to 369

previous research (19, 26, 27), greater peak HBFs were demonstrated during the PFC compared 370 to the FFC, while differences in peak VBF were trivial and non-significant (Table 3). However, 371 supporting the results of Jones et al. (26), greater mean GRFs and total vertical, horizontal and 372 resultant total impulse were demonstrated during the FFC compared to the PFC (Table 3). As 373 stated previously, the greater mean GRFs observed for the FFC can be attributed dual purposes 374 of braking and propulsion, as illustrated by the notable differences in GRF displayed in Figure 375 1 between foot contact force-time curves. Nevertheless, due to the importance of the 376 magnitudes of the braking and propulsive GRF characteristics observed in the present study 377 378 for faster COD (Table 4), practitioners should consider developing their athletes' ability to rapidly produce force using resistance training (11) and should potentially consider 379 horizontally orientated lower-limb plyometrics due to the importance of force vector specificity 380 observed in the present study (11). In addition, because of the substantial deceleration 381 requirements during the 505, and the necessity to generate high braking forces, eccentric 382 strength may also be beneficial to facilitate more effective deceleration (20, 24, 29), 383 particularly the knee extensors. 384

It should be noted that the present study investigated a planned 505, thus it is 385 emphasized that the findings from this study highlighting the importance of the APFC are 386 applicable to high-entry velocity, planned 180° COD tasks. Thus, caution is advised regarding 387 388 the generalizations of these results to CODs of different angles, approach distances, and techniques because the biomechanical demands of COD are 'angle-' and 'velocity-dependent' 389 (11) and influenced by technique (10). Therefore, further research is necessary that investigates 390 the APFC during CODs of different angles (i.e., 90° cut) and during different approach 391 distances (i.e., m505). Because the present study investigated a planned 505, caution is advised 392 regarding the application of the current study's findings regarding APFC dominant braking 393 strategies for unplanned CODs in open-skill sports such as soccer. This is because of the time 394

requirements to adopt preparatory postural adjustments to facilitate earlier, effective braking; 395 however, future work should investigate the role of the APFC during unplanned CODs and 396 consider its potential role during sport-specific COD actions. It should be noted that the present 397 study only examined the GRF characteristics of the foot contacts, and did not examine the joint 398 kinetics, kinematics, and velocity profiles over the different foot contacts and thus warrants 399 further inspection. Additionally, future work should consider investigating the technical 400 determinants of greater magnitudes of horizontally orientated APFC braking forces to assist in 401 the development of coaching and technical guidelines for effective braking strategies for fast 402 403 and sharp COD tasks. Finally, the present study investigated turning from the right limb only (18 subjects' preferred limb); thus, it unknown whether findings would be similar when 404 performing turns from the left limb, which in most cases would be the current populations' 405 406 non-preferred limb (18 of 20 subjects). Thus, further studies inspecting 180° turning off both limbs are required to further understand the role of APFC. 407

Nevertheless, in context of the present studies limitations, the results of this study 408 regarding the importance of the APFC have widescale implications regarding the coaching of 409 braking strategies during planned, high-entry velocity 180° CODs, particularly during the 410 411 coaching of the 505 which is commonly used for athletic monitoring and talent identification in a variety of sports (36), and during closed COD drills which serve as the mechanical 412 413 foundation before progressing to more complex unanticipated and sports-specific drills (10, 12, 34, 35). In a sporting context, the 505 closely resembles the task demands of running and 414 turning between the wickets during cricket (18), thus the findings of this study have large 415 implications for cricket batsmen. 416

417 PRACTICAL APPLICATIONS

While recent braking strategy recommendations have highlighted the importance of the PFC 418 for facilitating faster 180° COD performance (6, 8, 12), the findings from this study indicate 419 that the APFC plays a more pivotal role in facilitating effective deceleration for faster 180° 420 COD performance as experienced during a 505, and should be therefore considered a key 421 'braking step' in such tasks. As such, during 180° CODs from long approach distances, 422 practitioners are encouraged to coach braking strategies that emphasize greater magnitudes of 423 424 posteriorly directed APFCs GRFs to facilitate faster performance, while also developing their athletes' technical ability to express force horizontally across the PFC and FFC, to enable 425 426 greater changes in acceleration. Substantially lower peak and mean GRFs were observed during the PFC compared to the APFC; therefore, the APFC may play a more pivotal role in 427 facilitating deceleration and braking compared to the PFC for effective 505 performance. 428 Nevertheless, both the APFC and PFC are likely to serve dual roles with respect to 'braking' 429 and 'positioning' the body for redirection, weight acceptance, and COM lowering during sharp 430 COD tasks (11, 12). Finally, in light of the GRF determinants of faster 180° COD performance, 431 practitioners should consider developing their athletes' physical capacity to express force 432 rapidly (11), while ensuring they have the strength capacity, particularly knee extensor 433 eccentric strength, to tolerate the loads and generate the high braking forces required to 434 facilitate effective deceleration (20, 24, 29). 435

436 **REFERENCES**

- Andrews JR, McLeod WD, Ward T, and Howard K. The cutting mechanism. *Am J Sport Med* 5:
 111-121, 1977.
- 439 2. Ashton J and Jones PA. The reliability of using a laser device to assess deceleration ability.
 440 Sports 7: 191, 2019.
- Bloomfield J, Polman R, and Donoghue P. Physical demands of different positions in FA
 Premier League soccer. J Sport Sci Med 6: 63-70, 2007.
- 443 4. Bourgeois F, McGuigan MR, Gill ND, and Gamble G. Physical characteristics and performance
 444 in change of direction tasks: a brief review and training considerations *J Aust Strength*445 *Conditioning* 25: 104-117, 2017.
- 5. Cohen J. Statistical analysis for the behavioral sciences. *Hillsdale: Lawrance Erlbaum*, 1988.

- 447 6. Dos' Santos T, McBurnie A, Thomas C, Comfort P, and Jones PA. Biomechanical Determinants
 448 of the Modified and Traditional 505 Change of Direction Speed Test. *J Strength Cond Res*:
 449 Published Ahead of Print, 2019.
- 450 7. Dos'Santos T, Comfort P, and Jones PA. Average of trial peaks versus peak of average profile:
 451 impact on change of direction biomechanics. *Sport Biomech*: 1-10, 2018.
- 4528.Dos'Santos T, Thomas C, Jones PA, and Comfort P. Mechanical determinants of faster change453of direction speed performance in male athletes. J Strength Cond Res 31: 696-705, 2017.
- 454 9. Dos'Santos T, Thomas C, Jones PA, and Comfort P. Assessing Asymmetries in Change of
 455 Direction Speed Performance; Application of Change of Direction Deficit. *J Strength Cond Res*456 33: 2953-2961, 2019.
- 457 10. Dos'Santos T, McBurnie A, Thomas C, Comfort P, and Jones PA. Biomechanical Comparison of
 458 Cutting Techniques: A Review and Practical Applications. *Strength Cond J* 41: 40-54, 2019.
- 459 11. Dos'Santos T, Thomas C, Comfort P, and Jones PA. The effect of angle and velocity on change
 460 of direction biomechanics: an angle-velocity trade-off. *Sports Med* 48: 2235-2253, 2018.
- 461 12. Dos'Santos T, Thomas C, Comfort P, and Jones PA. The Role of the Penultimate Foot Contact
 462 During Change of Direction: Implications on Performance and Risk of Injury. *Strength Cond J*463 41: 87-104, 2019.
- 464 13. Dos'Santos T, Thomas C, Jones PA, and Comfort P. Asymmetries in single and triple hop are
 465 not detrimental to change of direction speed. *Journal of Trainology* 6: 35-41, 2017.
- 466 14. Draper JA and Lancaster MG. The 505 test: A test for agility in the horizontal plane. *Australian*467 *Journal of Science and Medicine in Sport* 17: 15-18, 1985.
- 46815.Duffield R and Drinkwater EJ. Time-motion analysis of test and one-day international cricket469centuries. J Sports Sci 26: 457-464, 2008.
- 470 16. Faul F, Erdfelder E, Buchner A, and Lang A-G. Statistical power analyses using G* Power 3.1:
 471 Tests for correlation and regression analyses. *Behav Res Methods* 41: 1149-1160, 2009.
- 472 17. Flanagan EP. The effect size statistic Applications for the strength and conditioning coach.
 473 Strength Cond J 35: 37-40, 2013.
- Foden M, Astley S, Comfort P, McMahon JJ, Matthews MJ, and Jones PA. Relationships
 between speed, change of direction and jump performance with cricket specific speed tests
 in male academy cricketers. *Journal of Trainology* 4: 37-42, 2015.
- 477 19. Graham-Smith P, Atkinson L, Barlow R, and Jones P. Braking characteristics and load
 478 distribution in 180 degree turns. Presented at Proceedings of the 5th annual UKSCA
 479 conference, 2009.
- 480 20. Graham-Smith P, Rumpf M, and Jones PA. Assessment of Deceleration Ability and Relationship
 481 to Approach Speed And Eccentric Strength. Presented at ISBS Proceedings Archive, Auckland,
 482 New Zealand, September 10-14, 2018.
- 483 21. Greig M. The influence of soccer-specific activity on the kinematics of an agility sprint. *Eur J*484 *Sports Sci* 9: 23-33, 2009.
- 485 22. Greig M and Naylor J. The efficacy of angle-matched isokinetic knee flexor and extensor
 486 strength parameters in predicting agility test performance. *Int J Sports Phys Ther* 12: 728,
 487 2017.
- 488 23. Haff GG, Ruben RP, Lider J, Twine C, and Cormie P. A comparison of methods for determining
 489 the rate of force development during isometric midthigh clean pulls. *J Strength Cond Res* 29:
 490 386-395, 2015.
- 491 24. Harper DJ, Jordan AR, and Kiely J. Relationships Between Eccentric and Concentric Knee
 492 Strength Capacities and Maximal Linear Deceleration Ability in Male Academy Soccer Players.
 493 J Strength Cond Res: Published ahead of print, 2018.
- 494 25. Hopkins WG. A scale of magnitudes for effect statistics. *A new view of statistics*: Retrieved
 495 from <u>http://sportsci.org/resource/stats/e</u>ffectmag.html, 2002.
- 49626.Jones PA, Herrington L, and Graham-Smith P. Braking characteristics during cutting and497pivoting in female soccer players. J Electromyogr Kines 30: 46-54, 2016.

- 49827.Jones PA, Herrington L, and Graham-Smith P. Technique determinants of knee abduction499moments during pivoting in female soccer players. Clin Biomech 31: 107-112, 2016.
- Jones PA, Stones S, and Smith L. A comparison of braking characteristics between pre-planned and unanticipated changing direction tasks in female soccer players: An exploratory study.
 Day 1. Posters–Biomechanics, BASES Annual Conference, 25th November 2014, St Georges Park, Burton. J Sports Sci 32: S25-S26, 2014.
- 50429.Jones PA, Thomas C, Dos'Santos T, McMahon J, and Graham-Smith P. The Role of Eccentric505Strength in 180° Turns in Female Soccer Players. Sports 5: 42, 2017.
- 50630.Koo TK and Li MY. A guideline of selecting and reporting intraclass correlation coefficients for
reliability research. *Journal of chiropractic medicine* 15: 155-163, 2016.
- 50831.Lu TW and Chang C, F. Biomechanics of human movement and its clinical applications. The509Kaohsiung journal of medical sciences 28: S13-S25, 2012.
- 51032.Morin J-B, Edouard P, and Samozino P. Technical ability of force application as a determinant511factor of sprint performance. *Med Sci Sports Exerc* 43: 1680-1688, 2011.
- 51233.Nedergaard NJ, Kersting U, and Lake M. Using accelerometry to quantify deceleration during513a high-intensity soccer turning manoeuvre. J Sports Sci 32: 1897-1905, 2014.
- 51434.Nimphius S. Increasing Agility, in: *High-Performance Training for Sports*. D Joyce, D Lewindon,515eds. Champaign, IL.: Human Kinetics, 2014, pp 185-198.
- 516 35. Nimphius S. Training change of direction and agility, in: *Advanced Strength and Conditioning*.
 517 A Turner, P Comfort, eds. Abdingdon, Oxon, United Kingdom: Routledge, 2017, pp 291-308.
- 51836.Nimphius S, Callaghan SJ, Bezodis NE, and Lockie RG. Change of Direction and Agility Tests:519Challenging Our Current Measures of Performance. Strength Cond J 40: 26-38, 2017.
- 52037.Robinson G, O'Donoghue P, and Nielson P. Path changes and injury risk in English FA Premier521League soccer. Int J Perf Anal Spor 11: 40-56, 2011.
- 52238.Sweeting AJ, Aughey RJ, Cormack SJ, and Morgan S. Discovering frequently recurring523movement sequences in team-sport athlete spatiotemporal data. J Sports Sci 35: 2439-2445,5242017.
- 39. Welch N, Richter C, Franklyn-Miller A, and Moran K. Principal Component Analysis of The
 Associations Between Kinetic Variables In Cutting And Jumping, And Cutting Performance
 Outcome. J Strength Cond Res: Published ahead of print, 2019.
- 40. Yeadon MR, Kato T, and Kerwin DG. Measuring running speed using photocells. *J Sports Sci*17: 249-257, 1999.
- 41. Young WB, Dawson B, and Henry GJ. Agility and change-of-direction speed are independent
 skills: Implications for training for agility in invasion sports. *International Journal of Sports Science and Coaching* 10: 159-169, 2015.

533