


Please cite the Published Version

Lim, Jennifer NW, Niedderer, Kristina , Tournier, Isabelle, Almeida, Rosa, Harrison, Dew, Holthoff-Detto, Vjera, Ludden, Geke, van Rompay, Thomas, van der Voort, Mascha, Galansinska, Aleksandra, Smith, Tina, Lasada, Raquel L, Bueno, Yolanda A, Druschke, Diana, Ziebuhr, Berit and Zanasi, Michele (2021) Assessing the generalisability of a multicentre qualitative dementia research: the experience and challenges faced by the MinD project in Europe. Open Research Europe, 1. p. 64.

DOI: <https://doi.org/10.12688/openreseurope.13700.3>

Publisher: F1000 Research Ltd

Version: Published Version

Downloaded from: <https://e-space.mmu.ac.uk/628921/>

Usage rights:  [Creative Commons: Attribution 4.0](https://creativecommons.org/licenses/by/4.0/)

Additional Information: This is an Open Access article published by Open Research Europe.

Enquiries:

If you have questions about this document, contact openresearch@mmu.ac.uk. Please include the URL of the record in e-space. If you believe that your, or a third party's rights have been compromised through this document please see our Take Down policy (available from <https://www.mmu.ac.uk/library/using-the-library/policies-and-guidelines>)



METHOD ARTICLE

REVISED Assessing the generalisability of a multicentre qualitative dementia research: the experience and challenges faced by the MinD project in Europe [version 3; peer review: 2 approved]

Jennifer N.W. Lim ¹, Kristina Niedderer², Isabelle Tournier², Rosa Almeida ³, Dew Harrison ⁴, Vjera Holthoff-Detto^{5,6}, Geke Ludden⁷, Thomas van Rompay⁷, Mascha van der Voort⁷, Aleksandra Galansinska⁴, Tina Smith ¹, Raquel L. Lasada ³, Yolanda A. Bueno³, Diana Druschke⁶, Berit Ziebuhr ⁵, Michele Zanasi⁵

¹Faculty of Education, Health and Wellbeing, University of Wolverhampton, Wolverhampton, WV1 1LY, UK

²Manchester School of Art, Manchester Metropolitan University, Manchester, UK

³INTRAS, Valladolid, Spain

⁴Faculty of Arts, Business and Social Sciences, University of Wolverhampton, Wolverhampton, UK

⁵Alexianer Krankenhaus Hedwigshoehe, St. Hedwig Kliniken, Berlin, Germany

⁶University Hospital Carl Gustav Carus and Carl Gustav Carus Faculty of Medicine, Technical University of Dresden, Dresden, Germany

⁷Department of Design, Production and Management & Department of Communication Science, University of Twente, Enschede, The Netherlands

V3 First published: 10 Jun 2021, 1:64
<https://doi.org/10.12688/openreseurope.13700.1>

Second version: 09 Sep 2021, 1:64
<https://doi.org/10.12688/openreseurope.13700.2>

Latest published: 10 Nov 2021, 1:64
<https://doi.org/10.12688/openreseurope.13700.3>

Abstract

Background: Generalisation of findings is an important aspect of research and essential for evidence-based practice. While generalisation is common in quantitative research, there is a lack of generalisability in qualitative research. This paper presents the experience and challenges faced by the Designing for People with Dementia (MinD) project in meeting the requirements to strengthen the generalisation of findings on the lived experience of people living with dementia and their engagement to co-create designs to empower their everyday living.

Methods: Polit and Beck (2010)'s strategies to generalise qualitative findings were applied: (1) replication in sampling; (2) replication of studies; (3) meta-synthesis of findings; (4) reflexivity and conceptualization; (5) immersion with the data; and (6) thick description.

Open Peer Review

Reviewer Status

Invited Reviewers

1

2

version 3

(revision)

10 Nov 2021

version 2

(revision)

09 Sep 2021



report



report



report

version 1

10 Jun 2021

1. **Maznah Dahlui**, University of Malaya, Kuala

Results: While it is possible to increase the generalisability of qualitative evidence through the replication of the sampling to attain a large, heterogeneous sample in different and multiple contexts and environments; implementation of sound and robust research; conducting in-depth analysis and interpretation collaboratively for emergent themes; and meeting the thick description requirement, there are challenges that the project team faced in implementing some of the Polit and Beck's strategies because of the condition, namely dementia, that our participants are having. Other challenges faced were: the language and cultural diversity in the team; diverse work and organisational procedures; and the inter-disciplinary differences relating to the methods of enquiry, approaches and techniques to conduct research. These challenges will need to be identified and addressed at the start of the project with a strong leadership to ensure a seamless journey to complete the project successfully. Trust between the researchers and participants, and time to build this trust are critical to recruitment and participation in the study; these factors are of utmost important in research involving participants with condition such as dementia.

Keywords

People living with dementia, generalisation, multicentre design, interdisciplinary, qualitative study, cross-cultural, Europe

Lumpur, Malaysia

2. **Jihui Lv**, Beijing Geriatric Hospital, Beijing, China

Any reports and responses or comments on the article can be found at the end of the article.

Corresponding author: Jennifer N.W. Lim (jenniferw.lim@wlv.ac.uk)

Author roles: **Lim JNW:** Conceptualization, Formal Analysis, Investigation, Methodology, Writing – Original Draft Preparation, Writing – Review & Editing; **Niedderer K:** Conceptualization, Formal Analysis, Funding Acquisition, Project Administration, Writing – Original Draft Preparation; **Tournier I:** Writing – Original Draft Preparation, Writing – Review & Editing; **Almeida R:** Writing – Review & Editing; **Harrison D:** Writing – Review & Editing; **Holthoff-Detto V:** Writing – Original Draft Preparation, Writing – Review & Editing; **Ludden G:** Writing – Original Draft Preparation, Writing – Review & Editing; **van Rompay T:** Writing – Review & Editing; **van der Voort M:** Writing – Review & Editing; **Galansinska A:** Writing – Review & Editing; **Smith T:** Investigation, Writing – Review & Editing; **Lasada RL:** Writing – Original Draft Preparation; **Bueno YA:** Writing – Original Draft Preparation; **Druschke D:** Investigation; **Ziebuhr B:** Investigation; **Zanasi M:** Investigation

Competing interests: No competing interests were disclosed.

Grant information: This research was financially supported by the European Union's Horizon 2020 research and innovation programme under the Marie Skłodowska-Curie grant agreement No 691001 (Designing for People with Dementia' [MinD]). This document reflects only the author's view and the Research Executive Agency is not responsible for any use that may be made of the information it contains. The funding body had no influence on study design; data collection and analysis, writing the article and in the decision to submit the article for publication.

The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Copyright: © 2021 Lim JNW *et al.* This is an open access article distributed under the terms of the [Creative Commons Attribution License](https://creativecommons.org/licenses/by/4.0/), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.







How to cite this article: Lim JNW, Niedderer K, Tournier I *et al.* **Assessing the generalisability of a multicentre qualitative dementia research: the experience and challenges faced by the MinD project in Europe [version 3; peer review: 2 approved]** Open Research Europe 2021, 1:64 <https://doi.org/10.12688/openreseurope.13700.3>

First published: 10 Jun 2021, 1:64 <https://doi.org/10.12688/openreseurope.13700.1>



METHOD ARTICLE

REVISED **Assessing the generalisability of a multicentre qualitative dementia research: the experience and challenges faced by the MinD project in Europe [version 3; peer review: 2 approved]**

Jennifer N.W. Lim ¹, Kristina Niedderer², Isabelle Tournier², Rosa Almeida ³, Dew Harrison ⁴, Vjera Holthoff-Detto^{5,6}, Geke Ludden⁷, Thomas van Rompay⁷, Mascha van der Voort⁷, Aleksandra Galansinska⁴, Tina Smith ¹, Raquel L. Lasada ³, Yolanda A. Bueno³, Diana Druschke⁶, Berit Ziebuhr ⁵, Michele Zanasi⁵

¹Faculty of Education, Health and Wellbeing, University of Wolverhampton, Wolverhampton, WV1 1LY, UK

²Manchester School of Art, Manchester Metropolitan University, Manchester, UK

³INTRAS, Valladolid, Spain

⁴Faculty of Arts, Business and Social Sciences, University of Wolverhampton, Wolverhampton, UK

⁵Alexianer Krankenhaus Hedwigshoehe, St. Hedwig Kliniken, Berlin, Germany

⁶University Hospital Carl Gustav Carus and Carl Gustav Carus Faculty of Medicine, Technical University of Dresden, Dresden, Germany

⁷Department of Design, Production and Management & Department of Communication Science, University of Twente, Enschede, The Netherlands

v3 **First published:** 10 Jun 2021, 1:64
<https://doi.org/10.12688/openreseurope.13700.1>
Second version: 09 Sep 2021, 1:64
<https://doi.org/10.12688/openreseurope.13700.2>
Latest published: 10 Nov 2021, 1:64
<https://doi.org/10.12688/openreseurope.13700.3>

Abstract

Background: Generalisation of findings is an important aspect of research and essential for evidence-based practice. While generalisation is common in quantitative research, there is a lack of generalisability in qualitative research. This paper presents the experience and challenges faced by the Designing for People with Dementia (MinD) project in meeting the requirements to strengthen the generalisation of findings on the lived experience of people living with dementia and their engagement to co-create designs to empower their everyday living.

Methods: Polit and Beck (2010)'s strategies to generalise qualitative findings were applied: (1) replication in sampling; (2) replication of studies; (3) meta-synthesis of findings; (4) reflexivity and conceptualization; (5) immersion with the data; and (6) thick description.

Open Peer Review

Reviewer Status  

Invited Reviewers

1 2

version 3

(revision)
10 Nov 2021

version 2

(revision)
09 Sep 2021



report



report



version 1

10 Jun 2021



report

1. **Maznah Dahlui**, University of Malaya, Kuala

Results: While it is possible to increase the generalisability of qualitative evidence through the replication of the sampling to attain a large, heterogeneous sample in different and multiple contexts and environments; implementation of sound and robust research; conducting in-depth analysis and interpretation collaboratively for emergent themes; and meeting the thick description requirement, there are challenges that the project team faced in implementing some of the Polit and Beck's strategies because of the condition, namely dementia, that our participants are having. Other challenges faced were: the language and cultural diversity in the team; diverse work and organisational procedures; and the inter-disciplinary differences relating to the methods of enquiry, approaches and techniques to conduct research. These challenges will need to be identified and addressed at the start of the project with a strong leadership to ensure a seamless journey to complete the project successfully. Trust between the researchers and participants, and time to build this trust are critical to recruitment and participation in the study; these factors are of utmost important in research involving participants with condition such as dementia.

Keywords

People living with dementia, generalisation, multicentre design, interdisciplinary, qualitative study, cross-cultural, Europe

Lumpur, Malaysia

2. **Jihui Lv**, Beijing Geriatric Hospital, Beijing, China

Any reports and responses or comments on the article can be found at the end of the article.

Corresponding author: Jennifer N.W. Lim (jennifernw.lim@wlv.ac.uk)

Author roles: **Lim JNW:** Conceptualization, Formal Analysis, Investigation, Methodology, Writing – Original Draft Preparation, Writing – Review & Editing; **Niedderer K:** Conceptualization, Formal Analysis, Funding Acquisition, Project Administration, Writing – Original Draft Preparation; **Tournier I:** Writing – Original Draft Preparation, Writing – Review & Editing; **Almeida R:** Writing – Review & Editing;

Harrison D: Writing – Review & Editing; **Holthoff-Detto V:** Writing – Original Draft Preparation, Writing – Review & Editing; **Ludden G:** Writing – Original Draft Preparation, Writing – Review & Editing; **van Rompay T:** Writing – Review & Editing; **van der Voort M:** Writing – Review & Editing; **Galansinska A:** Writing – Review & Editing; **Smith T:** Investigation, Writing – Review & Editing; **Lasada RL:** Writing – Original Draft Preparation; **Bueno YA:** Writing – Original Draft Preparation; **Druschke D:** Investigation; **Ziebuhr B:** Investigation; **Zanasi M:** Investigation

Competing interests: No competing interests were disclosed.

Grant information: This research was financially supported by the European Union's Horizon 2020 research and innovation programme under the Marie Skłodowska-Curie grant agreement No 691001 (Designing for People with Dementia' [MinD]). This document reflects only the author's view and the Research Executive Agency is not responsible for any use that may be made of the information it contains. The funding body had no influence on study design; data collection and analysis, writing the article and in the decision to submit the article for publication.

The funders had no role in study design, data collection and analysis, decision to publish, or preparation of the manuscript.

Copyright: © 2021 Lim JNW *et al.* This is an open access article distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

How to cite this article: Lim JNW, Niedderer K, Tournier I *et al.* **Assessing the generalisability of a multicentre qualitative dementia research: the experience and challenges faced by the MinD project in Europe [version 3; peer review: 2 approved]** Open Research Europe 2021, 1:64 <https://doi.org/10.12688/openreseurope.13700.3>

First published: 10 Jun 2021, 1:64 <https://doi.org/10.12688/openreseurope.13700.1>

REVISED Amendments from Version 2

We have corrected one grammatical error in para 7, line 7 in the Introduction section: "strengthened" changed to "strengthen", and addressed the duplication of wordings in para 3 and 4 in the Introduction section on validity and reliability as commented by the reviewer.

Any further responses from the reviewers can be found at the end of the article

Plain language summary

This paper describes the use of the multi-centre design by a group of researchers - with different expertise from different discipline of study - to apply the six strategies proposed by Polit and Beck to strengthen the generalisability of their research findings in the population living with mild to moderate dementia in Europe. The authors also presented the challenges they faced in their attempts to generalise their findings. They concluded that it is possible to make claim for generalisation of findings in qualitative research which involved a unique population group namely people living with dementia.

Introduction

Generalisation of findings is an important aspect of research and essential for evidence-based practice. To be useful, research findings have to have some relevance for other settings and people outside of the context studied. Generalisable results are used to inform and shape policy making, and the design and development of interventions to enable wider application, e.g. in other settings or population groups. The ability to generalise is a key criterion for quantitative research, and it is also important for qualitative research¹⁻³.

Transferability of findings across settings is common in qualitative research but generalisation remains an issue that has been widely discussed. However, the general consensus among researchers is that generalisation should be a legitimate concern for qualitative researchers and that they should engage with the generalisability of their results⁴⁻¹⁰. Ignoring generalisation in qualitative research can prevail the assumption that this method is limited by the lack of its ability to generalise; leading to it not being taken seriously in decision-making¹¹.

Firestone (1993) described three models that are used to make claims for the generalisation of research findings: (1) extrapolation from sample to population; (2) extrapolation using a theory; and (3) case-to-case translation. Respectively, these models are better known as: (1) statistical, also known as naturalistic and representational generalisation; (2) theoretical or analytic generalisation; and (3) inferential generalisation¹². The statistical generalisation model is applied in quantitative research while naturalistic and representational generalisation are amenable for qualitative research. Naturalistic and representational generalisation can be reached on the basis of recognition of similarities and differences between two groups or cases. Inferential generalisation, also referred to as *transferability*¹³

or *case to case* generalisation¹⁴, is about the extent to which the results are transferable to other settings. To judge the generalisability of research findings, researchers have to provide the evidence for their claims that readers need to critically assess for quality and usability of the research¹⁵. This evidence includes the methodological and scientific rigour of the research as well as the research context and process.

Apart from the requirement of evidence, also known as thick description or rich data in qualitative research, generalisability of research is also dependent on whether the research was conducted in a sound and robust manner, i.e. meeting two standards - validity and reliability. In general, validity is an indication of the soundness of a research study and is determined by the design and the methods employed to conduct the research; whereas reliability is about the consistency of the methods used, and whether the study is replicable to produce the same results. In qualitative research, other terms are used interchangeably to describe validity and reliability. For validity, researchers have used 'quality', 'rigour', 'well-grounded' and 'trustworthiness'; and for reliability, 'credibility', 'neutrality', 'confirmability', 'consistency', 'dependability', 'sustainable', 'applicability' and 'transferability'¹⁵⁻¹⁸. The discussion of the different terms and the rigour in which a qualitative study is conducted is essential to ensure the credibility of findings and strategies to reach it are matter of ongoing discussion¹⁹. A sound and robust study will strengthen the claims for generalisation.

Numerous strategies have been recommended to strengthen the generalisability of qualitative research findings. Polit and Beck²⁰ suggested six steps to meet both the validity and reliability standards of research: (1) replication in sampling, using techniques such as purposive sampling and maximum variation sampling to increase heterogeneity in the samples and achieve data saturation in a large sample; (2) replication of studies to confirm the findings (concepts, relationships, patterns and successful interventions) in multiple contexts and times, and with different types of people, as this will strengthen the confidence in the validity and application of the evidence; (3) meta-synthesis of findings about a phenomenon from multiple qualitative studies and techniques; (4) reflexivity and conceptualisation by the researcher about the consequences of applying the findings to the new context; (5) immersion with the data; and (6) thick description. Lewis and Ritchie¹⁵ also focused on meeting the research standards; they provided a list of questions about the study design, methods, and the congruence between the sending and receiving contexts involved in the generalisation, and emphasised the need for thick description of the study. Gheondea-Eladi²¹ showed that qualitative research is generalisable when the appropriate sampling, coding and data analysis methods are employed.

The strategies proposed by Polit and Beck²⁰ are theoretically valid and should guide every research, however, in practice these steps may be more complex. This paper reviews the experience and challenges faced by the MinD project²² in meeting Polit and Beck's requirements to deliver the generalisation of its findings, and to reflect on the application of Polit and Beck's six steps in practice.

Methods

Ethical approvals

Ethics approval for the study was obtained by each of the partners in line with national and European regulations and requirements: UK: University of Wolverhampton and Manchester Metropolitan University ethics boards, ethics reference no. 2018/19:18 (UW) and Ethos 5521 (MMU); Germany: Krankenhaushedwigshöhe ethics reference no. Eth-30/16; The Netherlands: University of Twente, ethics reference no. BFD-BMS/2016-JR; Spain: INTRAS: Reference letter 26/01/2016.

Qualitative dementia research: Designing for People with Dementia project (MinD)

Qualitative studies provide an insight into the lived experience of people with dementia (PwD) as well as demonstrating that PwD can participate in research^{23–28}. These studies tend to use small sample sizes and often lack the rich details for readers to judge the quality of research and the extent to which their findings are generalisable. A number of meta-synthesis reporting the lived experience of people with dementia are available, but these reviews did not provide sufficient contextual information required by readers to critically assess and decide on their application and generalisation^{26,29–31}. A preliminary search revealed that there is not yet a multicentre qualitative study exploring the lived experience and needs of PwD. The project *Designing for People with Dementia: Designing for mindful self-empowerment and social engagement* - abbreviated as MinD - fulfilled this gap in research by implementing a multi-national and interdisciplinary qualitative study engaging people with mild to moderate dementia (PwD) through a co-creation approach in developing designs appropriate to their needs, wants and preferences.

Funded by the European Union's Horizon 2020 MSCA RISE programme, the MinD project, a 4-year project (March 2016 – February 2020), aimed to help PwD engage in social contexts to improve and maintain their psychosocial wellbeing through design and mindfulness³². It was based on the observation that social engagement is rarely addressed by psychosocial and design interventions, whereas social contact and enjoyment of activities appear as key aspects of the unmet needs for people living with dementia^{33,34}. The choice of a qualitative approach for the MinD project was justified by two main aspects: a) the need for rich and contextualised data regarding social participation needs and issues encountered by PwD, and b) data collection format adapted to the co-design and co-production approach deployed throughout the project to identify needs and design solutions to better manage dementia in everyday living. The COREQ guideline was applied to deliver a rigorous study throughout the project^{35–37}.

A multicentre design and interdisciplinary approach

Multicentre design is a practical approach to accumulate sufficient numbers of diverse participants in a substantially shorter period of time than could be effected by a single centre or study site^{22,38–40}. This means a greater number of environments and contexts from which participants are recruited, offering a more

representative sample of the target population of the study and allowing for replication of sampling to achieve heterogeneity and maximum variation; thus increasing the strength of generalisation.

An interdisciplinary approach benefits research in many ways. Team members from different disciplines can share skills, expertise, knowledge and experience throughout a project. Lee and colleagues⁴¹ contend that an interdisciplinary team enables developing a richer and more complex understanding. Furthermore, collaborative working can improve the quality of the research and its rigor, through enhanced group reflexivity and triangulation of results by researchers with diverse backgrounds.

The multicentre MinD project applied an interdisciplinary approach; its team was comprised of researchers and practitioners from three major disciplines, namely design, health, and computing, including designers, architects, programmers, psychologists, gerontologists, healthcare practitioners and public health researchers – working in 18 institutions in 8 countries (the UK, Germany, Luxembourg, the Netherlands, Spain, Italy, Russia and Australia) as well as partner groups of people with lived experience of dementia such as the Groups of Experts by Experience (GEEs) and Patient and Public Involvement group (PPI)³². Regular two-week exchanges were implemented in each of the partner countries to facilitate the interdisciplinary and iterative research process of the project, and there were a total of 49 exchange visits involving 75 researchers over the 4-year period.

Results

The MinD project conducted the research in three phases: Phase 1 - needs assessment with PwD and caregivers; Phase 2 - development of mindful design interventions (designs) through co-design workshops with PwD, caregivers, service users, GEEs and PPI, using the data collected in the first phase. Three prototypes (“Good Life Kit”, “This is Me” and “Let’s me up”) were developed and further information of these can be found on the MinD website³². The final Phase 3 was the evaluation of the design prototypes with PwD, caregivers and service users. Qualitative data were collected at two points in this project, i.e in Phases 1 and 3, in four countries (Germany, Spain, the Netherlands and the UK), and the findings are reported elsewhere^{36,37}.

Following the ethical approval in each country, recruitment of participants took place with the support of the healthcare professionals and care workers whom the PwD were familiar with, and during data collection, the capacity to participate was continuously monitored⁴². The experience of the MinD project in applying Polit and Beck's generalisation strategies are described below.

Replication in sampling

Various purposive sampling strategies that involve deliberate replication to promote both analytic generalisation and transferability can be used to replicate sampling, namely, maximum

variation sampling, critical case sampling and deviant case sampling²⁰. For the MinD project, we applied the maximum variation sampling strategy to recruit people living with mild to mid-stage dementia including people with mild cognitive impairment (MCI) who had the capacity to consent to participation.

A total of 57 people (41 PwD and 16 caregivers) participated in Phase 1 (the needs assessment) (Table 1), while 65 (51 PwD and 14 caregivers) people participated in Phase 3 (evaluation of design prototypes) (Table 2). The PwD and caregivers who participated in the study came from a mixed socio-economic and cultural background in all the study sites,

spoke diversified languages, and were aged between 50 and 80 years old. They were from Caucasian backgrounds as there were few PwD from minority ethnic backgrounds attending the memory clinics, support groups in the study sites.

Replication of studies

According to Shadish and colleagues⁴³, validity and applicability of concepts, relationships, patterns and successful interventions will be strengthened if these can be confirmed in multiple contexts, varied times and with different types of people. Deliberate replication of studies can be used as a means to confirm findings and increase generalisation²⁰.

Table 1. Phase 1 - Needs assessment (characteristics by study site).

| DETAILS | GERMANY | SPAIN | NETHERLANDS | UK |
|---|---|--|--|---|
| Date of the needs assessment | September – November 2016 | March 2017 | June 2017 | No data collection at this phase in the UK. |
| Number of participants who completed the study | 24 participants (6 PwD and 18 caregivers) | 15 participants (9 PwD and 6 caregivers) | 18 participants (14 PwD and 4 caregivers). | This UK site was used for design and development of the prototypes with the PPI group in Nottingham |
| Methods of data collection | Individual interviews (6 PwD and 10 caregivers); 1 focus group (8 caregivers), Design probes in 4 groups of 3 PwD each (12 PwD) | Individual interviews (6 PwD), Focus group (6 caregivers); Design probes (3 PwD) | Interviews (9 pwd and 4 caregivers) Design probes (5 PwD) | |
| Settings | Day memory clinic, Department of Psychiatry, Psychotherapy and Psychosomatics or at their homes in Berlin (individual interviews) Focus groups with PwD and caregivers in Alzheimer Association groups Dresden | Specialised Memory clinic for PwD, Volladolid, Northern Spain | Homevisits | |

Table 2. Phase 3 - Evaluation (characteristics by study site).

| DETAILS | SPAIN | NETHERLANDS | UK | GERMANY |
|--|---|---|---|---|
| Date of the evaluation | Feb – March 2019 | April 2019 | June 2019 | July 2019 |
| Number of participants who completed the evaluation | 42 participants (14 pwd, 14 MCI, 14 caregivers) | 4 PwD | 7 PwD | 12 PwD |
| Method of data collection | 4 focus groups (total participants = 42) | Individual interviews | Focus groups | Individual interviews |
| Setting | Memory clinic in Volladolid, Northern Spain | Participant's home (3 participants; Community care home (1 participant), Enschede | Day care centre where people with dementia meet weekly for social activities, Solihull, England | Day memory clinic, Department of Psychiatry, Psychotherapy and Psychosomatics, Berlin |

For Phase 1 of the MinD project, data were collected to assess PwD's needs, wants, preferences, lived experience, subjective wellbeing, self-empowerment and social engagement activities. In Phase 3, data were collected to evaluate the usability and fitness of two prototypes (the "Good Life Kit" and "This is Me"). At both phases, data collection happened consecutively across the study sites (Table 1 and Table 2) - this sequential approach allowed not only for replication of the study, but importantly, lessons learned at previous site were useful for improving the process at subsequent study sites. In addition, sites offered multiple settings and contexts, namely, a neuro-psychological rehabilitation center and memory clinic in Spain; a memory disorder clinic and an old age day clinic at the Department of Psychiatry, Psychotherapy and Psychosomatics in Berlin, Alzheimer Association groups in Dresden, a community day care group held at a residential care home in the UK ; and in private homes of PwD in the Netherlands.

Apart from replication of studies in multiple contexts, varied time and a different group of participants, we also used a variety of data collection techniques to meet the needs of PwD. For example, visual cards of daily activities were developed - covering three areas of activities and daily life in line with the mindfulness framework of the project - to obtain a holistic understanding of the activities of daily living, social and leisure activities, involvement in decision-making, well-being linked to activity participation, supporting objects or devices, needs, wants and preferences of the participants. Participants took part in individual interviews and/or focus group discussions and in the Netherlands, diaries were also used to collect information of daily activities (see Table 1 for details). These approaches were applied across all the study sites and further details are discussed elsewhere^{32,36,37}.

Interview guides were developed for data collection; these were designed and tailored to the needs of PwD for each phase of data collection. These materials were reviewed by the project's interdisciplinary team, and by the European Working Group of People with Dementia representative, and PPI in the UK, for accuracy, readability and legibility. Specific guidance or protocol was also developed to ensure standardisation of data collection across the sites and training was provided to all the researchers involved in this process. The guides and protocols were translated into the appropriate language for the study site. Individual interviews were conducted iteratively to reach data saturation. Data collection typically lasted between 60 to 90 minutes for individual interviews and focus group discussions^{36,37}.

Immersion in the data and reflexivity

Immersion and reflexivity on the concepts and data throughout the project are pertinent to maintain high quality work; "*The emergent efforts to ask questions of the right people (or to observe the right behaviours or events) force ongoing decisions that are, in theory at least, driven by conceptual demands of the study, and it is these efforts that contribute to analytic generalisation*"²⁰. Immersion and reflexivity of data and concepts

in the project occurred at the data analysis and interpretation phase.

For the MinD project, the thematic analysis approach⁴⁴ was used to collect data and conduct rigorous analysis. Applying qualitative data analysis techniques, which allow for an association between deductive and inductive creation of categories^{45,46}, the data were firstly analysed within each country. The inductive-deductive approach allowed *a priori* knowledge or categories from the literature to be explored in the interviews or focus groups, and for the generation of new categories/themes from the data until data saturation was met⁴⁷. The first step of this process involved carefully reading and rereading each transcript⁴⁸. It is an active reading, with the intention of appraising, familiarising, identifying, extracting, recording, organising, comparing, relating, mapping, stimulating and verifying. In other words, it is reading with "*the intention of collating a synthesisable set of accounts*"⁴⁸. The second step was coding: at least two researchers in each site coded the data, performing a line-by-line coding. In the third step, similar to the translation work performed by Noblit and Hare⁴⁹, a second coding system to categorise participants' answers was developed. It involved comparing and contrasting themes by cross-matching them between transcripts to leave a comprehensive set of key themes that fully represented the data from each study site. The fourth step involved presenting the set of key themes at the interdisciplinary project workshops to discuss, reflect and agree on a list of emerging themes. In the fifth and final step, the list of emerging themes was presented to the PwDs in several GEE and PPI groups for triangulation and confirmation. The finalised coding framework was systematically applied to all transcripts using quali.xls. The transcripts were translated from Dutch, German and Spanish language into English by a native speaker for the purpose of re-analysis and team consensus. MAXQDA 2018 was used to manage the data analysis.

Integration of evidence

Polit and Beckargued that integration of evidence, which relies on replication of studies, is the most important development for enhancing generalisation in health care research²⁰. However they cautioned that integration of evidence through meta-synthesis of research studies as a methodology could lead to the loss of information about study contexts that limits assessment of proximal similarity and transferability of evidence. In the case of the MinD project, the interdisciplinary team and the PwD, GEE and PPI groups provided the avenue to triangulate the findings from different perspectives, thus preserving the richness as well as the contextual information of the study environments.

Thick description or rich data of the research

Thick description of the research is required for readers to judge the generalisability of the findings. Throughout the MinD project, details were kept on all steps as a requirement of the funding scheme, as well as to demonstrate the study's rigour and trustworthiness. Reports for each two-week secondment with relevant notes on workshops, and other relevant meetings

notes, documents, reflective journals were kept on data collection, design and evaluation – these are located on the project intranet³². In total, the MinD project convened 49 exchange visits and in each visit, the team discussed the research in each study site, reflective notes were then written up and uploaded onto the project intranet to share with partners.

Discussion

A multicentre study design and interdisciplinary approach undertaken in the MinD project have made it possible to apply the Polit and Beck's strategies to claim and strengthen the generalisability of our findings. However, the MinD team have faced a number of challenges during the journey to make the generalisation claim. For example, replication of the research in multiple sites is not a simple process because of the unique population and the different context and environment at each study site. These methodological challenges are explained in more details below.

From unique population to repeat sampling

Many PwD can function independently for most activities, such as social events or using transport, while experiencing some changes and difficulties such as trouble in planning and organisation, remembering new information, locating objects, and some with finding less frequent words or proper nouns in conversations, noticeable to friends and relatives⁵⁰. Working with PwD therefore required specific adaptations to be met to fit their needs. Careful and detailed planning, together with PwD, was made from the start of the project to engage PwD in the MinD project⁵¹. All these efforts and activities required time and care to build the trust with PwD in all the study sites for successful recruitment and engagement.

Unlike multicentre quantitative research which requires a controlled environment with participants sharing homogenous characteristics in multiple settings, exact replication of the qualitative research is not necessary. For qualitative research, the aim is to recruit a representative sample with maximum variation. The primary recruitment criteria for the MinD project was individuals living with mild to moderate dementia. This population is not only vulnerable but also considered as hard-to-reach due to their condition and the safeguarding poli-

naturally sought to make design interventions from a productive worldview⁵². To enable a seamless study, agreements were reached through negotiating differences from the start of the project and throughout as necessary, emphasising the main aim and objectives of the project, managing expectations of all parties involved, and importantly, building understanding of the strengths of productive and inductive approaches and the need to produce sound and robust data. From the team perspective, diversity in background, culture and discipline means a longer time for the members to develop relationships and trust to avoid communication issues. Over time, the researchers reported that they better understood, and adapted to, cross-disciplinary, cultural and language barriers in the interdisciplinary exchange visits and that they felt they benefited and enjoyed the networking and learning about the different disciplines and their approaches.

Logistic issues in a multicentre design

Achieving logistical parity between sites and personnel in different countries was a challenge due to the particular funding scheme and the delivery through secondments or research exchanges but also due to the developmental nature of design projects. While a generic framework existed for coordinating the study in the four countries, adjustments in allocation of staffing was required with regard to available human resources of who is doing what, for what purpose, how, and where, during the project. This caused at times slight delays with data collection, and demanded good management and coordination regarding staffing. Other logistic and management tasks included the allocation of space for meetings and workshops; the development and agreement of standard protocols, procedures and guidelines for recruitment, data collection and analysis; as well as identifying technological capacity (experts and IT equipments) as needed.

During the MinD project, we have applied sound and robust methodological frameworks to conduct our study; we have developed standardised dementia friendly data collection guides and protocols for use across the four sites; we have used a variety of tools, methods, techniques, and settings to meet the needs of our participants in recruitment, data collection and evaluation; and we have applied thematic analysis to conduct a rigorous and trustworthy study, adopting an approach similar to that applied by Nowell and colleague⁵³. By following rigorous protocols to conduct the qualitative research, we also met the guidelines to plan and conduct qualitative research as stated in the Consolidated criteria for reporting qualitative research (COREQ) reporting guidelines³⁵.

The MinD approach was characterised by being international, cross-cultural, interdisciplinary, inter-sectoral, and iterative in its nature. Apart from the benefits gained through shared knowledge, ideas, and experiences from different disciplines, sectors/settings, and cultures, these differences allowed for triangulation to improve the validity of our project. Thus, applying a multicentre and interdisciplinary approach has enabled the MinD project to increase the generalisability of their findings over a single centre study and aiding their generalisability across disciplines, sectors and cultures. Facilitated through

the complex pattern of 49 official exchange visits involving 75 researchers, this multicentre, interdisciplinary approach also created a community of practice for the researchers who have developed a broader and richer knowledge base, sharing their knowhow and experience with other researchers, groups with special interests and the general public through the MinD website and other channels³².

To our knowledge, by applying an interdisciplinary approach in a multi-centre study, the MinD project is the first qualitative study to attempt to generalise its findings. Other strengths of our study are the involvement of PwD, through a co-creation approach throughout the project, at their pace; applying a mindfulness approach to engaging PwD and multiple data collection techniques fitting their needs; and the involvement of the healthcare professional, care worker and support staff whom the PwD were familiar with in the research which successfully retained PwD's participation. Although we aimed for a heterogeneous sample, we only recruited Caucasian PwD. We did not manage to recruit PwD from the minority ethnic groups since they have low attendance in our study sites; our findings and prototypes therefore might have limited generalisability in this population, and further research in the minority ethnic population is needed.

Conclusion

While it is possible to increase the generalisability of qualitative evidence through a multi-centre and interdisciplinary team approach and to use existing tools such as the COREQ, research knowledge and skills, experience of working with the target population to conduct a rigorous study, there are challenges that we faced because of the condition, namely dementia, that our participants are having, the diversity in terms of language, work culture and organisational procedures, and the inter-disciplinary differences relating to the methods of enquiry; approaches and techniques to conduct research. These challenges will need to be identified and addressed at the start of the project with a strong leadership to ensure a seamless journey to complete the project successfully. Trust between the researchers and participants, and time to build this trust are critical to recruitment and participation in the study; these factors are of utmost important in research involving participants with condition such as dementia.

Data availability

No data are associated with this article.

Acknowledgements

This article has been developed as part of the MinD project. We wish to thank all project researchers, external partners, and especially participants of several Groups of Experts by Experience (GEE), including the European Working Group of People with Dementia (EWGPWD), the Public and Patient Involvement (PPI) group in Nottingham, and GEE participants at INTRAS, Valladolid, for their excellent contributions to the MinD project and to making it happen. Further project information: www.designingfordementia.eu

References

1. Ayres L, Kavanagh K, Knafelz KA: **Within-case and across-case approaches to qualitative data analysis.** *Qual Health Res.* 2003; **13**(6): 871–883.
[PubMed Abstract](#) | [Publisher Full Text](#)
2. Groleau D, Zelkowitz P, Cabral IE: **Enhancing generalizability: moving from an intimate to a political voice.** *Qual Health Res.* 2009; **19**(3): 416–426.
[PubMed Abstract](#) | [Publisher Full Text](#)
3. Thorne S: **Interpretive Description.** Left Coast Press, Walnut Creek, CA. 2008.
4. Sandelowski M: **“To be of use”: enhancing the utility of qualitative research.** *Nurs Outlook.* 1997; **45**(3): 125–132.
[PubMed Abstract](#) | [Publisher Full Text](#)
5. Yardley L: **Demonstrating validity in qualitative health research.** In: J.A. Smith, ed. *Qualitative psychology: a practical guide to research methods.* 2nd ed. London: Sage, 2008; 253–251.
[Reference Source](#)
6. Green J, Thorogood N: **Qualitative methods for health research.** 2nd ed. London: Sage, 2009.
[Reference Source](#)
7. Lewis J, Ritchie J: **Generalizing from qualitative research.** In J. Ritchie, J. Lewis, C. McNaughton Nicholls, and R. Ormston, eds., *Qualitative research practice.* 2nd ed. London: Sage, 2014; 347–366.
8. Sparkes AC, Smith B: **Qualitative research methods in sport, exercise and health: from process to product.** London: Routledge. 2014.
[Reference Source](#)
9. Hayhurst LMC: **Sport for development and peace: a call for transnational, multi-sited, postcolonial feminist research.** *Qualitative Research in Sport, Exercise and Health.* 2016; **8**(5): 424–443.
[Publisher Full Text](#)
10. Darnell SC, Chawansky M, Marchessault D, et al.: **The state of play: Critical sociological insights into recent ‘Sport for Development and Peace’ research.** *Int Rev Social Sport.* 2018; **53**(2): 133–151.
[Publisher Full Text](#)
11. Greenhalgh T, Annandale E, Ashcroft R, et al.: **An open letter to The BMJ editors on qualitative research.** *BMJ.* 2016; **352**: i563.
[PubMed Abstract](#) | [Publisher Full Text](#)
12. Firestone WA: **Accommodation: toward a paradigm-praxis dialectic.** In: Guba, E. (Ed.), *The Paradigm Dialog.* Sage, Newbury Park, CA, 1990; 105–124.
[Reference Source](#)
13. Tracy SJ: **Qualitative quality: eight “Big-Tent” criteria for excellent qualitative research.** *Qualitative Inquiry.* 2010; **16**(10): 837–851.
[Publisher Full Text](#)
14. Chenail RJ: **Getting specific about qualitative research generalizability.** *J Ethnogr Qual Res.* 2010; **5**(1): 1–11.
[Reference Source](#)
15. Ritchie J, Lewis J: **Qualitative research practice: a guide for social science students and researchers.** Sage publishing, London; 2005; 263–286.
16. Davies D, Dodd J: **Qualitative research and the question of rigor.** *Qual Health Res.* 2002; **12**(2): 279–289.
[PubMed Abstract](#) | [Publisher Full Text](#)
17. Lincoln Y, Guba E: **Naturalistic Inquiry.** Sage, Beverly Hills, CA. 1985.
[Reference Source](#)
18. Seale C: **Quality in qualitative research.** *Qualitative Inquiry.* 1999; **5**(4): 465–478.
[Publisher Full Text](#)
19. Noble H, Smith J: **Issues of validity in qualitative research.** *Evidence-based Nursing.* 2015; **18**(2).
[Reference Source](#)
20. Polit DF, Beck CT: **Generalization in quantitative and qualitative research: myths and strategies.** *Int J Nurs Stud.* 2010; **47**(11): 1451–1458.
[PubMed Abstract](#) | [Publisher Full Text](#)
21. Gheondea-Eladi A: **Is qualitative research generalizable?** *Journal of Community Positive Practices.* 2014; **XIV**(3): 114–124.
[Reference Source](#)
22. Johnson JK, Barach P, Vernooij-Sassen M, et al.: **Conducting a multicentre and multinational qualitative study on patient transitions.** *BMJ Qual Saf.* 2012; **21** Suppl 1: i22–i28.
[PubMed Abstract](#) | [Publisher Full Text](#)
23. Dewing J: **From ritual to relationship: A person-centred approach to consent in qualitative research with older people who have a dementia.** *Dementia.* 2002; **1**(2): 157–171.
[Publisher Full Text](#)
24. Mann J, Hung L: **Co-research with people with dementia for change.** *Action Research.* 2019; **17**(4): 573–590.
[Publisher Full Text](#)
25. Mayrhofer AM, Mathie E, McKeown J, et al.: **Young Onset dementia: Public involvement in co-designing community-based support.** *Dementia (London).* 2020; **19**(4): 1051–1066.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
26. Steeman E, de Casterle BD, Godderis J, et al.: **Living with early-stage dementia: a review of qualitative studies.** *J Adv Nurs.* 2006; **54**(6): 722–38.
[PubMed Abstract](#) | [Publisher Full Text](#)
27. Tanner D: **Co-research with older people with dementia: experience and reflections.** *J Ment Health.* 2012; **21**(3): 296–306.
[PubMed Abstract](#) | [Publisher Full Text](#)
28. Zeilig H, Tischler V, van der Byl Williams M, et al.: **Co-creativity, well-being and agency: A case study analysis of a co-creative arts group for people with dementia.** *J Aging Stud.* 2019; **49**: 16–24.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
29. Greenwood N, Smith R: **The experiences of people with young-onset dementia: A meta-ethnographic review of the qualitative literature.** *Maturitas.* 2016; **92**: 102–109.
[PubMed Abstract](#) | [Publisher Full Text](#)
30. Moyle W, Borbasi S, Wallis M, et al.: **Acute care management of older people with dementia: a qualitative perspective.** *J Clin Nurs.* 2011; **20**(3–4): 420–8.
[PubMed Abstract](#) | [Publisher Full Text](#)
31. van Hoof J, Kort HS, van Waarde H, et al.: **Environmental interventions and the design of homes for older adults with dementia: An overview.** *Am J Alzheimers Dis Other Demen.* 2010; **25**(3): 202–232.
[PubMed Abstract](#) | [Publisher Full Text](#)
32. **MinD - Designing for People with Dementia: Mindful self-empowerment and social engagement.**
[Reference Source](#)
33. Oyeboode JR, Parveen S: **Psychosocial interventions for people with dementia: An overview and commentary on recent developments.** *Dementia (London).* 2019; **18**(1): 8–35.
[PubMed Abstract](#) | [Publisher Full Text](#)
34. Scholzel-Dorenbos CJ, Meeuwse EJ, Olde Rikkert MG: **Integrating unmet needs into dementia health-related quality of life research and care: Introduction of the Hierarchy Model of Needs in Dementia.** *Aging Ment Health.* 2010; **14**(1): 113–119.
[PubMed Abstract](#) | [Publisher Full Text](#)
35. Tong A, Sainsbury P, Craig J: **Consolidated criteria for reporting qualitative research (COREQ): a 32-item checklist for interviews and focus groups.** *Int J Qual Health Care.* 2007; **19**(6): 349–357.
[PubMed Abstract](#) | [Publisher Full Text](#)
36. Zanasi M, Ziebuhr B, Bueno Y, et al.: **Feelings of usefulness and empowerment in people with dementia: a qualitative study.** submitted to *Brain and Behaviour.* currently under peer review.
37. Niedderer K, Holthoff-Detto V, van Rompay T, et al.: **“This is Me”: Evaluation of a boardgame to promote social engagement, wellbeing and agency in people with dementia through mindful life storytelling.** submitted to *Journal of Aging Studies.* currently under peer review.
38. Sprague S, Matta JM, Bhandari M, et al.: **Multicenter Collaboration in observational research: improving generalizability and efficiency.** *J Bone Joint Surg Am.* 2009; **91** Suppl 3: 80–86.
[PubMed Abstract](#) | [Publisher Full Text](#)
39. Chung KC, Song JW, WRIST Study Group: **A guide to organizing a multicenter clinical trial.** *Plast Reconstr Surg.* 2010; **126**(2): 515–523.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
40. Kleiderman E, Boily A, Hasilo C, et al.: **Overcoming barriers to facilitate the regulation of multi-centre regenerative medicine clinical trials.** *Stem Cell Res Ther.* 2018; **9**(1): 307–316.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
41. Lee RP, Hart RI, Watson RM, et al.: **Qualitative synthesis in practice: some pragmatics of meta-ethnography.** *Qual Res.* 2014; **15**(3): 334–50.
[Publisher Full Text](#)
42. Lim JNW, Almeida R, Holthoff-Detto V, et al.: **What is Needed to Obtain Informed Consent and Monitor Capacity for a Successful Study involving People with Mild Dementia? Our experience in a multi-centre study.** In K. Niedderer, G.D.S. Ludden, R. Cain and C Woelfel (eds.) *Designing with and for People with Dementia: Wellbeing, Empowerment and Happiness.* Proceedings of the International MinD Conference. Dresden: MinD & TUD press, 2019; 139–150.
[Reference Source](#)
43. Shadish W, Cook T, Campbell D: **Experimental and Quasi-Experimental Designs for Generalized Causal Inference.** Houghton Mifflin, 2002.
[Reference Source](#)
44. Braun V, Clarke V: **Using thematic analysis in psychology.** *Qual Res Psychol.* 2006; **3**(2): 77–101.
[Publisher Full Text](#)
45. Maylind P: **Qualitative Content Analysis. Theoretical Foundation, Basic Procedures and Software Solution.** SSOAR Open Access Repository, 2015.
46. Kuckartz U: **Qualitative Text Analysis: A Guide to Methods, Practice & Using Software.** Sage Publishing, 2014.
[Publisher Full Text](#)
47. Bengtsson M: **How to plan and perform a qualitative study using content analysis.** *NursingPlus Open.* 2016; **2**: 8–14.
[Publisher Full Text](#)

48. Thomas J, Harden A: **Methods for the thematic synthesis of qualitative research in systematic reviews.** *BMC Med Res Methodol.* 2008; **8**: 45–55.
[PubMed Abstract](#) | [Publisher Full Text](#) | [Free Full Text](#)
49. Noblit GW, Hare RD: **Meta-ethnography: synthesizing qualitative studies.** California: Sage Publications; 1988; **11**.
[Reference Source](#)
50. World Health Organisation: **The ICD-10 classification of mental and behavioural disorders : clinical descriptions and diagnostic guidelines.** 1992.
[Reference Source](#)
51. Niedderer K, Harrison D, Gosling J, *et al.*: **Working with Experts with Experience: Charting Co-production and Co-design in the Development of HCI-Based Design.** In *HCI and Design in the Context of Dementia*. Springer, 2020; 303–320.
[Publisher Full Text](#)
52. Niedderer K: **Explorative Materiality and Knowledge. The Role of Creative Exploration and Artefacts in Design Research.** *FormAkademisk.* 2013; **6**(2): 1–20.
[Publisher Full Text](#)
53. Nowell LS, Norris JM, White DE, *et al.*: **Thematic Analysis: Striving to meet the trustworthiness criteria.** *Int J Qual Methods.* 2017; **16**(1).
[Publisher Full Text](#)

Open Peer Review

Current Peer Review Status:  

Version 2

Reviewer Report 08 November 2021

<https://doi.org/10.21956/openreseurope.15224.r27982>

© 2021 Lv J. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Jihui Lv

Beijing Geriatric Hospital, Beijing, China

In the current study, the authors described the use of the multi-centre design by a group of researchers - with different expertise from different discipline of study - to apply the six strategies proposed by Polit and Beck to strengthen the generalisability of their research findings in the population living with mild to moderate dementia in Europe. The authors also presented the challenges they faced in their attempts to generalise their findings. The results are reasonable and interesting.

I have two minor concerns.

1. In page 3, ".....as this will strengthened", it should be "will strengthen".
2. The introduction part can be more concise and comprehensive, for example, the third paragraph and fourth paragraph unnecessarily mentioned validity and rich data repeatedly.

Is the rationale for developing the new method (or application) clearly explained?

Yes

Is the description of the method technically sound?

Yes

Are sufficient details provided to allow replication of the method development and its use by others?

Yes

If any results are presented, are all the source data underlying the results available to ensure full reproducibility?

Yes

Are the conclusions about the method and its performance adequately supported by the

findings presented in the article?

Yes

Competing Interests: No competing interests were disclosed.**Reviewer Expertise:** A specialist working at cognitive impairments.**I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.**

Reviewer Report 10 September 2021

<https://doi.org/10.21956/openreseurope.15224.r27575>

© 2021 Dahlui M. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

**Maznah Dahlui**

Centre of Population Health, Department of Social and Preventive Medicine, Faculty of Medicine, University of Malaya, Kuala Lumpur, Malaysia

I am OK with this new version. I suggest the article is accepted for indexing.

Is the rationale for developing the new method (or application) clearly explained?

Yes

Is the description of the method technically sound?

Yes

Are sufficient details provided to allow replication of the method development and its use by others?

Yes

If any results are presented, are all the source data underlying the results available to ensure full reproducibility?

Yes

Are the conclusions about the method and its performance adequately supported by the findings presented in the article?

Yes

Competing Interests: No competing interests were disclosed.**I confirm that I have read this submission and believe that I have an appropriate level of**

expertise to confirm that it is of an acceptable scientific standard.

Version 1

Reviewer Report 06 September 2021

<https://doi.org/10.21956/openreseurope.14774.r27444>

© 2021 Dahlui M. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

**Maznah Dahlui**

Centre of Population Health, Department of Social and Preventive Medicine, Faculty of Medicine, University of Malaya, Kuala Lumpur, Malaysia

This manuscript describes a study that had applied a standardised study protocol, of which the framework and guides for the qualitative data collection were developed via a multidisciplinary approach for a multicentre study. The study aims to explain that a study conducted as such would allow its findings to be generalised for Dementia. Polit and Beck's criteria had been used to assess the generalisability of these qualitative research findings. In addition, issues and challenges faced when implementing and evaluating the multicentre studies had been described. The description on the conduct of the study is very comprehensive and highly appreciated. However, based on the title of this manuscript and the introduction, I was expecting that the findings from the 4 sites would be presented and any dissimilar findings regarding Dementia would be explained after it had been verified that Polit and Beck's criteria of generalisability had been followed.

I would like to suggest the change in the title "Assessing the generalisability of a multicentre qualitative dementia research: the experience and challenges faced by the MinD project in Europe"

Is the rationale for developing the new method (or application) clearly explained?

Yes

Is the description of the method technically sound?

Yes

Are sufficient details provided to allow replication of the method development and its use by others?

Yes

If any results are presented, are all the source data underlying the results available to ensure full reproducibility?

Yes

Are the conclusions about the method and its performance adequately supported by the findings presented in the article?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Public Health – Health Policy and Health Economics

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however I have significant reservations, as outlined above.

Author Response 06 Sep 2021

Jennifer NW Lim, University of Wolverhampton, Wolverhampton, UK

Dear reviewer,

We thank you for your kind feedback and have revised the title of the paper as suggested, to reflect its contents.

Thank you. On behalf of the authors, Dr. Lim

Competing Interests: No competing interests were disclosed.

Comments on this article

Version 2

Author Response 08 Nov 2021

Jennifer NW Lim, University of Wolverhampton, Wolverhampton, UK

Dear Professor Lv, We are very grateful for your positive review, and pleased to inform you that we have corrected the grammar in the Introduction section - (1) para.6,line 7 (Introduction section) and (2) edited paragraphs 3 and 4 as suggested. Thank you.

Competing Interests: No competing interests were disclosed.

Version 1

Author Response 06 Sep 2021

Jennifer NW Lim, University of Wolverhampton, Wolverhampton, UK

Dear reviewer,

We thank you for your kind feedback and have revised the title of the paper as suggested, to reflect its contents.

Thank you. On behalf of the authors, Dr. Lim

Competing Interests: No competing interests were disclosed.

Open Peer Review

Current Peer Review Status:  

Version 2

Reviewer Report 08 November 2021

<https://doi.org/10.21956/openreseurope.15224.r27982>

© 2021 Lv J. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.



Jihui Lv

Beijing Geriatric Hospital, Beijing, China

In the current study, the authors described the use of the multi-centre design by a group of researchers - with different expertise from different discipline of study - to apply the six strategies proposed by Polit and Beck to strengthen the generalisability of their research findings in the population living with mild to moderate dementia in Europe. The authors also presented the challenges they faced in their attempts to generalise their findings. The results are reasonable and interesting.

I have two minor concerns.

1. In page 3, ".....as this will strengthened", it should be "will strengthen".
2. The introduction part can be more concise and comprehensive, for example, the third paragraph and fourth paragraph unnecessarily mentioned validity and rich data repeatedly.

Is the rationale for developing the new method (or application) clearly explained?

Yes

Is the description of the method technically sound?

Yes

Are sufficient details provided to allow replication of the method development and its use by others?

Yes

If any results are presented, are all the source data underlying the results available to ensure full reproducibility?

Yes

Are the conclusions about the method and its performance adequately supported by the

findings presented in the article?

Yes

Competing Interests: No competing interests were disclosed.**Reviewer Expertise:** A specialist working at cognitive impairments.**I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard.**

Reviewer Report 10 September 2021

<https://doi.org/10.21956/openreseurope.15224.r27575>

© 2021 Dahlui M. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

**Maznah Dahlui**

Centre of Population Health, Department of Social and Preventive Medicine, Faculty of Medicine, University of Malaya, Kuala Lumpur, Malaysia

I am OK with this new version. I suggest the article is accepted for indexing.

Is the rationale for developing the new method (or application) clearly explained?

Yes

Is the description of the method technically sound?

Yes

Are sufficient details provided to allow replication of the method development and its use by others?

Yes

If any results are presented, are all the source data underlying the results available to ensure full reproducibility?

Yes

Are the conclusions about the method and its performance adequately supported by the findings presented in the article?

Yes

Competing Interests: No competing interests were disclosed.**I confirm that I have read this submission and believe that I have an appropriate level of**

expertise to confirm that it is of an acceptable scientific standard.

Version 1

Reviewer Report 06 September 2021

<https://doi.org/10.21956/openreseurope.14774.r27444>

© 2021 Dahlui M. This is an open access peer review report distributed under the terms of the [Creative Commons Attribution License](#), which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

**Maznah Dahlui**

Centre of Population Health, Department of Social and Preventive Medicine, Faculty of Medicine, University of Malaya, Kuala Lumpur, Malaysia

This manuscript describes a study that had applied a standardised study protocol, of which the framework and guides for the qualitative data collection were developed via a multidisciplinary approach for a multicentre study. The study aims to explain that a study conducted as such would allow its findings to be generalised for Dementia. Polit and Beck's criteria had been used to assess the generalisability of these qualitative research findings. In addition, issues and challenges faced when implementing and evaluating the multicentre studies had been described. The description on the conduct of the study is very comprehensive and highly appreciated. However, based on the title of this manuscript and the introduction, I was expecting that the findings from the 4 sites would be presented and any dissimilar findings regarding Dementia would be explained after it had been verified that Polit and Beck's criteria of generalisability had been followed.

I would like to suggest the change in the title "Assessing the generalisability of a multicentre qualitative dementia research: the experience and challenges faced by the MinD project in Europe"

Is the rationale for developing the new method (or application) clearly explained?

Yes

Is the description of the method technically sound?

Yes

Are sufficient details provided to allow replication of the method development and its use by others?

Yes

If any results are presented, are all the source data underlying the results available to ensure full reproducibility?

Yes

Are the conclusions about the method and its performance adequately supported by the findings presented in the article?

Yes

Competing Interests: No competing interests were disclosed.

Reviewer Expertise: Public Health – Health Policy and Health Economics

I confirm that I have read this submission and believe that I have an appropriate level of expertise to confirm that it is of an acceptable scientific standard, however I have significant reservations, as outlined above.

Author Response 06 Sep 2021

Jennifer NW Lim, University of Wolverhampton, Wolverhampton, UK

Dear reviewer,

We thank you for your kind feedback and have revised the title of the paper as suggested, to reflect its contents.

Thank you. On behalf of the authors, Dr. Lim

Competing Interests: No competing interests were disclosed.

Comments on this article

Version 2

Author Response 08 Nov 2021

Jennifer NW Lim, University of Wolverhampton, Wolverhampton, UK

Dear Professor Lv, We are very grateful for your positive review, and pleased to inform you that we have corrected the grammar in the Introduction section - (1) para.6,line 7 (Introduction section) and (2) edited paragraphs 3 and 4 as suggested. Thank you.

Competing Interests: No competing interests were disclosed.

Version 1

Author Response 06 Sep 2021

Jennifer NW Lim, University of Wolverhampton, Wolverhampton, UK

Dear reviewer,

We thank you for your kind feedback and have revised the title of the paper as suggested, to reflect its contents.

Thank you. On behalf of the authors, Dr. Lim

Competing Interests: No competing interests were disclosed.
