

**Please cite the Published Version**

Leal Filho, Walter, Balasubramanian, M., Purcell, Wendy and Paz, Shlomit (2022) Handling the health impacts of extreme climate events. *Environmental Sciences Europe*, 34 (1). p. 45. ISSN 2190-4707

**DOI:** <https://doi.org/10.1186/s12302-022-00621-3>

**Publisher:** Springer

**Version:** Published Version

**Downloaded from:** <https://e-space.mmu.ac.uk/629970/>

**Usage rights:**  [Creative Commons: Attribution 4.0](https://creativecommons.org/licenses/by/4.0/)

**Additional Information:** This is an Open Access article which appeared in *Environmental Sciences Europe*, published by Springer

**Enquiries:**

If you have questions about this document, contact [openresearch@mmu.ac.uk](mailto:openresearch@mmu.ac.uk). Please include the URL of the record in e-space. If you believe that your, or a third party's rights have been compromised through this document please see our Take Down policy (available from <https://www.mmu.ac.uk/library/using-the-library/policies-and-guidelines>)

COMMENTARY

Open Access



# Handling the health impacts of extreme climate events

Walter Leal Filho<sup>1,2\*</sup> , M. Balasubramanian<sup>3</sup> , Wendy Purcell<sup>4</sup>  and Shlomit Paz<sup>5</sup> 

## Abstract

This commentary provides an overview and summary of some of the health impacts of extreme climate events. It goes on to suggest some measures to increase the preparedness of the health sector to cope with extreme events associated with a changing climate.

**Keywords:** Climate change, Health impacts, Extreme weather events

## Introduction: the climate crisis and human health

The global climate crisis is also a threat to human health [23]. Extreme weather events, defined by the Intergovernmental Panel on Climate Change (IPCC) as

“a pattern of extreme weather that persists for some time, such as a season” [24] may lead to disruptions to food and water security, worsening air quality, the rise of vector-borne diseases, exacerbations of chronic disease, mental health stressors, and worker injury risks. These are just some of the disruptions adversely affecting human health. The social determinants of health, from wealth to housing, can ameliorate or indeed amplify climate impacts on health, with under-resourced and vulnerable communities disproportionately affected such that health equity connects directly to planetary health.

Accompanying rising global temperatures, weather-related natural disasters include heat waves, severe storms (also snow storms), floods and drought. These are increasing, tripling over the last 50 years and responsible for over 60,000 deaths per annum [41]. There have been many studies focusing on extreme events. Figure 1 shows the number of studies for some types of extremes events, clustered into more severe/likely (red), less severe/likely (yellow), no influence (blue) and inconclusive (grey).



It should be pointed out that climate change occurs in various places, including regions where local population and services (including emergency services, health services, communication and transport infrastructures and social networks) are not always prepared to handle extreme events and their impacts. Here, the term “preparedness” is defined by the United Nations International Strategy on Disaster Reduction as “the knowledge and capacities developed by governments, professional response and recovery organizations, communities and individuals to effectively anticipate, respond to, and recover from, the impacts of likely, imminent or current hazard events or conditions” [44].

Heatwaves are associated with an increased rate of mortality (Cheng et al., 2018) due to dehydration, heat exhaustion and heat stroke [38]. A study across 43 countries during 1991–2018 attributes 37% (range 20.5–76.3%) of warm-season heat-related deaths to anthropogenic climate change [39]. Heatwaves can lead to urban heat island in cities, and wildfires—in rural areas—causing death directly, with smoke injurious to health [32]. Figure 2 presents a schematic view of the main impacts of heat waves, whereas Table 1 provides some literature related to the topic, which illustrate the scope of the problem.

Extreme temperatures exacerbate drought, leading to dehydration [37] and disturbances to agricultural practices, with downstream impacts on food security and nutrition [11, 25]. The limited availability of clean

\*Correspondence: walter-leal2@haw-hamburg.de

<sup>1</sup> Department of Natural Sciences, Manchester Metropolitan University, All Saints Building, Oxford Road, M15 6BH Manchester, UK  
Full list of author information is available at the end of the article



drinking water contributes to outbreaks of diseases, such as cholera and other diarrheal illnesses [37], as well as conditions related to poor personal hygiene [13]. In some cases, dry conditions can favour mosquito-borne diseases [9].

Heat-related daily mortality is increasing and intensified among other things by the urban heat islands [8, 27]. Disruptions in power supply and transport routes can prevent people accessing health care [10, 43], or heating their homes [2] and may exacerbate respiratory

**Table 1** Overview of some of the literature on the health impacts of extreme climate events

Title	Climate change & ...	Author(s)
The public health implications of the Paris agreement: a modelling study	Public health policy	Milner et al. [30]
The imperative for climate action to protect health	Public health policy	Haines & Ebi [18]
The 2018 report of the Lancet countdown on health and climate change: shaping the health of nations for centuries to come	Public health policy	Watts et al. [40]
Impacts of extreme weather events and climate change for health and social care systems	Extreme weather and emergency preparedness	Curtis et al. [10]
Climate change, extreme weather events, and human health implications in the Asia Pacific region	Extreme weather and emergency preparedness	Hashim et al. [20]
Projecting heat-related excess mortality under climate change scenarios in China	Heat-related mortality	Yang et al. [45]
Projections of temperature-related cause-specific mortality under climate change scenarios in a coastal city of China	Heat-related mortality	Gu et al. [17]
Projections of temperature-related excess mortality under climate change scenarios	Heat-related mortality	Gasparrini et al. [16]
Effects of air temperature on climate-sensitive mortality and morbidity outcomes among the elderly: a systematic review and meta-analysis of epidemiological evidence	Heat-related mortality	Bunker et al. [6]
Effect of environmental changes on vegetable and legume yields and nutritional quality	Food and nutrition	Scheelbeek et al. [33]
Economic implications of climate change impacts on human health through undernourishment	Food and nutrition	Hasegawa et al. [19]
Analysis and valuation of the health and climate co-benefits of dietary change	Food and nutrition	Springmann [36]
The need for clean air: the way air pollution and climate change affect allergic rhinitis and asthma	Air pollution also by thermic inversion	Eguiluz-Gracia et al. [12]
Climate change health and vulnerability in Canadian Northern Aboriginal communities	Indigenous people	Furgal & Seguin [15]
Vulnerability of indigenous health to climate change: a case study of Uganda's Batwa Pygmies	Indigenous people	Berrang-Ford et al. [3]
Climate change and women's health: impacts and policy directions	Women's health	Sorensen et al. [35]
Global climate change and children's health	Children's health	Ahdoot & Pacheco [1]
Examining relationship between climate change and mental health in the Circumpolar North	Mental health	Willcox et al. [42]
Health impacts of climate change and health and social inequalities in the UK	Inequality	Paavola [31]

illness. Cold waves may adversely affect vulnerable people, including women and children and the elderly, the poor and those with pre-existing medical conditions [10]. These groups cannot cope with the health impacts of climate change on their own. Climate change also influences their social networks and communication infrastructures—which are currently the backbones of many social and public services—as well as their living conditions since recovery takes a long time.

Created in 2016, the Global Lancet Countdown (*Lancet* [26]) tracks the health implications of the changing climate. Its annual report follows a suite of indicators (43 in 2020) across five domains and informs country-level briefs that aim to direct priorities for public health policy. Table 1 provides an overview, based on examples from the literature on the health impacts of extreme events. It reveals that extreme climate events are not yet

fully accommodated within public health policy or health and social care systems. Too often it appears that we are reacting to such events, rather than responding in a more deliberative fashion. Table 1 also serves to highlight the disruption of systems, from emergency medical care through to food and equity. This pervasive impact reflects the interdependencies between climate and health (see Fig. 2), and calls for the inherent interconnections and causality to be reflected in the design of post-modern healthcare. And, it goes further to reveal the challenge of sustaining well-being and human flourishing in the face of an unfettered climate crisis setting up the need for urgent global attention and action.

Climate change also has increased global flooding [14], and has reached new places not affected before, with subsequent immediate, mid-term and long-term effects on health from drowning, injury, and respiratory infections

dependent of the severity of the flood [4, 14]. Landslides can be especially challenging [7].

Mental health issues due to extreme weather events can include anxiety, stress, post-traumatic stress disorder, survivor guilt, mental fatigue and suicidal behaviour, as people grapple with the loss of family, homes and communities due to extreme events such as floods or cyclones (Pillay and van den Bergh 2016, [40]). Changes in food supply and water resources may place additional financial stress on people, exacerbating mental anguish [21]. These elements show the importance of involving local organizations and social networks and the development of a first line of public health services.

### Actions needed

Given the far-ranging negative effects of climate change on health, urgent action is needed across many domains. In particular, preventative and adaptive actions that help to reduce the severity of the impacts. However, these may be insufficient given extreme climate events are predicted to become more frequent and expected to appear in new places, with consequent far-reaching economic effects [34]. Such actions should be based on various measures: first, observing how climate change expresses itself in new places, secondly, better preparedness of the local emergency services, in order to react in real time to reduce health and mental health impacts. These first line public health services should be integrated with the involvement of the local collectives and social networks. In addition, other actions are needed such as systematic data management and integrated surveillance, trans-disciplinary and interdisciplinary studies, international cooperation, ensuring water and food security, increased funding for climate and health research, practice, modelling and prediction (e.g. [22, 28]). Another area is the education of medical and healthcare staff. In this context, it is critically important to include the theme ‘climate and health’ as part of the core professional curriculum and practice in training physicians, nurses and allied health professions and senior health executives since extreme weather events not only have an impact on healthcare, but also on the operations of health services [29].

The interconnections among climate change, health and equity demand research-led solutions for the present and future generations, with ecosystem restoration a necessary public health intervention [5]. Climate change mitigation, at the level of the individual, community and local/national governments must be actioned. Strengthening public awareness about the recommended behaviours during extreme events is important and can be achieved by involving the media and healthcare workers. In addition, traditional and indigenous knowledge should be integrated into modern medical technology to help

reduce health impacts from heatwaves and other climate events. Business and health insurers should prioritize risk management of climate-related health as well as ‘greening’ their own operations.

With global temperatures already 1 °C higher than the pre-industrial times, and projections that CO<sub>2</sub> emissions will continue to climb through 2040, climate and health is a new frontier for science—one we must tackle now to avoid further catastrophic consequences of extreme events associated with climate change on human mortality and morbidity.

### Acknowledgements

Not applicable.

### Author contributions

WLF: conceptualization, writing, overall coordination; MB: writing; WP: writing, figure and table; SP: writing, table. All authors read and approved the final manuscript.

### Funding

Open Access funding enabled and organized by Projekt DEAL.

### Availability of data and materials

Not applicable.

### Declarations

### Ethics approval and consent to participate

Not applicable.

### Consent for publication

Not applicable.

### Competing interests

The authors declare that they have no competing interests.

### Author details

<sup>1</sup>Department of Natural Sciences, Manchester Metropolitan University, All Saints Building, Oxford Road, M15 6BH Manchester, UK. <sup>2</sup>Research and Transfer Centre “Sustainable Development and Climate Change Management”, Hamburg University of Applied Sciences, Ulmenliet 20, D-21033 Hamburg, Germany. <sup>3</sup>Centre for Ecological Economics and Natural Resources, Institute for Social and Economic Change, Bangalore, Karnataka, India. <sup>4</sup>Department of Environmental Health, Harvard T.H. Chan School of Public Health, Harvard University, Boston, MA 02215, USA. <sup>5</sup>Department of Geography and Environmental Studies, University of Haifa, Mt. Carmel, Haifa, Israel.

Received: 22 December 2021 Accepted: 11 April 2022

Published online: 14 May 2022

### References

- Ahdoot S, Pacheco SE (2015) Council on environmental health global climate change and children’s health. *Pediatrics*. 2015;136(5):e1468–84. <https://doi.org/10.1542/peds.2015-3233>
- Añel JA, Fernández-González M, Labandeira X, López-Otero X, De la Torre L (2017) Impact of cold waves and heat waves on the energy production sector. *Atmosphere* 8(11):209. <https://doi.org/10.3390/atmos8110209>
- Berrang-Ford L, Dingle K, Ford JD, Lee C, Lwasa S, Namanya DB, Henderson J, Llanos A, Carcamo C, Edge V (2012) Vulnerability of indigenous health to climate change: a case study of Uganda’s Batwa Pygmies. *Soc Sci Med* 75(6):1067–1077

4. Bich TH, Quang LN, Thanh Ha LT, Duc Hanh TT, Guha-Sapir D (2011) Impacts of flood on health: epidemiologic evidence from Hanoi. *Vietnam Global Health Action* 4(1):6356. <https://doi.org/10.3402/gha.v4i0.6356>
5. Breed MF, Cross AT, Wallace K, Bradby K, Flies E, Goodwin N, Jones M, Orlando L, Skelly C, Weinstein P, Aronson J (2020) Ecosystem restoration: a public health intervention. *Ecohealth*. 2021;18(3):269–271. <https://doi.org/10.1007/s10393-020-01480-1>
6. Bunker A, Wildenhain J, Vandenbergh A, Henschke N, Rocklöv J, Hajat S, Sauerborn R (2016) Effects of air temperature on climate-sensitive mortality and morbidity outcomes in the elderly; a systematic review and meta-analysis of epidemiological evidence. *EBioMedicine* 6:258–268
7. Burrows K, Pelupessy D, Desai M, Bell M (2019) Landslides, displacement, and mental health in Banjarnegara. *Indones Environ Epidemiol* 3:46
8. Cheng J, Xu Z, Bambrick H, Su H, Tong S, Hu W (2018) Heatwave and elderly mortality: an evaluation of death burden and health costs considering short-term mortality displacement. *Environ Int* 115:334–342. <https://doi.org/10.1016/j.envint.2018.03.041>
9. Cotar AI, Falcuta E, Prioteasa LF, Dinu S, Ceianu CS, Paz S (2016) Transmission dynamics of the West Nile virus in mosquito vector populations under the influence of weather factors in the Danube Delta. *Romania EcoHealth* 13(4):796–807
10. Curtis S, Fair A, Wistow J, Val DV, Oven K (2017) Impact of extreme weather events and climate change for health and social care systems. *Environ Health* 16(1):23–32. <https://doi.org/10.1186/s12940-017-0324-3>
11. Drysdale RE, Bob U, Moshabela M (2020) Coping through a drought: the association between child nutritional status and household food insecurity in the district of iLembe. *South Africa Public Health Nutr*. <https://doi.org/10.1017/S1368980020000105>
12. Eguluz-Gracia I, Mathioudakis AG, Bartel S, Vijverberg SJ, Fuertes E, Comberriati P, Cai YS, Tomazic PV, Diamant Z, Vestbo J, Galan C (2020) The need for clean air: the way air pollution and climate change affect allergic rhinitis and asthma. *Allergy* 75(9):2170–2184
13. Enbiale W, Ayalew A (2018) Investigation of a scabies outbreak in drought-affected areas in Ethiopia. *Trop Med Infect Dis* 3(4):114. <https://doi.org/10.3390/tropicalmed3040114>
14. Erickson TB, Brooks J, Nilles EJ, Pham PN, Vinck P (2019) Environmental health effects attributed to toxic and infectious agents following hurricanes, cyclones, flash floods and major hydrometeorological events. *J Toxicol Environ Health Part B* 22(5–6):157–171. <https://doi.org/10.1080/10937404.2019.1654422>
15. Furgal C, Seguin J (2006) Climate change, health, and vulnerability in Canadian northern Aboriginal communities. *Environ Health Perspect* 114(12):1964–1970
16. Gasparrini A, Guo Y, Sera F, Vicedo-Cabrera AM, Huber V, Tong S, Coelho MDSZS, Saldiva PHN, Lavigne E, Correa PM, Ortega NV (2017) Projections of temperature-related excess mortality under climate change scenarios. *Lancet Planet Health* 1(9):e360–e367
17. Gu S, Zhang L, Sun S, Wang X, Lu B, Han H, Yang J, Wang A (2020) Projections of temperature-related cause-specific mortality under climate change scenarios in a coastal city of China. *Environ Int* 143:5889
18. Hamilton I, Kennard H, McGushin A, Höglund-Isaksson L, Kiesewetter G, Lott M, Haines A, Ebi K (2019) The imperative for climate action to protect health. *N Engl J Med* 380(3):263–273
19. Hasegawa T, Fujimori S, Takahashi K, Yokohata T, Masui T (2016) Economic implications of climate change impacts on human health through under-nourishment. *Clim Change* 136(2):189–202
20. Hashim JH, Hashim Z (2016) Climate change, extreme weather events, and human health implications in the Asia Pacific region. *Asia Pac J Public Health* 28(2):85–145
21. Hayes K, Blashki G, Wiseman J, Burke S, Reifels L (2018) Climate change and mental health: Risks, impacts and priority actions. *Int J Ment Heal Syst* 12(1):1–12. <https://doi.org/10.1186/s13033-018-0210-6>
22. Hess J, Boodram LLG, Paz S, Ibarra AMS, Wasserheit JN, Lowe R (2020) Strengthening the global response to climate change and infectious disease threats. *BMJ* 371:m3081
23. Introcaso D. (2018). Climate change is the greatest threat to human health in history. *Health Affairs Blog*. <https://www.healthaffairs.org/doi/10.1377/hblog20181218.278288/full>. Accessed July 26 2021
24. IPCC (2012) In: Field CB, Barros V, Stocker TF, Qin D, Dokken DJ, Ebi KL, Mastrandrea MD, Mach KJ, Plattner GK, Allen Sk, Tignor M, Midgley M (eds) *Summary for Policy-Makers*. Cambridge University Press, Cambridge
25. Jones A (2018) Malnutrition, poverty, and climate change are also human rights issues in child labor. *Health Hum Rights* 20(2):249
26. Lancet Countdown (2021). <https://www.lancetcountdown.org/>. Accessed July 26 2021.
27. Leal Filho W, Echevarria Icaza L, Neht A, Klavins M, Morgan EA (2018) Coping with the impacts of urban heat islands. A literature based study on understanding urban heat vulnerability and the need for resilience in cities in a global climate change context. *J Clean Prod* 171:1140–1149. <https://doi.org/10.1016/j.jclepro.2017.10.086>
28. Linares C, Díaz J, Negev M, Martínez GS, Debono R, Paz S (2020) Impacts of climate change on the public health of the Mediterranean Basin population-current situation, projections, preparedness and adaptation. *Environ Res* 182:109107
29. Maxwell J, Blashki G (2016) Teaching about climate change in medical education: an opportunity. *J Public Health Res* (1):673. <https://doi.org/10.4081/jphr.2016.673>
30. Milner J, Purohit P, Rafaj P, Sharma R, Springmann M (2021) The public health implications of the Paris agreement: a modelling study. *Lancet Planet Health* 5(2):e74–e83
31. Paavola J (2017) Health impacts of climate change and health and social inequalities in the UK. *Environ Health* 16(1):61–68
32. Rossiello MR, Szema A (2019) Health effects of climate change-induced wildfires and heatwaves. *Cureus*. <https://doi.org/10.7759/cureus.4771>
33. Scheelbeek PF, Bird FA, Tuomisto HL, Green R, Harris FB, Joy EJ, Chalabi Z, Allen E, Haines A, Dangour AD (2018) Effect of environmental changes on vegetable and legume yields and nutritional quality. *Proc Natl Acad Sci* 115(26):6804–6809
34. Scovronick N, Ferranna M, Dennig F, Budolfson M (2020) Valuing health impacts in climate policy: ethical issues and economic challenges: study examines the ethical issues and economic challenges of valuing health impacts in climate policy. *Health Aff* 39(12):2105–2112
35. Sorensen C, Broge NH, Molgaard ML, Schow CS, Thomsen P, Vognsen K, Knudsen P (2016) Assessing future flood hazards for adaptation planning in a northern European Coastal Community. *Front Mar Sci*. <https://doi.org/10.3389/fmars.2016.00069>
36. Springmann M, Godfray HCJ, Rayner M, Scarborough P (2016) Analysis and valuation of the health and climate change cobenefits of dietary change. *Proc Natl Acad Sci* 113(15):4146–4151
37. Sugg M, Runkle J, Leeper R, Bagli H, Golden A, Handwerker LH, Taylor M (2020) A scoping review of drought impacts on health and society in North America. *Clim Change*. <https://doi.org/10.1007/s10584-020-02848-6>
38. Vered S, Paz S, Negev M, Tanne D, Zucker I, Weinstein G (2020) High ambient temperature in summer and risk of stroke or transient ischemic attack: a national study in Israel. *Environ Res* 187:109678
39. Vicedo-Cabrera AM, Scovronick N, Sera F, Royé D, Schneider R, Tobias A, Gasparrini A (2021) The burden of heat-related mortality attributable to recent human-induced climate change. *Nat Clim Change* 11(6):492–500
40. Watts N, Amann M, Arnell N, Ayeb-Karlsson S, Belesova K, Boykoff M et al (2019) The 2019 report of The Lancet Countdown on health and climate change: ensuring that the health of a child born today is not defined by a changing climate. *Lancet* 394(10211):1836–1878
41. WHO (2018) *Climate change and health*. WHO, Geneva
42. Willox AC, Stephenson E, Allen J, Bourque F, Drossos A, Elgarøy S, Kral MJ, Mauro I, Moses J, Pearce T, MacDonald JP (2015) Examining relationships between climate change and mental health in the Circumpolar North. *Reg Environ Change* 15(1):169–182
43. Wistow J, Dominelli L, Oven K, Dunn C, Curtis S (2015) The role of formal and informal networks in supporting older people's care during extreme weather events. *Policy Polit* 43(1):119–135. <https://doi.org/10.1332/030557312X655855>
44. WHO (2021) How does the UN define preparedness? <https://www.euro.who.int/en/health-topics/health-emergencies/from-disaster-preparedness-and-response/policy/preparedness>. Accessed on 10 Mar 2022.
45. Yang J, Zhou M, Ren Z, Li M, Wang B, Li Liu D, Ou CQ, Yin P, Sun J, Tong S, Wang H (2021) Projecting heat-related excess mortality under climate change scenarios in China. *Nat Commun* 12(1):1–11

## Publisher's Note

Springer Nature remains neutral with regard to jurisdictional claims in published maps and institutional affiliations.