Please cite the Published Version

Crapnell, Robert D and Banks, Craig E (2022) Erratum to "Electroanalytical Overview: The detection of the molecule of murder atropine" [Talatan Open, 2021, 100073](S2666831921000436)(10.1016/j.talo.2021.100073). Talanta Open, 5. p. 100089. ISSN 2666-8319

DOI: https://doi.org/10.1016/j.talo.2022.100089

Publisher: Elsevier

Version: Published Version

Downloaded from: https://e-space.mmu.ac.uk/631285/

Usage rights: Creative Commons: Attribution-Noncommercial-No Derivative Works 4.0

Additional Information: This is a Correction to "Electroanalytical overview: The detection of the molecule of murder atropine", an Open Access article, which appeared in Talanta Open, published by Elsevier

Enquiries:

If you have questions about this document, contact openresearch@mmu.ac.uk. Please include the URL of the record in e-space. If you believe that your, or a third party's rights have been compromised through this document please see our Take Down policy (available from https://www.mmu.ac.uk/library/using-the-library/policies-and-guidelines)



Contents lists available at ScienceDirect

Talanta Open

journal homepage: www.sciencedirect.com/journal/talanta-open



Erratum



Erratum to "Electroanalytical Overview: The detection of the molecule of murder atropine" [Talatan Open, 2021, 100073]

Robert D. Crapnell, Craig E. Banks

Faculty of Science and Engineering, Manchester Metropolitan University, Chester Street, Manchester M1 5GD, United Kingdom

The publisher regrets that the Conflict of interest was not published along with the manuscript.

The authors declare that they have no known competing financial

interests or personal relationships that could have appeared to influence the work reported in this paper.

The publisher would like to apologise for any inconvenience caused.

DOI of original article: https://doi.org/10.1016/j.talo.2021.100073.

* Corresponding author.

E-mail address: c.banks@mmu.ac.uk (C.E. Banks).