






Please cite the Published Version

Dewinter, J , Onaiwu, MG, Massolo, ML, Caplan, R, Van Beneden, E, Brörmann, N, Crehan, ET, Croen, LA , Faja, S , Gassner, DL, Graham Holmes, L, Hughes, C, Hunter, M, Huysamen, M , Jelonche, P, Lai, MC, Noens, I, Pukki, H, Stokes, MA , Strang, JF and van der Miesen, AIR (2024) Short report: Recommendations for education, clinical practice, research, and policy on promoting well-being in autistic youth and adults through a positive focus on sexuality and gender diversity. *Autism*, 28 (3). pp. 770-779. ISSN 1362-3613

DOI: <https://doi.org/10.1177/13623613231188349>

Publisher: SAGE Publications

Version: Published Version

Downloaded from: <https://e-space.mmu.ac.uk/633738/>

Usage rights:  [Creative Commons: Attribution-Noncommercial 4.0](https://creativecommons.org/licenses/by-nc/4.0/)

Additional Information: This is an open access article which first appeared in *Autism*, published by SAGE Publications.

Enquiries:

If you have questions about this document, contact openresearch@mmu.ac.uk. Please include the URL of the record in e-space. If you believe that your, or a third party's rights have been compromised through this document please see our Take Down policy (available from <https://www.mmu.ac.uk/library/using-the-library/policies-and-guidelines>)

Short report: Recommendations for education, clinical practice, research, and policy on promoting well-being in autistic youth and adults through a positive focus on sexuality and gender diversity

Autism

1–10

© The Author(s) 2023



Article reuse guidelines:

sagepub.com/journals-permissions

DOI: 10.1177/13623613231188349

journals.sagepub.com/home/aut

Jeroen Dewinter¹ , Morénike Giwa Onaiwu^{2,3}, Maria L Massolo⁴, Reid Caplan⁵, Els Van Beneden⁶, Nikki Brörmann⁷, Eileen T Crehan⁸, Lisa A Croen⁴ , Susan Faja⁹ , Dena L Gassner¹⁰, Laura Graham Holmes¹¹, Cat Hughes¹², Morigan Hunter¹³, Monique Huysamen¹⁴, Paola Jelonche¹⁵, Meng-Chuan Lai¹⁶, Ilse Noens¹⁷, Heta Pukki¹⁸, Mark A Stokes¹⁹ , John F Strang²⁰ and Anna IR van der Miesen^{16,21}

Abstract

This short report presents recommendations to promote health and well-being relating to sexuality and gender diversity in autistic individuals. The recommendations were developed based on the latest available scientific knowledge coupled with a community-driven approach. An international group of autistic and non-autistic experts in the fields of autism, sexuality, and gender diversity and autistic advocates worked together to develop the initial recommendations; these recommendations were subsequently checked within the wider community through an online survey. Out of the original 11 recommendations, eight were rated above a consensus threshold. The final recommendations cover three themes: (1) providing education and information on sexuality, relationships, and gender diversity to autistic individuals and their families; (2) improving expertise in and accessibility to healthcare for sexuality, relationships, and gender-related questions, with specific attention to prevention of and support after sexual victimization; and (3) meaningful inclusion of the autism community in future research that addresses well-being related to sexuality, relationships, and gender diversity. The recommendations emphasize the need for additional awareness and offer cues to parents, professionals, and policymakers to promote sexual health and well-being of autistic individuals.

Lay Abstract

In this article, we propose recommendations on what we can do to promote that autistic people can enjoy their sexuality and gender identity, because that contributes to overall well-being.

¹Tilburg University, The Netherlands

²Rice University, USA

³Autistic Women & Nonbinary Network (AWN), USA

⁴Kaiser Permanente Northern California, USA

⁵Accessible Academia, USA

⁶LAVA —Autistic Adults' Reading and Advisory Group, Belgium

⁷AutiRoze, The Netherlands

⁸Tufts University, USA

⁹Boston Children's Hospital/Harvard Medical School, USA

¹⁰Towson University, USA

¹¹Hunter College, The City University of New York, USA

¹²Middletown Centre for Autism, UK

¹³Oregon Health & Science University, USA

¹⁴Manchester Metropolitan University, UK

¹⁵Fundación Visibilia, Argentina

¹⁶Centre for Addiction and Mental Health, Canada

¹⁷University of Leuven, Belgium

¹⁸European Council of Autistic People, Finland

¹⁹Deakin University, Australia

²⁰George Washington University School of Medicine, USA

²¹Amsterdam University Medical Centers, Location Vrije Universiteit, The Netherlands

Corresponding author:

Jeroen Dewinter, GGzE and Tranzo, Scientific Center for Care and Well-Being, Tilburg School of Social and Behavioral Sciences, Tilburg University, PO Box 90153, 5000 LE Tilburg, The Netherlands

Email: jeroen.dewinter@ggze.nl

First, we briefly summarize the existing research on sexuality and gender diversity in autistic individuals.

Next, we propose recommendations for how to promote sexual and gender diversity-related health and well-being. Based on what is known about sexuality, gender diversity, and relationships in autistic adolescents and adults, we convened an international group of autistic and non-autistic researchers, advocates, parents, and professionals to develop recommendations to promote sexual and gender health in autistic people.

The resulting recommendations were checked through an online survey distributed to autistic people across the world. The online participants endorsed the importance of eight final recommendations related to:

1. Providing education and information on sexuality, relationships, and gender diversity to autistic individuals and their families;
2. Improving expertise in and accessibility to healthcare for sexuality, relationships, and gender-related questions, with specific attention to prevention of and support after sexual victimization; and
3. Meaningfully including the autism community in future research that addresses well-being relating to sexuality, relationships, and gender diversity.

These community-driven recommendations aim to promote sexual health and well-being in autistic individuals internationally.

Keywords

autism, gender diversity, policy, recommendations, sexual health, sexuality

Introduction

Policy recommendations to promote sexual and gender diversity-related health and well-being in autistic¹ youth and adults are lacking. This study developed recommendations based on the latest scientific evidence through an iterative, inclusive, community-driven approach to promote sexual rights and well-being of autistic youth and adults across various cultural and socio-economic backgrounds, information processing and communication styles.

Sexuality is “a central aspect of being human throughout life (that) encompasses sex, gender identities and roles, sexual orientation, eroticism, pleasure, intimacy, and reproduction (. . .)” (World Health Organization (WHO), 2006, p. 5). Gender can refer to a range of experiences including identities, gender-related expressions, and culturally driven associations, such as gender roles. Sexual health and well-being are closely related to overall health and well-being of individuals, partners, and families, and to the social and economic development of communities and countries (WHO, 2022). Therefore, people must have access to accurate and comprehensive information about gender and sexuality, to sexual healthcare and environments that support and promote sexual health. Human rights apply to sexual and gender diversity rights, including the right to freedom of thought and expression, equality, non-discrimination, privacy, autonomy, integrity, information, education, and health.

Views on autism, sexuality and gender have changed over the years (Dewinter et al., 2013, 2020; Bertilsdotter Rosqvist, 2014), from (1) ignoring the sexuality of autistic people; to (2) focusing on possible “sexual problems,” “inappropriate behaviors,” or assumptions that autistic people are “confused” regarding their experience of sexual orientation or gender diversity; and more recently, (3) a shift toward

recognition that sexuality and gender development are part of being human for autistic and non-autistic adolescents and adults alike, and include a wide range of expressions and identities. However, for many autistic people, human, sexual, and gender diversity-related rights have not been realized.

Autism, sexuality, and gender diversity: summarizing the evidence base

Over the past four decades, the number of studies on sexuality and sexual and gender identity in autistic individuals has increased rapidly. Approximately 300 peer-reviewed scientific articles on this topic have been published in English. Most studies have been conducted in Western Europe, the United Kingdom, and North America (United States and Canada) and have primarily included participants with Western cultural backgrounds without intellectual disability. Notwithstanding the diversity in gender identities in autistic people (see below), sex and gender identity are often conflated in autism research (Strang et al., 2020). In this section, we refer to individuals in accordance with reported study results, which may or may not have reported participants’ gender identity versus their assigned sex at birth. However, we affirm that people can experience a variety of gender identities outside the gender binary model, which may or may not align with one’s assigned sex at birth, and this should be a part of research reporting moving forward.

Sexual development

In general, pubertal timing does not differ between autistic and non-autistic adolescents (Corbett et al., 2020; May

et al., 2017). Most autistic adolescents have an interest in sexuality and relationships and gain experience with solo and partnered sexual behaviors at the same age as non-autistic peers (Dewinter et al., 2015; Weir et al., 2021). However, a higher proportion of autistic compared to non-autistic individuals, especially men, start later with partnered sexual activity. Greater sexual anxiety and less interest in sexuality and sexual desire have been reported by autistic individuals with no partnered sexual experiences (Byers et al., 2013). Also, limited autism-specific information about sexuality, perceived lack of sexual experience, difficulties finding a partner, challenges communicating with partners, and managing sensory needs and preferences are themes that have been recurrently reported in the literature as hindrances for autistic people in establishing intimate relationships and enjoying sexuality (Barnett & Maticka-Tyndale, 2015; Strunz et al., 2017). Recent studies on menstruation, menopause (Groenman et al., 2022; Moseley et al., 2021), and pregnancy (Hampton et al., 2023) in autistic people revealed specific sensory and physical challenges individuals may experience. Attention to developmental milestones relevant to sexuality, relationships, and gender later in life is still lacking.

Intimate relationships

Up to three-quarters of adults with autism without intellectual disability have romantic relationship experience (Dewinter et al., 2017). Some autistic individuals report more satisfaction with their relationship if their partner is autistic as well (Strunz et al., 2017). Autistic adults have reported similar concepts regarding intimate relationship as non-autistic peers (e.g. the importance of communication and dedication to working on the relationship; Sala et al., 2020).

Sexual attraction and identities

Relatively more autistic individuals, especially those assigned female at birth, reported non-heteronormative interest and identities compared to general population peers (Dewinter et al., 2017; George & Stokes, 2018a; Weir et al., 2021). Intersecting marginalized identities (i.e. being autistic and identifying as lesbian, gay, bisexual, asexual, or any other sexual minority identity (LGB+)) may result in specific personal challenges (e.g. feeling different), adverse social dynamics (e.g. stigmatization and exclusion), and a higher risk for mental health problems compared to the neurotypical majority (George & Stokes, 2018b; Hall et al., 2020).

Sexual violence and victimization

Contrary to ongoing myths, autism does not increase the risk for sexual offense (Higgs & Carter, 2015). However,

research has shown that autistic people, especially women, are more than four times as likely to experience sexual and physical violence and abuse as non-autistic individuals (Dike et al., 2022; Gibbs et al., 2021). The consequences of victimization and needs of autistic survivors may be different from those in the general population. The adverse impact of sexual victimization on autistic people might be exacerbated by previous negative experiences, social exclusion, and inadequate reactions from others when seeking support (Pearson et al., 2023).

Sexuality education

Parents have reported concerns about the sexual well-being of their autistic children and want to support their sexual development. Some parents hesitate to provide comprehensive sexuality education (CSE) and indicate the need to discuss this with professionals (Ballan, 2012; Holmes & Himle, 2014). Professionals, on the contrary, do not consistently address or support sexuality in their interactions with autistic youth and their families (Holmes et al., 2014). Practice guidelines (Hannah & Stagg, 2016) and sexuality education programs tailored to adolescents with autism are becoming available (Visser et al., 2017), but are still scarce.

Sexual and reproductive healthcare

Autistic individuals report more unmet healthcare needs, lower healthcare satisfaction, and lower rates of preventive care (e.g. cervical cancer screenings; Nicolaidis et al., 2013). The need for clear communication and information, attention to environmental features (e.g. light and sounds), knowledge about autism, and professionals' awareness of sexual healthcare issues has been emphasized (Hampton et al., 2023).

Gender identity diversity and gender incongruence

Research has shown that compared with non-autistic people, autistic people are more likely to identify as transgender or gender diverse (i.e. identify as a gender different than their assigned sex at birth; George & Stokes, 2018a; van der Miesen et al., 2016) and more often experience gender dysphoria or incongruence (Kallitsounaki & Williams, 2023). In addition, autistic gender diverse individuals report more severe mental health challenges as compared to cisgender autistic and gender diverse non-autistic individuals (George & Stokes, 2018b). Access to attuned support and gender-affirming care is not available everywhere, and autistic individuals have reported difficulties with navigating gender-related medical and psychological care (Strang et al., 2018).

Directions for future research in this field

Based on the input from researchers, advocates, and clinicians, future research should focus on advancing insight into sexuality, gender diversity, and relationships in autistic individuals. Relevant topics include autism-related experiences across the lifespan in the areas of sexuality and gender development, relationships, LGBT+-related experiences and needs, and the intersection with intellectual disabilities. Research should focus on support and interventions to promote sexual health and satisfying relationships, and will benefit from being performed in close collaboration with the autistic community. The inclusion of the perspectives of autistic people in future research, healthcare, and the societal debate on autism and sexuality, including gender diversity, is needed (Dewinter et al., 2020).

From evidence to policy: developing recommendations based on a community-driven approach

The policy recommendations were developed by a core group of researchers, community members, and clinicians (JD, MGO, MLM, EvB, RC, AIRvdM), including three autistic and three non-autistic members, in close collaboration with a broader international expert group ($N=21$) who met online in May and August 2022. The project was approved by the Ethical Review Board of the Tilburg School of Social and Behavioral Sciences, Tilburg University (TSB_RP431). Before the first meeting, the experts received an overview of research findings on autism, sexuality, and gender diversity to date (see above). During the first expert meeting, attendees divided across three small groups developed recommendations following the Nominal Group Technique guidelines, a structured method for group discussions to reach consensus (McMillan et al., 2014). The recommendations developed by these experts during the meeting were merged into a set of 11 policy recommendations by the core group and arranged into four themes: (1) education and information, (2) supportive communities, (3) healthcare, and (4) research (see Supplemental Appendix 1). Between the two expert meetings, the recommendations were evaluated through an online survey distributed globally to autistic people, their families, researchers, and professionals. A call for participation was made available in six languages (English, Spanish, French, German, Dutch, and Chinese) and distributed through the broader international group of experts, (networks of) advocacy groups, and autistic-led organizations on all continents. Despite these efforts, only a limited number of participants were reached outside Europe and the United States. Between May and July 2022, 353 autistic adults and 140 family members of autistic people, researchers, and professionals completed the survey.

Survey participants ($N=493$) completed demographic questions (see Table 1) and rated the 11 policy statements on a scale ranging from 0 (“Totally not important”) to 10 (“Very important”). The consensus threshold was defined at 80% rating a recommendation 8 or higher. Participants were invited to add additional comments and recommendations or adjustments to the policy recommendations. In the second expert meeting, the final eight policy recommendations were discussed, refined, and approved.

Community involvement

Autistic and non-autistic researchers, self-advocates, clinicians, and parent organization representatives collaborated in applying for funding, designing and conducting the research, interpreting and reporting the data, and disseminating the results.

Policy recommendations

Eight of the 11 policy recommendations were maintained based on the ratings of the autistic survey participants. Three recommendations on supportive communities did not survive the consensus cut-offs (see Table 2). Additional comments by the autistic participants were analyzed and used to further refine the recommendations. It is beyond the scope of this study to concretize and discuss the specific implications of the recommendations on policy and daily life. However, key references are listed below each recommendation, presenting the state of the research and starting points to translate these recommendations into policy and practice.

Theme 1: education and information

1. Provide all autistic individuals with comprehensive and accurate sex education that addresses sexuality, intimate relationships, and gender identity (diversity) from a positive perspective. Sex education can help individuals learn to understand their personal preferences, boundaries, and identities, build skills to develop healthy relationships and recognize harmful relationships.

In addition to this recommendation, autistic adults stressed the need for attention to diverse interests and experiences (e.g. specific sexual interests, asexuality, sensory experiences and preferences, masturbating to regulate stress) in CSE. Awareness about cultural differences (e.g. in some countries CSE is not yet provided in schools so other venues may be needed), the differing needs of specific groups (e.g. individuals with high IQs, people with intellectual disability), the mode in which CSE is offered (individual, in group, in schools, or otherwise), and the timing of sexuality education (e.g. early in development, attuned to the

Table 1. Demographic characteristics.

	Autistic participants		Non-autistic participants	
	(N=353)		(N=140)	
	n	%	n	%
Role ^a				
Autistic adults	353	100.0	0	.0
Parent	60	17.0	53	37.9
Partner	36	10.2	6	4.3
Professional	29	8.2	95	67.9
Continent and country of living				
Africa	1	0.3	0	.0
Ghana	1	0.3	0	.0
Asia	6	1.7	4	2.9
China	1	0.3	0	.0
India	4	1.1	1	0.7
Japan	1	0.3	0	.0
Vietnam	0	0	3	2.1
Australia	21	5.9	6	4.3
Australia	21	5.9	6	4.3
Europe	247	70.0	72	51.4
Belgium	94	26.6	22	15.7
Croatia	6	1.7	0	.0
Czech republic	1	0.3	0	.0
Denmark	51	14.4	8	5.7
Finland	3	0.8	0	.0
France	2	0.6	0	.0
Germany	3	0.8	4	2.9
Greece	1	0.3	0	.0
Ireland	6	1.7	2	1.4
Italy	2	0.6	0	.0
The Netherlands	56	15.9	30	21.4
Slovakia	1	0.3	0	.0
Spain	1	0.3	0	.0
Sweden	2	0.6	0	.0
UK	18	5.1	6	4.3
North America	51	14.4	22	15.7
Canada	2	0.6	0	.0
United States	49	13.9	22	15.7
Central & South America	27	7.6	35	25.0
Argentina	20	5.7	27	19.3
Chile	2	0.6	4	2.9
Mexico	5	1.4	3	2.1
Uruguay	0	.0	1	0.7
Missing	0	.0	1	0.7
Age (years)				
< 18	2	0.6	0	.0
18–24	50	14.2	3	2.1
25–34	122	34.6	38	26.2
35–44	100	28.3	45	31.0
45–54	51	14.4	35	24.1
55–64	21	5.9	15	10.3
> 65	7	2.0	2	1.4
Missing	0	.0	2	1.4

(Continued)

Table 1. (Continued)

	Autistic participants		Non-autistic participants	
	(N= 353)		(N= 140)	
	<i>n</i>	%	<i>n</i>	%
Sex				
Assigned female at birth (AFAB)	276	78.1	125	89.3
Assigned male at birth (AMAB)	74	20.9	15	10.7
Intersex (AFAB)	3	0.8	0	.0
Gender identities				
Cis woman	181	65.6	122	97.6
Cis man	55	74.3	15	100.0
Female + other (queer, non-binary, fluid, agender)	23	— ^b	0	— ^b
Male + other (queer, non-binary, fluid, agender)	10	— ^b	0	— ^b
(Trans) male	12	— ^b	1	— ^b
(Trans) non-binary	7	— ^b	0	— ^b
(Trans) female	2	— ^b	0	— ^b
Non-binary/fluid/queer	50	— ^b	1	— ^b
Agender	3	— ^b	1	— ^b
Still figuring it out	8	— ^b	0	— ^b
Relationship status				
Single	145	41.2	N/A	N/A
In a relationship, not living together	54	15.3	N/A	N/A
In a relationship, living together	152	43.2	N/A	N/A
Missing	2	0.3	N/A	N/A
Living situation				
Own place	285	81.0	N/A	N/A
With parents	52	14.8	N/A	N/A
Group home/supported/hospital	5	1.4	N/A	N/A
No stable housing	5	1.4	N/A	N/A
Other (student housing, co-housing)	4	1.1	N/A	N/A
Missing	2	0.6	N/A	N/A
Received sexuality education				
Yes	287	81.5	N/A	N/A
No	65	18.5	N/A	N/A
Rating (0–10) mean (SD) (<i>n</i> = 275) ^c	4.7 (2.5)	— ^b	N/A	N/A

N/A: not asked; SD: standard deviation. Bold numbers are aggregated results per continent

^aParticipants could combine roles.

^bPercentages were not calculated as participants could endorse multiple options to best describe their gender identities.

^cHow would you rate the sexuality education you received? (0=very poor to 10=excellent and comprehensive).

developmental level of youth, making CSE available to adults) were stressed.

Ragaglia et al. (2023) provided an overview of best practices and validated programs, recommendations regarding the content, modalities of CSE, the possible role of different actors, and caveats in the available research.

2. Make information on sexuality and relationships available and easily accessible to autistic individuals and to the people supporting them.

Autistic adults stressed the need to make accurate and comprehensive information accessible to autistic children, adolescents, and adults and their family members, caretakers, and partners. Crehan et al. (2022) explored sexuality and

relationship education resources for autistic and neurotypical adults and discussed the importance of using online resources.

Theme 2: healthcare

1. Train professionals to understand, discuss, and respond to the diverse needs of autistic individuals regarding sexuality, intimate relationships, and gender identity.

This recommendation applies to professionals from diverse backgrounds/disciplines (e.g. teachers, mental health professionals, and medical specialists).

The WHO (2015) already strongly recommended the training of professionals in sexual health knowledge and

Table 2. Rating of the recommendations.

Recommendations	Autistic participants					Non-autistic participants					All participants				
	n	Rating (n)			Cumulative %	n	Rating (n)			Cumulative %	n	Rating (n)			Cumulative %
		8	9	10			8	9	10			8	9	10	
Education and information															
1. Comprehensive sexuality education	343	57	51	176	82.8	136	19	22	80	89.0	479	76	73	256	84.6
2. Accessible information	339	59	56	172	84.7	136	23	18	74	84.6	475	82	74	246	84.6
Supportive and inclusive communities															
1. Inclusive advocacy groups	334	65	46	141	75.4 ^a	135	26	30	55	82.2	469	91	76	196	77.4 ^a
2. Societal awareness and views	330	59	45	118	67.3 ^a	134	30	26	55	82.8	464	89	71	173	71.8 ^a
3. Meeting opportunities	330	50	44	116	63.6 ^a	132	27	28	58	85.6	462	77	72	174	69.9 ^a
Healthcare															
1. Train professionals	346	59	64	167	83.8	138	16	30	80	91.3	484	75	94	247	86.0
2. Accessible (health)care	335	69	55	148	81.2	138	23	33	67	89.1	473	92	88	215	83.5
3. Prevention of and support after sexual violence	345	32	46	225	87.8	136	15	27	85	93.4	481	47	73	310	89.4
Research															
1. Include autistic individuals in research	343	40	50	208	86.9	136	21	29	70	88.2	479	61	79	278	87.3
2. Fund research that contributes to well-being	334	54	57	155	79.6	135	27	18	63	80.0	469	81	75	218	79.7
3. Research on understanding sexuality and gender identities in underserved groups	333	51	50	175	82.9	136	18	23	71	82.4	469	69	73	246	82.7

^aLess than 80% of participants rated this recommendation ≥ 8 (on a 0–10 scale, with 0 representing the lowest priority/least important and 10 the highest priority/most important).

communication skills. Attention to the specific healthcare experiences and needs of autistic people (Holmes et al., 2023) relating to gender and sexuality should be integrated into the training of professionals.

2. Provide accessible expert (health)care to address the needs of autistic individuals regarding sexuality, intimate relationships, and gender diversity across the lifespan.

Autistic adults call for specific attention to care in the areas of menstruation, pregnancy, parenthood, and menopause.

Holmes et al. (2023) identified facilitators and barriers to sexual and reproductive healthcare for autistic individuals and integrated them in a conceptual model to guide practice, future research, and policy.

3. Improve prevention and/or support services for autistic survivors of sexual violence.

Autistic survey responders pointed out the need for attention to personal expectations and boundaries, and to recognize safe relationships in CSE. In addition, the need for trauma-informed/specialized care for autistic individuals who experience sexual violence was pointed out.

Dike et al. (2022) reviewed the available research on sexual violence among autistic individuals and emphasized the importance of the development of treatment and support strategies for autistic individuals who have experienced sexual violence. Insights based on lived experience of autistic people are essential to understand how to help people who were harmed (Pearson et al., 2023).

Theme 3: research

1. Ensure that autistic people are included in research projects studying sexuality, gender and related health, and well-being.

The value and importance of participatory research in the field of autism has been emphasized (Fletcher-Watson et al., 2019) and guidelines for participatory autism research are available (Nicolaidis et al., 2019).

2. Promote and fund research that contributes to the well-being of autistic individuals regarding their sexuality, intimate relationships, and gender identities.

Research priorities regarding autism, sexuality, and gender identity have been published (Dewinter et al., 2020) which may have a positive impact on the daily lives of autistic people and their families.

3. Promote and develop research on how to understand and support sexuality, intimate relationships, and

gender diversity-related needs in people with intersecting identities—such as autistic people of color, autistic people with limited verbal communication, and autistic people with intellectual disabilities.

The need for attention to the experiences of autistic individuals with intersecting identities has been emphasized and approaches to reducing barriers to research participation have been suggested (Lopez et al., 2022 (intersectionality); Lebenhagen, 2020 (speaking and nonspeaking individuals); Shaia et al., 2020 (Black and African-American families); Strang et al., 2020 (gender diverse individuals)).

Conclusion

These community-based recommendations for education, clinical practice, research, and policy are developed to promote well-being in autistic youth and adults through a positive approach to sexuality and gender diversity. We believe implementation of these recommendations will lead to improved well-being and quality of life of autistic individuals.

Acknowledgements

We thank everyone who completed the survey and those who advised and supported us during the process of developing these policy recommendations. Special thanks to Annika Kooke and Ross Howard-Hildige for reviewing the available research; to Cora Coehorst, Elizabeth Graham, Ann De Keersmaecker, Ingrid Verhaegen, and Karen Wangari for their contribution in the expert meetings; and to the participants at the LAVA—Autistic Adults' Reading and Advisory Group reading session who provided feedback on this article.

Declaration of conflicting interests

The author(s) declared no potential conflicts of interest with respect to the research, authorship, and/or publication of this article.

Funding

The author(s) disclosed receipt of the following financial support for the research, authorship, and/or publication of this article: Funds to support this research were provided by the International Society for Autism Research (INSAR). INSAR is not responsible for, nor does it endorse, the content of this report.

ORCID iDs

Jeroen Dewinter  <https://orcid.org/0000-0002-2402-0239>

Lisa A Croen  <https://orcid.org/0000-0001-7849-9428>

Susan Faja  <https://orcid.org/0000-0001-6876-3643>

Mark A Stokes  <https://orcid.org/0000-0001-6488-4544>

Supplemental material

Supplemental material for this article is available online.

Note

1. We use both identity- and person-first language in line with the different preferences of autistic people (Bottema-Beutel et al., 2021; Buijsman et al., 2023).

References

- Ballan, M. S. (2012). Parental perspectives of communication about sexuality in families of children with autism spectrum disorders. *Journal of Autism and Developmental Disorders*, *42*, 676–684. <https://doi.org/10.1007/s10803-011-1293-y>
- Barnett, J. P., & Maticka-Tyndale, E. (2015). Qualitative exploration of sexual experiences among adults on the autism spectrum: Implications for sex education. *Perspectives on Sexual and Reproductive Health*, *47*(4), 171–179. <https://doi.org/10.1363/47e5715>
- Bertilsson Rosqvist, HB. (2014). Becoming an ‘autistic couple’: Narratives of sexuality and couplehood within the Swedish autistic self-advocacy movement. *Sexuality and Disability*, *32*(3), 351–363. <https://doi.org/10.1007/s11195-013-9336-2>
- Bottema-Beutel, K., Kapp, S. K., Lester, J. N., Sasson, N. J., & Hand, B. N. (2021). Avoiding Ableist Language: Suggestions for Autism Researchers. *Autism in adulthood : challenges and management*, *3*(1), 18–29. <https://doi.org/10.1089/aut.2020.0014>
- Buijsman, R., Begeer, S., & Scheeren, A. M. (2023). ‘Autistic person’ or ‘person with autism’? Person-first language preference in Dutch adults with autism and parents. *Autism*, *27*(3), 788–795. <https://doi.org/10.1177/13623613221117914>
- Byers, E. S., Nichols, S., & Voyer, S. D. (2013). Challenging stereotypes: Sexual functioning of single adults with high functioning autism spectrum disorder. *Journal of Autism and Developmental Disorders*, *43*, 2617–2627. <https://doi.org/10.1007/s10803-013-1813-z>
- Corbett, B. A., Vandekar, S., Muscatello, R. A., & Tanguturi, Y. (2020). Pubertal timing during early adolescence: Advanced pubertal onset in females with autism spectrum disorder. *Autism Research*, *13*(12), 2202–2215. <https://doi.org/10.1002/aur.2406>
- Crehan, E. T., Rocha, J., & Dufresne, S. (2022). Brief report: Sources of sexuality and relationship education for autistic and neurotypical adults in the U.S. and a call to action. *Journal of Autism and Developmental Disorders*, *52*, 908–913. <https://doi.org/10.1007/s10803-021-04992-z>
- Dewinter, J., De Graaf, H., & Begeer, S. (2017). Sexual orientation, gender identity, and romantic relationships in adolescents and adults with autism spectrum disorder. *Journal of Autism and Developmental Disorders*, *47*(9), 2927–2934. <https://doi.org/10.1007/s10803-017-3199-9>
- Dewinter, J., van der Miesen, A. I. R., & Holmes, L. G. (2020). INSAR Special Interest Group report: Stakeholder perspectives on priorities for future research on autism, sexuality, and intimate relationships. *Autism Research*, *13*(8), 1248–1257. <https://doi.org/10.1002/aur.2340>
- Dewinter, J., Vermeiren, R., Vanwesenbeeck, I., Lobbestael, J., & Van Nieuwenhuizen, C. (2015). Sexuality in adolescent boys with autism spectrum disorder: Self-reported behaviours and attitudes. *Journal of Autism and Developmental Disorders*, *45*(3), 731–741. <https://doi.org/10.1007/s10803-014-2226-3>
- Dewinter, J., Vermeiren, R., Vanwesenbeeck, I., & Van Nieuwenhuizen, C. (2013). Autism and normative sexual development: A narrative review. *Journal of Clinical Nursing*, *22*, 3467–3483. <https://doi.org/10.1111/jocn.12397>
- Dike, J. E., DeLucia, E. A., Semones, O., Andrzejewski, T., & McDonnell, C. G. (2022). A systematic review of sexual violence among autistic individuals. *Review Journal of Autism and Developmental Disorders*. <https://doi.org/10.1007/s40489-022-00310-0>
- Fletcher-Watson, S., Adams, J., Brook, K., Charman, T., Crane, L., Cusack, J., . . . Pellicano, E. (2019). Making the future together: Shaping autism research through meaningful participation. *Autism*, *23*(4), 943–953. <https://doi.org/10.1177/1362361318786721>
- George, R., & Stokes, M. A. (2018a). Gender identity and sexual orientation in autism spectrum disorder. *Autism*, *11*(1), 133–141. <https://doi.org/10.1177/1362361317714587>
- George, R., & Stokes, M. A. (2018b). A quantitative analysis of mental health among sexual and gender minority groups in ASD. *Journal of Autism and Developmental Disorders*, *48*, 2052–2063. <https://doi.org/10.1007/s10803-018-3469-1>
- Gibbs, V., Hudson, J., Hwang, Y. I., Arnold, S., Trollor, J., & Pellicano, E. (2021). Experiences of physical and sexual violence as reported by autistic adults without intellectual disability: Rate, gender patterns and clinical correlates. *Research in Autism Spectrum Disorders*, *89*, 101866. <https://doi.org/10.1016/j.rasd.2021.101866>
- Groenman, A. P., Torenvliet, C., Radhoe, T. A., Agelink Van Rentergem, J. A., & Geurts, H. M. (2022). Menstruation and menopause in autistic adults: Periods of importance? *Autism*, *26*(6), 1563–1572. <https://doi.org/10.1177/13623613211059721>
- Hall, J. P., Batza, K., Streed, C. G., Boyd, B. A., & Kurth, N. K. (2020). Health disparities among sexual and gender minorities with autism spectrum disorder. *Journal of Autism and Developmental Disorders*, *50*(8), 3071–3077. <https://doi.org/10.1007/s10803-020-04399-2>
- Hampton, S., Man, J., Allison, C., Aydin, E., Baron-Cohen, S., & Holt, R. (2023). A qualitative exploration of autistic mothers’ experiences I: Pregnancy experiences. *Autism*, *27*(5), 1271–1282. <https://doi.org/10.1177/13623613221132435>
- Hannah, L. A., & Stagg, S. D. (2016). Experiences of sex education and sexual awareness in young adults with autism spectrum disorder. *Journal of Autism and Developmental Disorders*, *46*(12), 3678–3687. <https://doi.org/10.1007/s10803-016-2906-2>
- Higgs, T., & Carter, A. J. (2015). Autism spectrum disorder and sexual offending: Responsivity in forensic interventions. *Aggression and Violent Behavior*, *22*, 112–119. <https://doi.org/10.1016/j.avb.2015.04.003>
- Holmes, L. G., Anderson, K., Sieber, G. S., & Shattuck, P. T. (2023). Sexual and reproductive health services for autistic young people in the United States: A conceptual model of utilization. *Perspectives on sexual and reproductive health*, *55*(1), 49–61. <https://doi.org/10.1363/psrh.12221>
- Holmes, L. G., & Himle, M. B. (2014). Brief report: Parent-child sexuality communication and autism spectrum disorders. *Journal of Autism and Developmental Disorders*, *44*(11), 2964–2970. <https://doi.org/10.1007/s10803-014-2146-2>
- Holmes, L. G., Himle, M. B., Sewell, K. K., Carbone, P. S., Strassberg, D. S., & Murphy, N. A. (2014). Addressing

- sexuality in youth with autism spectrum disorders: Current pediatric practices and barriers. *Journal of Developmental and Behavioral Pediatrics*, 35(3), 172–178. <https://doi.org/10.1097/DBP.0000000000000030>
- Kallitsounaki, A., & Williams, D. M. (2023). Autism spectrum disorder and gender dysphoria/incongruence. A systematic literature review and meta-analysis. *Journal of Autism and Developmental Disorders*, 53, 3103–3117. <https://doi.org/10.1007/s10803-022-05517-y>
- Lebenhagen, C. (2020). Including speaking and nonspeaking autistic voice in research. *Autism in Adulthood*, 2(2), 128–131. <https://doi.org/10.1089/aut.2019.0002>
- Lopez, K., Nicolaidis, C., Garcia, A., Waisman, T. C., Cascio, M. A., & Feng, B. (2022). An expert roundtable discussion on intersectionality and autism in adulthood. *Autism in Adulthood*, 4(4), 258–264. <https://doi.org/10.1089/aut.2022.29021.klo>
- May, T., Pang, K. C., O'Connell, M. A., & Williams, K. (2017). Typical pubertal timing in an Australian population of girls and boys with autism spectrum disorder. *Journal of Autism and Developmental Disorders*, 47(12), 3983–3993. <https://doi.org/10.1007/s10803-017-3281-3>
- McMillan, S. S., Kelly, F., Sav, A., Kendall, E., King, M. A., Whitty, J. A., & Wheeler, A. J. (2014). Using the Nominal Group Technique: How to analyse across multiple groups. *Health Services and Outcomes Research Methodology*, 14(3), 92–108. <https://doi.org/10.1007/s10742-014-0121-1>
- Moseley, R. L., Druce, T., & Turner-Cobb, J. M. (2021). Autism research is 'all about the blokes and the kids': Autistic women breaking the silence on menopause. *British Journal of Health Psychology*, 26(3), 709–726. <https://doi.org/10.1111/bjhp.12477>
- Nicolaidis, C., Raymaker, D., Kapp, S. K., Baggs, A., Ashkenazy, E., McDonald, K., . . . Joyce, A. (2019). The AASPIRE practice-based guidelines for the inclusion of autistic adults in research as co-researchers and study participants. *Autism*, 23(8), 2007–2019. <https://doi.org/10.1177/1362361319830523>
- Nicolaidis, C., Raymaker, D., McDonald, K., Dern, S., Boisclair, W. C., Ashkenazy, E., & Baggs, A. (2013). Comparison of healthcare experiences in autistic and non-autistic adults: A cross-sectional online survey facilitated by an academic-community partnership. *Journal of General Internal Medicine*, 28(6), 761–769. <https://doi.org/10.1007/s11606-012-2262-7>
- Pearson, A., Rose, K., & Rees, J. (2023). 'I felt like I deserved it because I was autistic': Understanding the impact of interpersonal victimisation in the lives of autistic people. *Autism*, 27(2), 500–511. <https://doi.org/10.1177/13623613221104546>
- Ragaglia, B., Caputi, M., & Bulgarelli, D. (2023). Psychosexual education interventions for autistic youth and adults—A systematic review. *Education Sciences*, 13(3), 224. <https://doi.org/10.3390/educsci13030224>
- Sala, G., Hooley, M., & Stokes, M. A. (2020). Romantic intimacy in autism: A qualitative analysis. *Journal of Autism and Developmental Disorders*, 50, 4133–4147. <https://doi.org/10.1007/s10803-020-04377-8>
- Shaia, W. E., Nichols, H. M., Dababnah, S., Campion, K., & Garbarino, N. (2020). Brief report: Participation of Black and African-American families in autism research. *Journal of Autism and Developmental Disorders*, 50(5), 1841–1846. <https://doi.org/10.1007/s10803-019-03926-0>
- Strang, J. F., Powers, M. D., Knauss, M., Sibarium, E., Leibowitz, S. F., Kenworthy, L., . . . Anthony, L. G. (2018). "They thought it was an obsession": Trajectories and perspectives of autistic transgender and gender-diverse adolescents. *Journal of Autism and Developmental Disorders*, 48(12), 4039–4055. <https://doi.org/10.1007/s10803-018-3723-6>
- Strang, J. F., van der Miesen, A. I. R., Caplan, R., Hughes, C., DaVanport, S., & Lai, M.-C. (2020). Both sex- and gender-related factors should be considered in autism research and clinical practice. *Autism*, 24(3), 539–543. <https://doi.org/10.1177/1362361320913192>
- Strunz, S., Schermuck, C., Ballerstein, S., Ahlers, C. J., Dziobek, I., & Roepke, S. (2017). Romantic relationships and relationship satisfaction among adults with Asperger syndrome and high-functioning autism. *Journal of Clinical Psychology*, 73(1), 113–125. <https://doi.org/10.1002/jclp.22319>
- van der Miesen, A. I. R., Hurley, H., & De Vries, A. L. C. (2016). Gender dysphoria and autism spectrum disorder: A narrative review. *International Review of Psychiatry*, 28(1), 70–80. <https://doi.org/10.3109/09540261.2015.1111199>
- Visser, K., Greaves-Lord, K., Tick, N. T., Verhulst, F. C., Maras, A., & van der Vegt, E. J. M. (2017). A randomized controlled trial to examine the effects of the Tackling Teenage psychosexual training program for adolescents with autism spectrum disorder. *Journal of Child Psychology and Psychiatry*, 58(7), 840–850. <https://doi.org/10.1186/s12888-015-0586-7>
- Weir, E., Allison, C., & Baron-Cohen, S. (2021). The sexual health, orientation, and activity of autistic adolescents and adults. *Autism Research*, 14(11), 2342–2354. <https://doi.org/10.1002/aur.2604>
- World Health Organization. (2006). *Defining sexual health: Report of a technical consultation on sexual health 28–31 January 2002, Geneva*.
- World Health Organization. (2015). *Brief sexuality-related communication: Recommendations for a public health approach*.
- World Health Organization. (2022). *Sexual health*. https://www.who.int/health-topics/sexual-health#tab=tab_1